RANDOX

THIRD PARTY CONTROLS







ACUSERA

TRUE THIRD PARTY CONTROLS OFFERING COMPLETE TEST MENU CONSOLIDATION



01	BENEFITS
03	ISO REQUIREMENTS
04	CONSOLIDATION
05	COMMITMENT TO QUALITY
06	ANTIOXIDANTS
09	BLOOD GAS
12	CARDIAC
16	CLINICAL CHEMISTRY
27	COAGULATION AND HAEMATOLOGY
30	DIABETES AND WHOLE BLOOD
34	IMMUNOASSAY
41	IMMUNOLOGY/PROTEINS
48	INFECTIOUS DISEASE (SEROLOGY)
52	LIPIDS
57	SPECIALITY AND RESEARCH
65	THERAPEUTIC DRUGS
68	TOXICOLOGY
73	URINE CHEMISTRY
77	CUSTOMISED QUALITY CONTROL SERA
79	ANALYTE INDEX
96	RANDOX QC PORTFOLIO
97	CONTACT US

BENEFITS

For over 40 years Randox has been shaping the future of clinical diagnostics with our pioneering high quality, cost effective laboratory solutions. With approximately 70% of clinical decisions based on laboratory test results, it is essential that the results provided are accurate and reliable in order to prevent potential misdiagnosis or inappropriate treatment.

Quality Control is our passion; we believe in producing high quality material that can help streamline procedures, whilst saving time and money for laboratories of all sizes and budgets. With an extensive product offering comprising third party quality controls & calibrators, interlaboratory data management, external quality assessment, calibration verification and molecular IQC and EQA for infectious disease testing, you can count on Randox to deliver trustworthy results time and time again. Just ask one of our 60,000 users worldwide.



Commutability

All Acusera controls are designed to react to the test system in the same manner as the patient sample, helping to meet ISO 15189:2012 requirements whilst reducing inconvenient and costly shifts in QC results when reagent batch is changed.



Accurate Target Values

Our unique value assignment process utilises thousands of independent labs globally, ensuring availability of highly accurate, robust target values for a wide range of instruments and methods, ultimately eliminating the need to spend time and money assigning in-house.



True Third Party Controls

Manufactured independently, the Acusera range delivers unbiased performance assessment with any instrument or method, helping to meet ISO 15189:2012 requirements whilst simultaneously eliminating the need for multiple instrument dedicated controls.



Shelf Life

With a shelf life of up to four years for lyophilised controls and two years for liquid controls, you can benefit from continuity of lot supply whilst reducing the frequency of new lot validation studies, thus saving time and money.



Consistency

Our superior manufacturing processes ensure stability claims and analyte levels won't differ significantly from lot-to-lot. You can therefore be sure of receiving the same standard of product time and time again.

BENEFITS



Traceability

The values assigned to both our calibrators and control materials are traceable to a recognised reference material or reference measurement procedure meeting ISO 17511 and ISO 18153 requirements.



Consolidation

Specialising in consolidation, the Acusera range of multi-analyte controls is designed to reduce the number of individual controls required to cover your test menu, ultimately reducing costs, preparation time and storage space.



Clinically Relevant Levels

The presence of analytes at key decision levels not only helps to ensure accurate instrument performance but maximises laboratory efficiency by eliminating the need for additional low/high level controls at extra expense.



Reduced Waste

The unrivalled working stability of the Acusera control range helps to keep waste and costs to a minimum.



Flexible Options

With an extensive range of assayed/unassayed, liquid/lyophilised and single/multi-analyte controls, the Acusera portfolio has a solution to suit all laboratory preferences.



Custom Controls

Randox is a market leader in the manufacture of customised quality controls designed to meet the individual and unique requirements of even the most specialised laboratories.

For more information about Randox and for our full range of products, please visit randox.com, or contact your local Randox representative.

ISO REQUIREMENTS

Acusera; helping you to meet ISO 15189:2012 requirements.

Third Party Controls

"Use of independent third party control materials should be considered, either instead of, or in addition to, any control materials supplied by the reagent or instrument manufacturer"

As true third party controls, the Acusera range has been designed to provide an unbiased, independent assessment of performance. Our Acusera controls have not been manufactured in line with, or optimised for use with any particular reagent, method or instrument.

Commutability

"The laboratory shall use quality control materials that react to the examining system in a manner as close as possible to patient samples"

Many Acusera controls are 100% commutable, ensuring they behave in the same manner as a patient sample thus providing an accurate reflection of test system performance.

Clinically Relevant Levels

"The laboratory should choose concentrations of control materials wherever possible, especially at or near clinical decision values, which ensure the validity of decisions made".

The inclusion of analytes at clinical decision levels will not only eliminate the need to purchase additional low/high level controls but will help to ensure accurate instrument performance.

Data Management

"The laboratory shall have a procedure to prevent the release of patient results in the event of quality control failure. When the quality control rules are violated and indicate that examination results are likely to contain clinically significant errors, the results shall be rejected.... Quality Control data shall be reviewed at regular intervals to detect trends in examination performance".

Acusera 24 • 7 provides instant access to an unrivalled range of features including QC multi-rules, interactive charts, live peer group data, automatic calculation of Measurement Uncertainty & Sigma Metrics & our unique dashboard interface, all designed to speed up the review process and provide at-a-glance performance assessment.

EQA

"The laboratory shall participate in interlaboratory comparisons such as those organised by external quality assessment or proficiency testing schemes".

The Randox International Quality Assessment Scheme (RIQAS), is used by more than 55,000 laboratory participants in 134 countries and accredited to ISO 17043. As a result, we have RIQAS users on every continent who are registered for one or more of our 39 flexible EQA programmes, utilising the available data to ensure the quality and reliability of their results.

CONSOLIDATION

Consolidate and Save with Randox Acusera.


Randox is a leading provider of multi-analyte, true third party controls covering more than 400 parameters. The unique combination of analytes facilitates effective consolidation, helping your laboratory to reduce costs without compromising on performance or quality. Unlike some competitor products, our Acusera Controls are manufactured with analytes present at clinically relevant decision levels, eliminating the need to purchase additional high or low level controls, at extra expense.

How can consolidating with Randox Acusera benefit you?

With Randox Acusera you could consolidate up to 6 competitor controls into one Acusera control, reducing the amount of storage space required for your QC material, as well as saving valuable time and money for your laboratory. The following examples have been selected to highlight areas where Acusera can help you effectively consolidate your control purchases.

Liquid Assayed Chemistry Premium Plus Control

Uniquely combining up to 99 analytes including; routine chemistry, immunoassays, lipids, therapeutic drugs, proteins and cardiac markers in a single vial, you can experience effective consolidation and significant cost savings. The presence of CRP and other proteins at elevated levels will not only help to ensure accurate instrument performance at key decision levels but further reduce the number of individual controls required. - turn to page 21 for more information



Competitor Controls Randox Control Immunoassay Acusera Immunoassay Premium Plus Tumour Markers Anaemia Monitoring Therapeutic Drugs

Immunoassay Premium Plus Control

Impressively covering 55 analytes including tumour markers, therapeutic drugs and routine immunoassay tests, the Acusera Immunoassay Premium Plus control has been uniquely designed to eliminate the need for four or more controls, dramatically reducing costs and time. The added advantage of ultra-low levels of Ferritin, Vitamin B₁₂ and TSH will help to ensure accurate performance at key decision levels and further reduce the number of controls required. - turn to page 38 for more information

COMMITMENT TO QUALITY

Randox is committed to quality at every stage of the production process from research and development to customer support. This commitment has been recognised through official accreditation to both national and international standards including UKAS and ISO.

Accreditation to international standards ensures confidence in the quality and consistency of the products and services provided by Randox, and demonstrates compliance to internationally agreed standards.



The United Kingdom Accreditation Service (UKAS) is the only national accreditation body recognised by the government to assess against internationally agreed standards.

RIQAS systems and procedures have been accredited with UKAS approval to **ISO/IEC** 17043:2010 "Conformity assessment - General requirements for proficiency testing".

The International Organisation for Standardisation (ISO) is the largest developer and publisher of international standards in the world. In 2016, Randox was accredited with ISO13485:2016 approval.



ISO13485:2016

ISO13485:2016 relates to the design/development, manufacture, service and distribution of in vitro diagnostic medical devices, in vitro diagnostic test kits, in vitro diagnostic reagents and in vitro diagnostic analysers.

ISO13485:2016 highlights the requirements for a quality management system where an organisation needs to prove its ability to provide medical devices and other related services that consistently meet regulatory requirements.

FDA Cleared

Many of our quality controls and calibrators are FDA cleared and therefore appropriate for clinical use in the USA. In order for an IVD to be approved for sale in the USA it must not only be safe for use and effective but it must also satisfy the requirements set out in **part 820 title 21** of the Code of Federal Regulations published by the FDA.



Many of our Quality Control (QC) products are CE certified and carry the CE mark. CE marking on a product indicates that the product complies with and has satisfied the essential requirements set out by the In Vitro Diagnostic (IVD) Medical Devices Directive 98/79/EC. It also demonstrates the fact the product is fit for its intended purpose.

The CE mark is also a declaration from the manufacturer that the product has met all legislation in relation to health and safety and where required, has been assessed in accordance with this legislation.

CE marking is essential for products to be placed on the market and sold in the European Union (EU). It also ensures the free movement of products within the EFTA and EU.

Canadian
Medical Device
Regulations
from Health
Canada

Many Randox products, including our quality controls and calibrators, are **licensed for use in Canada**. Before an IVD device can be sold in Canada, it must meet the requirements set out in the Therapeutic Products Directorate. Health Canada reviews all medical devices to assess their safety, effectiveness and quality before they are authorised for sale.

ANTIOXIDANT CONTROLS

Free radicals are highly reactive molecules that seek stability by gaining other electrons. In their attempt to do this they often attack nearby molecules, resulting in cellular or systemic damage. Antioxidants act by preventing or slowing the damage caused by these free radicals. A reduction in total antioxidant status has been identified in several disease states, such as cancer and heart disease. Our Acusera Antioxidant Quality Controls are lyophilised for enhanced stability and cover a range of antioxidants ideal for both clinical and research use.

ANTIOXIDANTS

Antioxidant Product Range				
Product Description	Size	Cat. No.	Page No.	
Glutathione Peroxidase (Ransel) Control	10 x 1 ml	SC692	08	
Glutathione Peroxidase (Ransel) Calibrator	10 x 1 ml	SC10154	08	
Glutathione Reductase Control	10 x 5 ml	GR2608	08	
Glutathione Reductase Calibrator	10 x 5 ml	GR2609	08	
Superoxide Dismutase (Ransod) Control	10 x 1 ml	SD126	08	
Total Antioxidant Status (TAS) Control	10 x 5 ml	NX2331	08	
Total Antioxidant Status (TAS) Calibrator	10 x 1 ml	NX2332	08	











ANTIOXIDANTS

Glutathione Peroxidase (Ransel) Control and Calibrator 👢 🍥



A bovine based, whole blood control designed for use in the routine monitoring of accuracy and precision. This product is compatible for use on most clinical chemistry analysers.

- · Lyophilised for enhanced stability
- Stable to expiry date at 2°C to 8°C
- Reconstituted stability of 3 days at 2°C to 8°C
- · Single point calibrator

Description	Size	Cat. No.
Ransel Control	10 x 1 ml	SC692
Ransel Calibrator	10 x 1 ml	SC10154

Glutathione Reductase Control and Calibrator 👢 🍥





A bovine based control designed for use in the routine monitoring of accuracy and precision. This product is compatible for use on most clinical chemistry analysers.

- Lyophilised for enhanced stability
- Stable to expiry date at 2°C to 8°C
- Reconstituted stability of 1 days at 2°C to 8°C or 8 hours at 15°C to 25°C

Description	Size	Cat. No.
Glutathione Reductase Control	10 x 5 ml	GR2608
Glutathione Reductase Calibrator	10 x 5 ml	GR2609

Superoxide Dismutase (Ransod) Control 👢 🍥





A bovine based, whole blood control designed for use in the routine monitoring of accuracy and precision. This product is compatible for use on most clinical chemistry analysers.

- Lyophilised for enhanced stability
- Stable to expiry date at 2°C to 8°C
- Reconstituted stability of 10 days at 2°C to 8°C

Description Size Cat. No. Ransod Control 10 x 1 ml SD126

Total Antioxidant Status (TAS) Control and Calibrator 👢 🍥





A human based control designed for use in the routine monitoring of accuracy and precision. This product is compatible for use on most clinical chemistry analysers.

- Lyophilised for enhanced stability
- Stable to expiry date at 2°C to 8°C
- Reconstituted stability of 2 days at 2°C to 8°C or 12 hours at 15°C to 25°C

- Lyophilised for enhanced stability
- Stable to expiry date at 2°C to 8°C
- Reconstituted stability of 2 days at 2°C to 8°C or 28 days at -20°C
- Single point calibrator

Description Size Cat. No. Total Antioxidant Status Control NX2331 10 x 5 ml Total Antioxidant Status Calibrator $10 \times 1 \text{ m}$ NX2332

BLOOD GAS CONTROLS

Blood Gas tests can provide crucial information for medical professionals in acute care environments. As such, the results they produce must be accurate and reliable to ensure correct patient diagnosis and subsequent treatment. Used in both clinical laboratories and at the point-of-care, our Acusera Blood Gas Controls have been designed to ensure ease-of-use and peace of mind. The liquid ready-to-use format ensures that no preparation time is needed and controls can be easily stored both on the ward and in the laboratory at 2°C to 8°C.

BLOOD GAS

Blood Gas Product Range			
Product Description	Size	Cat. No.	Page No.
Blood Gas Control Level 1	30 x 1.8 ml	BG5001	11
Blood Gas Control Level 2	30 x 1.8 ml	BG5002	11
Blood Gas Control Level 3	30 x 1.8 ml	BG5003	11













BLOOD GAS

Blood Gas Control 6 ©



	Ana	llytes	
Bicarbonate	Glucose	pH	Sodium
Calcium	Lactate	pO ₂	
Chloride	pCO ₂	Potassium	

Combining 10 parameters including electrolytes and lactate, the Acusera Blood Gas control is designed to meet the demands of today's blood gas analysers. Supplied in convenient, easy to open ampoules and in a liquid ready-to-use format, preparation is kept to an absolute minimum, making this control ideally suited for POC testing. As a true third party control, assayed target values are provided, ensuring unbiased performance assessment.

- Liquid ready-to-use
- Aqueous material
- Suitable for use in POCT
- Stable to expiry date at 2°C to 8°C
- · Once opened, controls should be analysed immediately for pH and blood gas analytes; for electrolyte measurements, the control should be analysed within 1 hour of opening

Description	Size	Cat. No.
Blood Gas Control Level 1	30 x 1.8 ml	BG5001
Blood Gas Control Level 2	30 x 1.8 ml	BG5002
Blood Gas Control Level 3	30 x 18 ml	BG5003

11

CARDIAC CONTROLS

The accurate diagnosis of a potentially life threatening cardiac event is essential in order to avoid misdiagnosis and/or incorrect treatment. The Acusera Cardiac Controls have been designed to cover a wide range of cardiac markers at clinical decision levels, eliminating the need for additional low level controls at extra expense. Manufactured from 100% human serum, a matrix similar to that of the patient sample is guaranteed.

CARDIAC

Cardia	c Product Range		
Product Description	Size	Cat. No.	Page No.
Cardiac Control - Ultra Low (Abbott & Roche)	3 x 3 ml	CQ10453	14
Cardiac Control Level 1 (Abbott & Roche)	3 x 3 ml	CQ10454	14
Cardiac Control Level 2 (Abbott & Roche)	3 x 3 ml	CQ10455	14
Cardiac Control Level 3 (Abbott & Roche)	3 x 3 ml	CQ10456	14
Cardiac Control – Ultra Low (Siemens)	3 x 3 ml	CQ10428	14
Cardiac Control Level 1 (Siemens)	3 x 3 ml	CQ10429	14
Cardiac Control Level 2 (Siemens)	3 x 3 ml	CQ10430	14
Cardiac Control Level 3 (Siemens)	3 x 3 ml	CQ10431	14
Tri-Level Cardiac Control	3 x 1 ml	CQ3100	14
Tri-Level Cardiac Control	3 x 2 ml	CQ3259	14
Troponin T Control (ultra low)	6x 3 ml	CQ10450	15
CK-MB Control	10 x 2 ml	CK1212	15
CK-MB Calibrator	10 x 1 ml	CK2393	15



ready-to-use









CARDIAC

Troponin I

Cardiac Control &





Analytes Cardiac Ultra Low Cardiac Level 1 Cardiac Level 2 Cardiac Level 3 Troponin I NT-proBNP NT-proBNP NT-proBNP

Troponin I

Delivering an assayed solution for Troponin I and NT-proBNP testing, the Acusera Cardiac Control is designed for use with Abbott, Roche and Siemens systems. This control provides a full range of clinically relevant testing levels, including High Sensitivity Troponin I.

Troponin I

- · Liquid frozen
- Human based serum
- · 4 Clinically relevant levels (including Ultra-Low)
- Stable to expiry date at -18°C to -24°C
- Open vial stability of up to 7 days at 2°C to 8°C

Size	Cat. No.
3 x 3 ml	CQ10453
3 x 3 ml	CQ10454
3 x 3 ml	CQ10455
3 x 3 ml	CQ10456
3 x 3 ml	CQ10428
3 x 3 ml	CQ10429
3 x 3 ml	CQ10430
3 x 3 ml	CQ10431
	3 x 3 ml 3 x 3 ml

Tri-Level Cardiac Control . ©





Analytes				
CK (Total)	CK-MB (Mass)	Myoglobin	Troponin T	
CK-MB (Activity)*	Homocysteine	Troponin I		

The Acusera Cardiac Control was designed for the routine monitoring of accuracy and precision. Assayed, instrument specific values and ranges are provided for 7 common cardiac markers, eliminating the need to spend time assigning target values in-house. The availability of two convenient pack sizes ensures suitability for all laboratory throughputs.

- · Lyophilised for enhanced stability
- Human based serum
- Cut off levels for Troponin I and T in-line with international recommendations
- Stable to expiry date at 2°C to 8°C
- Reconstituted stability of 5 days at 2°C to 8°C or 28 days at -20°C

Description	Size	Cat. No.
Tri-Level Cardiac Control	3 x 1 ml	CQ3100
Tri-Level Cardiac Control	3 x 2 ml	CO3259

^{*} Only available in level 2 and level 3

CARDIAC

Troponin T Control 🐉 🎯 🛉





Intended for use with the Roche system, this control is manufactured using only the highest quality material.

- Liquid frozen
- 100% human serum
- · Ultra low levels of Troponin T
- Stable to expiry date at -18°C to -24°C
- Open vial stability of up to 7 days at 2°C to 8°C

Description CQ10450 Troponin T Control $6 \times 3 \text{ ml}$

CK-MB Control and Calibrator & 🌡 🎯 🛉





Analytes			
CK-MB	CK-NAC*		

A dedicated true third party CK-MB control designed for the routine monitoring of both accuracy and precision. Assayed target values and ranges are provided for serum start, substrate start and CK-NAC methods eliminating the need to spend time assigning target values in-house.

- · Lyophilised for enhanced stability
- 100% human serum
- Stable to expiry date at 2°C to 8°C
- Reconstituted stability of 5 days at 4°C, 8 hours at 25°C and 28 days at -20°C
- Single point calibrator

Description Size Cat. No. CK-MB Control 10 x 2 ml CK1212 CK-MB Calibrator 10 x 1 ml CK2393

* CK-NAC is not available in the CK-MB Calibrator

15

CLINICAL CHEMISTRY CONTROLS

Our clinical chemistry controls are suitable for a range of integrated analyser systems and methods. To cover all laboratory requirements, our flexible Clinical Chemistry Controls contain up to 100 analytes, delivering effective consolidation and cost savings. Available in a choice of assayed/unassayed, liquid/lyophilised and human/bovine formats, options are available to suit all laboratory sizes and budgets.

CLINICAL CHEMISTRY

Clinical Chemistry Product Range			
Product Description	Size	Cat. No.	Page No.
Precision Chemistry Premium Plus Level 2	20 x 5 ml	UN1557	18
Precision Chemistry Premium Plus Level 3	20 x 5 ml	UE1558	18
Liquid Chemistry Premium Plus Level 1	12 x 5 ml	LUL5069	19
Liquid Chemistry Premium Plus Level 2	12 x 5 ml	LUN5070	19
Liquid Chemistry Premium Plus Level 3	12 x 5 ml	LUE5071	19
Assayed Chemistry Premium Plus Level 2	20 x 5 ml	HN1530	20
Assayed Chemistry Premium Plus Level 3	20 x 5 ml	HE1532	20
Assayed Chemistry Premium Plus Level 2 & 3	2 x 5 x 5 ml	HS2611	20
Liquid Assayed Chemistry Premium Plus Level 1	12 x 5 ml	LAL4213	21
Liquid Assayed Chemistry Premium Plus Level 2	12 x 5 ml	LAN4214	21
Liquid Assayed Chemistry Premium Plus Level 3	12 x 5 ml	LAE4215	21
Bovine Chemistry Assayed Level 1	20 x 5 ml	AL1027	22
Bovine Chemistry Assayed Level 2	20 x 5 ml	AN1026	22
Bovine Chemistry Assayed Level 3	20 x 5 ml	AE1032	22
Clinical Chemistry Calibration Serum Level 2	20 x 5 ml	CAL2350	23
Clinical Chemistry Calibration Serum Level 3	20 x 5 ml	CAL2351	23
Ammonia Ethanol Control Level 1	6 x 2 ml	EA1366	23
Ammonia Ethanol Control Level 2	6 x 2 ml	EA1367	23
Ammonia Ethanol Control Level 3	6 x 2 ml	EA1368	23
Aldolase Calibrator	3 x 1 ml	AD5000	24
Aldolase Control Level 2	3 x 1 ml	AD5001	24
Aldolase Control Level 3	3 x 1 ml	AD5002	24
Liquid Bilirubin Control Level 1	3 x 3 ml	BR10442	24
Liquid Bilirubin Control Level 2	3 x 3 ml	BR10443	24
Bilirubin Elevated Serum	10 x 3 ml	BE454	24
Glycerol Control	3 x 5 ml	GY1369	25
Multi Calibrator	3 x 2 ml	MC1382	25
Multi Control Level 1	5 x 2 ml	MC1379	25
Multi Control Level 2	5 x 2 ml	MC1380	25
Multi Control Level 3	5 x 2 ml	MC1381	25
Glutamine Control Level 1	5 x 5 ml	GM1376	25
Glutamine Control Level 2	5 x 5 ml	GM1377	25
Glutamine Control Level 3	5 x 5 ml	GM1378	25
Glutamine Calibrator	3 x 5 ml	GM1375	25
Serum Indices Control	4 x 5 ml	SI10448	26













CLINICAL CHEMISTRY

Precision Chemistry Premium Plus Control



Analytes Cardiac Prolactin Ferritin Chloride CK (Total) PSA (Total) Haptoglobin Cholinesterase Immunoglobulin A (IgA) Myoglobin T3 (Free) Creatinine Troponin I D-3-Hydroxybutyrate T3 (Total) Immunoglobulin E (IgE) γGT GLDH T4(Free) Immunoglobulin G (IgG) Drugs Immunoglobulin M (IgM) T4 (Total) Glucose Carbamazepine TSH Prealbumin Iron Digoxin Vitamin B₁₂ Protein (Total) Iron (TIBC) Gentamicin Transferrin Iron (UIBC) Lithium Lipids Paracetamol Lactate Apolipoprotein A-I **Routine Chemistry** Phenobarbitone Lactate Dehydrogenase (LDH) Apolipoprotein B α -HBDH Phenytoin LAP Cholesterol (HDL) Acid Phosphatase (Prostatic) Salicylate Lipase Cholesterol (Total) Acid Phosphatase (Total) Theophylline Magnesium **NEFA** Albumin Tobramycin Osmolality Alkaline Phosphatase (ALP) Triglycerides Valproic Acid Phosphate (Inorganic) ALT (GPT) Vancomycin Potassium Amylase **Proteins** Sodium Amylase (Pancreatic) AST (GOT) α-1-Acid Glycoprotein Urea Immunoassay Uric Acid (Urate) α -1-Antitrypsin α-Fetoprotein (AFP) Bicarbonate Ceruloplasmin CEA Bile Acids Bilirubin (Direct) Bilirubin (Total) Cortisol Complement C3 **Trace Metals** Complement C4 Folate Copper hCG CRP Calcium Zinc

Our Precision Chemistry Premium Plus control conveniently covers 86 analytes; including a wide range of proteins, lipids and immunoassays making it perfect for consolidation. As an unassayed, third party control it is suitable for use with a wide range of clinical chemistry platforms.

- · Lyophilised for enhanced stability
- Human based serum
- Stable to expiry date at 2°C to 8°C
- Reconstituted stability of up to 7 days at 2°C to 8°C or 28 days at -20°C

Description	Size	Cat. No.
Precision Chemistry Premium Plus Level 2	20 x 5 ml	UN1557
Precision Chemistry Premium Plus Level 3	20 x 5 ml	UE1558

CLINICAL CHEMISTRY

Liquid Chemistry Premium Plus Control



Analytes

Cardiac CK (Total) Myoglobin Troponin T Drugs Amikacin Caffeine Carbamazepine Digoxin Ethanol Gentamicin Lithium Paracetamol Phenobarbitone

Salicylate Theophylline Valproic Acid Vancomycin Electrophoresis α -1-Globulin α-2-Globulin Albumin β-Globulin

γ-Globulin

Phenytoin

Immunoassay α-Fetoprotein (AFP)

CEA Cortisol **DHEA Sulphate** Folate FSH Growth Hormone (GH) hCG Luteinising Hormone (LH) Progesterone

Prolactin Testosterone T Uptake T3 (Free) T3 (Total) T4(Free) T4 (Total) TSH Vitamin B₁₂

Lipids Apolipoprotein A-1 Apolipoprotein B Cholesterol (HDL) Cholesterol (LDL) Cholesterol (Total) Lipoprotein (a) Triglycerides

Proteins

α-1-Acid Glycoprotein α -1-Antitrypsin β-2-Microglobulin Ceruloplasmin Complement C3 Complement C4 CRP Ferritin Haptoglobin Immunoglobulin A (IgA) Immunoglobulin E (IgE)

Immunoglobulin G (IgG) Immunoglobulin M (IgM) Prealbumin Protein (Total) Transferrin

Routine Chemistry

 α -HBDH ACE (Angiotensin Converting Enzyme)* Acid Phosphatase (Prostatic) Acid Phosphatase (Total) Albumin Alkaline Phosphatase (ALP) ALT (GPT) Amylase Amylase (Pancreatic) AST (GOT)

Bicarbonate

Bile Acids Bilirubin (Direct) Bilirubin (Total) Calcium Chloride Cholinesterase Creatinine

D-3-Hydroxybutyrate γGT **GLDH** Glucose Iron

Iron (TIBC) Iron (UIBC) Lactate

Lactate Dehydrogenase (LDH) LAP

Lipase Magnesium Osmolality Phosphate (Inorganic) Potassium Sodium Urea Uric Acid (Urate)

> Trace Metals Copper Zinc

Comprising 101 analytes in total, the Acusera Liquid Chemistry Premium Plus control is one of the most comprehensive available. Our vast analyte menu allows complete consolidation, eliminating the need to purchase additional controls at extra expense. As an unassayed, third party control it is ideal for monitoring precision on a wide range of laboratory analysers. Presented in a convenient liquid format for ease-of-use, minimal preparation is required.

- · Liquid frozen
- Human based serum
- High levels of CRP and other proteins eliminate the need for separate controls
- Stable to expiry date at -20°C to -70°C
- Open vial stability of up to 7 days at 2°C to 8°C
- · Typical values provided for all analytes

Description	Size	Cat. No.
Liquid Chemistry Premium Plus Level 1	12 x 5 ml	LUL5069
Liquid Chemistry Premium Plus Level 2	12 x 5 ml	LUN5070
Liquid Chemistry Premium Plus Level 3	12 x 5 ml	LUE5071

*No claims are made regarding values or stability.

CLINICAL CHEMISTRY

Assayed Chemistry Premium Plus Control 👢 🔘



Analytes			
Cardiac CK (Total) Drugs	Immunoassay Cortisol Folate PSA (Total)	Immunoglobulin M (IgM) Protein (Total) Transferrin	D-3-Hydroxybutyrate γGT GLDH Glucose
Digoxin Gentamicin Lithium Paracetamol Salicylate Theophylline Tobramycin	T3 (Total) T4 (Free) T4 (Total) TSH Vitamin B ₁₂ Lipids	Routine Chemistry α-HBDH Acid Phosphatase (Total) Albumin Alkaline Phosphatase (ALP) ALT (GPT) Amylase	Iron Iron (TIBC) Lactate Lactate Dehydrogenase (LDH) Lipase (Colorimetric) Lipase (Turbidimetric) Magnesium
Electrophoresis α-1-Globulin α-2-Globulin Albumin β-Globulin γ-Globulin	Apolipoprotein A-1 Apolipoprotein B Cholesterol (HDL) Cholesterol (Total) NEFA Triglycerides Proteins Immunoglobulin A (IgA) Immunoglobulin G (IgG)	Amylase (Pancreatic) AST (GOT) Bicarbonate Bile Acids Bilirubin (Direct) Bilirubin (Total) Calcium Chloride Cholinesterase Creatinine	Osmolality Phosphate (Inorganic) Potassium Sodium Urea Uric Acid (Urate) Trace Metals Copper Zinc

One of our most popular controls, the Acusera Assayed Chemistry Premium Plus Control, combines a comprehensive 68 analytes in a single vial for maximum efficiency. As a true third party control, assayed instrument, method and temperature specific target values are provided for an extensive range of clinical chemistry analysers, reducing the need to assign values in-house. Also provided are electrophoresis targets as a % breakdown of total protein.

- · Lyophilised for enhanced stability
- Human based serum
- Typical Osmolality values: Level 2 is 300 mOsm/kg, Level 3 is 370 mOsm/kg
- Stable to expiry date at 2°C to 8°C
- Reconstituted stability of up to 7 days at 2°C to 8°C or 28 days at -20°C

Description	Size	Cat. No.
Assayed Chemistry Premium Plus Level 2	20 x 5 ml	HN1530
Assayed Chemistry Premium Plus Level 3	20 x 5 ml	HE1532
Assayed Chemistry Premium Plus Level 2 & 3	2 x 5 x 5 ml	HS2611

CLINICAL CHEMISTRY

Liquid Assayed Chemistry Premium Plus Control



Analytes Cardiac Immunoassay **Proteins** Bile Acids CK (Total) α-Fetoprotein (AFP) α -1- Acid Glycoprotein Bilirubin (Direct) Myoglobin CEA α -1-Antitrypsin Bilirubin (Total) Cortisol β-2-Microglobulin Calcium Troponin T **DHEA Sulphate** Ceruloplasmin Chloride Folate Complement C3 Cholinesterase Drugs Amikacin FSH Complement C4 Creatinine CRP Caffeine hCG D-3-Hydroxybutyrate γGT Carbamazepine Luteinising Hormone (LH) Ferritin Haptoglobin **GLDH** Digoxin Progesterone Ethanol Prolactin Immunoglobulin A (IgA) Glucose PSA (Total) Gentamicin Immunoglobulin E (IgE) Iron Lithium T Uptake Immunoglobulin G (IgG) Iron (TIBC) Paracetamol T3 (Free) Immunoglobulin M (IgM) Lactate Lactate Dehydrogenase (LDH) Phenobarbitone T3 (Total) Prealbumin Phenytoin T4(Free) Protein (Total) Lipase Salicylate T4 (Total) Transferrin Magnesium Osmolality Theophylline Testosterone **Routine Chemistry** Phosphate (Inorganic) Valproic Acid TSH Vancomycin Vitamin B₁₂ α -HBDH Potassium ACE (Angiotensin Converting Enzyme)* Sodium Electrophoresis Lipids Acid Phosphatase (Total) Urea α -1-Globulin Apolipoprotein A-1 Albumin Uric Acid (Urate) Alkaline Phosphatase (ALP) α-2-Globulin Apolipoprotein B Albumin Cholesterol (HDL) ALT (GPT) **Trace Metals** Cholesterol (LDL) β-Globulin Amylase Copper γ -Globulin Cholesterol (Total) Amylase (Pancreatic) Zinc AST (GOT) Lipoprotein (a) Triglycerides **Bicarbonate**

Uniquely combining up to 99 analytes including; routine chemistry, immunoassays, lipids, therapeutic drugs, proteins and cardiac markers in a single vial, laboratories can experience effective consolidation and significant cost savings. The presence of CRP and other proteins at elevated levels will not only ensure accurate instrument performance at key decision levels but further reduce the number of individual controls required. As a true third party control, assayed target values are provided for most major instruments.

- Liquid frozen
- Human based serum
- Assayed instrument specific target values and ranges
- High levels of CRP and other proteins eliminate the need for multiple controls
- Stable to expiry when stored at -20°C to -70°C
- Open vial stability of up to 7 days at 2°C to 8°C

Description	Size	Cat. No.	
Liquid Assayed Chemistry Premium Plus Level 1	12 x 5 ml	LAL4213	
Liquid Assayed Chemistry Premium Plus Level 2	12 x 5 ml	LAN4214	
Liquid Assayed Chemistry Premium Plus Level 3	12 x 5 ml	LAE4215	*No claims are made regarding values or stability.

21

CLINICAL CHEMISTRY

Bovine Chemistry Assayed Control & ©



Analytes			
Cardiac	Lipids	Amylase	Lactate Dehydrogenase (LDH)
CK (Total)	Cholesterol	AST (GOT)	Lipase
211(1233.)	NEFA	Bicarbonate	Magnesium
Drugs	Triglycerides	Bile Acids	Osmolality
Lithium	0,	Bilirubin (Direct)	Phosphate (Inorganic)
	Proteins	Bilirubin (Total)	Potassium
Immunoassay	Protein (Total)	Calcium	Sodium
Cortisol		Chloride	Urea
PSA (Total)	Routine Chemistry	Creatinine	Uric Acid (Urate)
T3 (Total)	α-HBDH	D-3-Hydroxybutyrate	
T4 (Free)	Acid Phosphatase (Prostatic)	γGT	Trace Metals
T4 (Total)	Acid Phosphatase (Non-Prostatic)	GLDH	Copper
Vitamin B ₁₂	Acid Phosphatase (Total)	Glucose	Zinc
	Albumin	Iron	
	Alkaline Phosphatase (ALP)	Iron (TIBC)	
	ALT (GPT)	Lactate	

Designed for use in the routine monitoring of accuracy and precision, this comprehensive bovine based, assayed control provides method, instrument and temperature specific values for a unique combination of 46 analytes. Due to its bovine serum matrix and inclusion of common veterinary markers; NEFA, Bile Acids, Lactate and D-3 Hydroxybutyrate, the Acusera Bovine Chemistry Assayed Control delivers a cost effective solution especially suited to veterinary laboratories.

- · Lyophilised for enhanced stability
- Bovine based serum
- Stable to expiry date at 2°C to 8°C
- Reconstituted stability of up to 7 days at 2°C to 8°C or 28 days at -20°C
- GLDH is stable for 1 day at 2°C to 8°C and TIBC (AL1027 Only) is stable for 4 days at 2°C to 8°C.

Description	Size	Cat. No.
Bovine Chemistry Assayed Level 1	20 x 5 ml	AL1027
Bovine Chemistry Assayed Level 2	20 x 5 ml	AN1026
Bovine Chemistry Assayed Level 3	20 x 5 ml	AE1032

CLINICAL CHEMISTRY

Clinical Chemistry Calibration Serum 👢 🍥



Analytes Cardiac **Routine Chemistry** Bilirubin (Total) Lipase CK (Total) α -HBDH Calcium Magnesium Acid Phosphatase (Prostatic) Chloride Osmolality Phosphate (Inorganic) Drugs Acid Phosphatase (Total) Cholinesterase Lithium Albumin Creatinine Potassium Alkaline Phosphatase (ALP) Sodium D-3-Hydroxybutyrate Lipids ALT (GPT) Urea γGT Cholesterol Amylase (Pancreatic) GLDH Uric Acid (Urate) Triglycerides Amylase (Total) Glucose Trace Metals AST (GOT) Iron **Proteins** Bicarbonate Iron (TIBC) Copper Protein (Total) Bile Acids Zinc Lactate Bilirubin (Direct) Lactate Dehydrogenase (LDH)

Comprising 41 analytes in a single vial, this multi-analyte, third party calibrator is designed for use with a wide range of clinical chemistry platforms. Assayed, instrument, method and temperature specific values are supplied, ensuring accurate and reliable instrument calibration.

- · Lyophilised for enhanced stability
- Human based serum
- Stable to expiry date at 2°C to 8°C
- Reconstituted stability of up to 7 days at 2°C to 8°C or 28 days at -20°C
- Multi-point calibration serum

Description	Size	Cat. No.
Clinical Chemistry Calibration Serum Level 2	20 x 5 ml	CAL2350
Clinical Chemistry Calibration Serum Level 3	20 x 5 ml	CAL2351

Ammonia Ethanol Control



Analytes			
Ammonia	Ethanol		

This dedicated Ammonia/Ethanol control comes in a highly convenient, liquid ready-to-use format ensuring no preparation is required. As a true third party control, assayed target values are provided, ensuring unbiased performance assessment while eliminating the need for in-house value assignment.

- · Liquid ready-to-use
- · Aqueous material
- Stable to expiry date at 2°C to 8°C
- Open vial stability of up to 30 days at 2°C to 8°C

Description	Size	Cat. No.
Ammonia Ethanol Control Level 1	6 x 2 ml	EA1366
Ammonia Ethanol Control Level 2	6 x 2 ml	EA1367
Ammonia Ethanol Control Level 3	6 x 2 ml	EA1368

CLINICAL CHEMISTRY

Aldolase Control and Calibrator





This dedicated Aldolase control is specifically designed to monitor the accuracy and precision of Aldolase on a wide range of chemistry analysers. Supplied in a lyophilised format for enhanced stability, this control and calibrator set comes in a convenient 1ml vial.

- Lyophilised for enhanced stability
- Human based serum
- Stable to expiry date at 2°C to 8°C
- Reconstituted stability of up to 5 days at 2°C to 8°C
- Single point calibrator

Description	Size	Cat. No.
Aldolase Calibrator	3 x 1 ml	AD5000
Aldolase Control Level 2	3 x 1 ml	AD5001
Aldolase Control Level 3	3 x 1 ml	AD5002

Liquid Bilirubin Control





Analytes		
Bilirubin (Direct)	Bilirubin (Total)	

Providing a true third party solution of Bilirubin, this control is designed to deliver an unbiased, independent assessment of performance. Two levels are available covering the required clinically relevant decision levels for neonatal testing and adult liver disease.

- · Liquid frozen
- 100% human serum
- Stable to expiry when stored at -20°C to -70°C
- Open vial stability of 7 days at 2°C to 8°C
- Elevated levels of Bilirubin ensure clinical decision levels are met

Description	Size	Cat. No.
Liquid Bilirubin Control Level 1	3 x 3 ml	BR10442
Liquid Bilirubin Control Level 2	3 x 3 ml	BR10443

Bilirubin Elevated Serum 👢 🔘





Analytes

Bilirubin (Direct) Bilirubin (Total)

Acusera Bilirubin Elevated Serum is a bovine based serum designed for use in the monitoring of accuracy and precision. This product is suitable for monitoring paediatric bilirubin levels and contains method specific target values and ranges.

- · Lyophilised for enhanced stability
- Bovine serum
- Stable to expiry date at 2°C to 8°C
- Reconstituted stability of 5 days at 2°C to 8°C

Description Size Cat. No. BE454 Bilirubin Elevated Serum 10 x 3 ml

CLINICAL CHEMISTRY

Glycerol Control &





Dedicated Glycerol control for use in the routine monitoring of accuracy and precision. Supplied in a lyophilised format for enhanced stability, this control comes with assayed target values for most major chemistry analysers.

- Lyophilised for enhanced stability
- Human based serum
- Stable to expiry date at 2°C to 8°C
- Reconstituted stability of 7 days at 2°C to 8°C

Description Cat. No. Glycerol Control GY1369 $3 \times 5 \text{ ml}$

Multi Control and Calibrator





Analytes			
Ammonia	Glucose	Glutamate	Lactate

This multi-analyte control and calibrator is designed for use in the routine monitoring of accuracy and precision. Supplied in a convenient liquid ready-to-use format no preparation is required.

- · Liquid ready-to-use
- Human based serum
- Stable to expiry date at 2°C to 8°C
- Once opened stable to expiry date at 2°C to 8°C
- Single point calibrator

Description	Size	Cat. No.	
Multi Calibrator	3 x 2 ml	MC1382	
Multi Control Level 1	5 x 2 ml	MC1379	
Multi Control Level 2	5 x 2 ml	MC1380	*FOR PIOTECLINOLOGY INDUSTRIAL LIST
Multi Control Level 3	5 x 2 ml	MC1381	*FOR BIOTECHNOLOGY INDUSTRIAL USE. Not for use in diagnostic procedures.

Glutamine Control and Calibrator





This dedicated Glutamine control is supplied in a lyophilised format for enhanced stability. Manufactured using 100% human material, it is designed to mimic patient samples, ensuring accurate test system performance.

- · Lyophilised for enhanced stability
- 100% human material
- Stable to expiry at 2°C to 8°C
- Reconstituted stability of 7 days at 2°C to 8°C
- Single point calibrator

Description	Size	Cat. No.
Glutamine Control Level 1	5 x 5 ml	GM1376
Glutamine Control Level 2	5 x 5 ml	GM1377
Glutamine Control Level 3	5 x 5 ml	GM1378
Glutamine Calibrator	3 x 5 ml	GM1375

*FOR BIOTECHNOLOGY INDUSTRIAL USE. Not for use in diagnostic procedures.

CLINICAL CHEMISTRY



	Analytes	
Haemolysis (H)	lcterus (I)	Lipemia (L)

Designed to be used to monitor an IVD instrument's response in the detection of haemolysed, icteric and lipemic (HIL) samples. This control can be utilised in laboratory interference testing to assist in improving error detection of pre-analytical errors affecting clinical chemistry testing.

- · Lyophilised for enhanced stability
- Human based serum
- Stable to expiry date at 2°C to 8°C
- Reconstituted stability of 14 days at 2°C to 8°C
- 4 separate levels available including a negative (-) and three positives (+, ++ & +++)

Size Cat. No. Description Serum Indices Control 4 x 5 ml SI10448

COAGULATION AND HAEMATOLOGY CONTROLS

Our true third party Coagulation and Haematology Controls have been designed to deliver an unbiased assessment of analytical performance, while providing a matrix similar to that of the patient. These multi-analyte controls cover the full clinical range in a single control, enabling you to consolidate your test menu, saving both time and money.

COAGULATION AND HAEMATOLOGY

Coagulation and Haematology Product Range			
Product Description	Size	Cat. No.	Page No.
Coagulation Control Level 1	12 x 1 ml	CG5021	29
Coagulation Control Level 2	12 x 1 ml	CG5022	29
Coagulation Control Level 3	12 x 1 ml	CG5023	29
Haematology Control	3 x 2 x 4.5 ml	HM5162	29















matrix

COAGULATION AND HAEMATOLOGY

Coagulation Control 👢 🎯 🛊





Analytes Activated Partial Thromboplastin Time (APTT) Factor VII Factor XI

Anti-Thrombin III (AT III) Factor II

Factor VIII Factor IX Factor X

Factor XII Fibrinogen Plasminogen

Protein C Protein S Prothrombin Time (PT) Thrombin Time (TT)

Our Coagulation Control combines 16 analytes in total, delivering a comprehensive, third party solution for laboratories carrying out both routine and specialised coagulation tests. Comprising a variety of factor assays and basic coagulation tests, the number of individual controls required is reduced, saving costs and time. Assayed method and instrument specific target values & ranges are provided, eliminating the need to spend time assigning target values in-house.

- · Lyophilised for enhanced stability
- 100% human material
- Stable to expiry date at 2°C to 8°C
- Reconstituted stability of up to 24 hours at 2°C to 8°C

Description	Size	Cat. No.
Coagulation Control Level 1	12 x 1 ml	CG5021
Coagulation Control Level 2	12 x 1 ml	CG5022
Coagulation Control Level 3	12 x 1 ml	CG5023

Haematology Control I 🌘 🛉







Analytes

BASO-X BASO -Y Basophils (BASO)* % Basophils (% BASO)

DIFF-Y Eosinophils (EOS) % Eosinophils (%EOS) FSC-X

Haematocrit (HCT) Haemoglobin (HGB)

Haematopoietic Progenitor Cell (HPC)

IMIDC IMIRF

Immature Granulocytes (IG) % Immature Granulocytes (%IG)

Immature Myeloid Information (IMI)

Immature Platelet Fraction (IPF) Lymphocytes (LYMPH)

% Lymphocytes (% LYMPH)

Mean Corpuscular Haemoglobin (MCH)

Mean Corpuscular Haemoglobin Concentration (MCHC)

Mean Corpuscular Volume (MCV)

Mean Platelet Volume (MPV)

Monocytes (MONO) % Monocytes (% MONO)

Neutrophils (NEUT)

% Neutrophils (% NEUT) Nucleated Red Blood Cells (NRBC)*

Nucleated Red Blood Cells X (NRBC-X) Nucleated Red Blood Cells Y (NRBC-Y)

% Nucleated Red Blood Cells (%NRBC)

Platelet Distribution Width (PDW) Platelet Large Cell Ratio (P-LCR)

Plateletcrit (PCT)

Platelets (PLT) Platelets Optical Count (PLT-O)

Red Blood Cells (RBC)

Red Blood Cell X (RBC-X) Red Blood Cell Y (RBC-Y)

Red Blood Cell Distribution Width CV (RDW-CV) Red Blood Cell Distribution Width SD (RDW-SD)

Red Blood Cells Optical Count (RBC-O)

White Blood Cells (WBC)

White Blood Cells Differential (WBC-D)

The Acusera Haematology Control combines an impressive 45 analytes, covering the full blood profile in a convenient liquid ready-touse format, ultimately increasing productivity and reducing the need for multiple controls. Providing a true third party solution for 5-part WBC differential Sysmex Haematology and Mindray analysers, ensuring unbiased performance assessment.

- Liquid ready-to-use
- 100% Human whole blood
- · Barcoded labels enabling quick and easy sample recognition
- Stable for 70 days at 2°C to 8°C
- Open vial stability of 14 days at 2°C to 8°C

Description

Cat. No.

Labcare de Colombia

DIABETES AND WHOLE BLOOD CONTROLS

This Acusera Diabetes range provides a true third party solution for key tests used in the diagnosis and monitoring of diabetes and haemoglobin variants. Designed for use on multiple platforms, an independent assessment of performance is guaranteed. An extended reconstituted stability of four weeks for many controls will not only keep waste to a minimum but will help to reduce costs. As with all Acusera controls, laboratories can expect to experience reduced preparation time and costs without compromising on consistency or quality.

DIABETES AND WHOLE BLOOD

Diabetes and Whole Blood Product Range			
Product Description	Size	Cat. No.	Page No.
HbA1c Control Set Level 1 and 2	2 x 2 x 0.5 ml	HA5072	32
HbA1c Calibrator Series	5 x 2 ml, 1 x 8 ml	HA3444	32
Liquid HbA1c Control Level 1	6 x 1 ml	HA10224	32
Liquid HbA1c Control Level 2	6 x 1 ml	HA10225	32
Liquid HbA1c Control Set	2 x 2 x 0.5 ml	HA10155	32
G-6PDH Control Deficient	6 x 0.5 ml	PD2617	32
G-6PDH Control Normal	6 x 0.5 ml	PD2618	32
Fructosamine Control Level 1	3 x 1 ml	FR2994	33
Fructosamine Control Level 3	3 x 1 ml	FR2996	33
Fructosamine Calibrator	3 x 1 ml	FR2993	33











Assayed target



100% human matrix

DIABETES AND WHOLE BLOOD

HbA1c Control and Calibrator Series L 🌑 🛉





The Acusera HbA1c control is designed for use in the quality control of HbA1c assays. Assayed instrument and method specific target values and ranges are provided for all major systems and methods including HPLC. A reconstituted stability of 4 weeks keeps waste to a minimum and helps to reduce costs.

Control

- Lyophilised for enhanced stability
- 100% human whole blood
- Treated in the same manner as a patient sample (requires pretreatment)
- Stable to expiry date at 2°C to 8°C
- Reconstituted stability of 28 days at 2°C to 8°C

Calibrator

- · Liquid ready-to-use
- 100% human whole blood
- Treated in the same manner as a patient sample (requires pre-
- Stable to expiry date at 2°C to 8°C
- Open vial stability of 28 days at 2°C to 8°C
- Multi-point calibrator

Description	Size	Cat. No.
HbA1c Control Set Level 1 and 2	2 x 2 x 0.5 ml	HA5072
HbA1c Calibrator Series	5 x 2 ml, 1 x 8 ml	HA3444

Liquid HbA1c Control 6



Delivering an assayed QC solution for HbA1c testing, our Acusera Liquid HbA1c control offers a liquid ready-to-use format ideal for both laboratory and POCT testing. Employing our Liquid HbA1c Control in your laboratory could reduce preparation time, whilst the 30 day stability will ultimately minimise waste and costs.

- Liquid ready-to-use
- Human based whole blood
- Suitable for use in POCT
- Treated in the same manner as a patient sample (requires pre-treatment)
- Assayed target values are supplied for HPLC
- Stable to expiry date at 2°C to 8°C
- Open vial stability of 30 days at 2°C to 8°C

Description	Size	Cat. No.
Liquid HbA1c Control Level 1	6 x 1 ml	HA10224
Liquid HbA1c Control Level 2	6 x 1 ml	HA10225
Liquid HbA1c Control Set	$2 \times 2 \times 0.5$ ml	HA10155

G-6-PDH (Glucose-6-Phosphate Dehydrogenase) Control





The Randox Acusera G-6-PDH control is designed specifically to monitor the accuracy and precision of G-6-PDH assays. Two levels of control are available covering both normal and deficient concentration ranges.

- · Lyophilised for enhanced stability
- · Stabilised red cell haemolysate
- Stable to expiry date at 2°C to 8°C
- Reconstituted stability of 5 days at 2°C to 8°C

Description	Size	Cat. No.
G-6-PDH Control Deficient	6 x 0.5 ml	PD2617
G-6-PDH Control Normal	6 x 0.5 ml	PD2618

DIABETES AND WHOLE BLOOD

Fructosamine Control and Calibrator



The Acusera Fructosamine control is specifically designed to monitor the accuracy and precision of fructosamine assays. An extended reconstituted stability of 28 days at 2°C to 8°C keeps waste to a minimum and helps to reduce costs.

- Lyophilised for enhanced stability
- Aqueous Based Material
- Stable to expiry date at 2°C to 8°C
- Reconstituted stability of 28 days at 2°C to 8°C
- Single point calibrator

Description	Size	Cat. No.
Fructosamine Control Level 1	3 x 1 ml	FR2994
Fructosamine Control Level 3	3 x 1 ml	FR2996
Fructosamine Calibrator	3 x 1 ml	FR2993

33

IMMUNOASSAY CONTROLS

As one of the most comprehensive control ranges on the market, the Acusera Immunoassay offering from Randox will streamline QC in any laboratory. With multiple immunoassay controls to choose from, combining up to 55 analytes in a single vial, choice and flexibility is guaranteed. Our unique combination of analytes enables complete test menu consolidation, ultimately reducing costs without compromising on quality or performance. All controls in our Immunoassay range are manufactured from 100% human serum. This matrix ensures the test system will react to the control in the same manner as a patient sample, therefore meeting ISO 15189:2012 requirements while also eliminating shifts in QC target values when reagent batch is changed.

IMMUNOASSAY

Immunoassay	Product Range		
Product Description	Size	Cat. No.	Page No.
AMH Control Level 1	3 x 2 ml	AMH10509	36
AMH Control Level 2	3 x 2 ml	AMH10514	36
AMH Control Level 3	3 x 2 ml	AMH10515	36
AMH Control Level 4	3 x 2 ml	AMH10516	36
Liquid Immunoassay Premium Tri-Level	4 x 3 x 5 ml	LIA3108	36
PTH Control Level 1	3 x 3 ml	PTH10110	37
PTH Control Level 2	3 x 3 ml	PTH10111	37
PTH Control Level 3	3 x 3 ml	PTH10112	37
Immunoassay Premium Level 1	12 x 5 ml	IA2638	37
Immunoassay Premium Level 2	12 x 5 ml	IA2639	37
Immunoassay Premium Level 3	12 x 5 ml	IA2640	37
Immunoassay Premium Tri-Level	4 x 3 x 5 ml	IA2633	37
Immunoassay Premium Plus Level 1	12 x 5 ml	IA3109	38
Immunoassay Premium Plus Level 2	12 x 5 ml	IA3110	38
Immunoassay Premium Plus Level 3	12 x 5 ml	IA3111	38
Immunoassay Premium Plus Tri-Level	4 x 3 x 5 ml	IA3112	38
Immunoassay Speciality I Level 1	5 x 2 ml	IAS3113	39
Immunoassay Speciality I Level 2	5 x 2 ml	IAS3114	39
Immunoassay Speciality I Level 3	5 x 2 ml	IAS3115	39
Immunoassay Speciality II Level 1	5 x 1 ml	IAS3117	39
Immunoassay Speciality II Level 2	5 x 1 ml	IAS3118	39
Immunoassay Speciality II Level 3	5 x 1 ml	IAS3119	39
Tumour Marker Control Level 2	3 x 2 ml	TU5002	40
Tumour Marker Control Level 3	3 x 2 ml	TU5003	40
Maternal Screening Control Level 1	3 x 1 ml	MSS5024	40
Maternal Screening Control Level 2	3 x 1 ml	MSS5025	40
Maternal Screening Control Level 3	3 x 1 ml	MSS5026	40







frozen







IMMUNOASSAY

Anti-Müllerian Hormone (AMH) Control 🐉 🔘



The Randox Acusera AMH control is designed to use as a third party control for the quantitative determination of Anti-Müllerian Hormone (AMH). An AMH test is often used to check a woman's ability to produce eggs that can be fertilized for pregnancy. The number declines as a woman gets older. AMH levels help show how many potential egg cells a woman has left. Thus, helping women to make informed decisions about their health.

- · Liquid frozen
- Human based serum
- Available at recommended cut-off values for AMH
- Assayed target values and ranges for a wide range of immunoassay systems
- Stable to expiry date at -20°C to -80°C
- Open vial stability of 30 days at 2°C to 8°C

Description	Size	Cat. No.
AMH Control Level 1	3 x 2 ml	AMH10509
AMH Control Level 2	3 x 2 ml	AMH10514
AMH Control Level 3	3 x 2 ml	AMH10515
AMH Control Level 4	3 x 2 ml	AMH10516

Liquid Immunoassay Premium Control 🔹 🎯 🛉





Analytes			
17-OH-Progesterone α-Fetoprotein (AFP) Aldosterone Amikacin β-2-Microglobulin Carbamazepine CEA Cortisol DHEA-Sulphate Digoxin Estriol	Ethosuximide Ferritin Folate FSH Gentamicin Growth Hormone (GH) hCG Immunoglobulin E (IgE) Insulin Luteinising Hormone (LH) Oestradiol	Paracetamol Phenobarbitone Phenytoin Primidone Progesterone Prolactin PSA (Free) PSA (Total) Salicylate Sex Hormone Binding Globulin (SHBG) T Uptake	T3 (Free) T3 (Total) T4 (Free) T4 (Total) Testosterone Theophylline Tobramycin TSH Valproic Acid Vancomycin Vitamin B ₁₂

The Liquid Immunoassay Premium Control has been designed for use in the routine monitoring of accuracy and precision of multiple instruments. Consolidating up to 44 analytes in a single vial, employing this control can reduce the number of controls required to cover your complete test menu, saving time and money. As a true third party control, assayed values are available for most immunoassay platforms and a wide range of analytes, including hormones, therapeutic drugs and vitamins.

- · Liquid frozen
- 100% human serum
- Ferritin and Vitamin B₁₂ levels suitable for Anaemia monitoring
- Stable to expiry date at -20°C to -70°C
- Open vial stability of up to 7 days at 2°C to 8°C

Description Size Cat. No. Liquid Immunoassay Premium Tri-Level $4 \times 3 \times 5 \text{ ml}$ LIA3108

IMMUNOASSAY





The Acusera PTH Control is an assayed, true third party control designed to complement our Immunoassay range, delivering an unbiased, independant assessment of analytical performance. With an open vial stability of 30 days, waste is kept to a minimum.

- Liquid frozen
- 100% human serum
- · Assayed target values and ranges for a wide range of immunoassay systems
- Stable to expiry date at -20°C to -70°C
- Open vial stability of 30 days at 2°C to 8°C

Description	Size	Cat. No.
PTH Control Level 1	3 x 3 ml	PTH10110
PTH Control Level 2	3 x 3 ml	PTH10111
PTH Control Level 3	3 x 3 ml	PTH10112

Immunoassay Premium Control 🌡 🎯 🛊



Analytes Analytes			
17-OH-Progesterone	DHEA-Sulphate	Oestradiol	T3 (Free)
1-25-(OH) ₂ -Vitamin D	Digoxin	Paracetamol	T3 (Total)
25-OH-Vitamin D	Estriol	Phenobarbitone	T4 (Free)
$α$ -Fetoprotein (AFP) ACTH $^+$	Ethosuximide	Phenytoin	T4 (Total)
	Ferritin	Primidone	Testosterone
Aldosterone	Folate	Progesterone	Testosterone (Free) Theophylline
Amikacin	FSH	Prolactin	
Androstenedione	Gentamicin	PSA (Free)	Thyroglobulin
β-2-Microglobulin	Growth Hormone (GH)	PSA (Total)	Tobramycin
C-Peptide	hCG	PTH (Parathyroid Hormone)*	TSH
Carbamazepine	Immunoglobulin E (IgE)	Salicylate Sex Hormone Binding Globulin (SHBG)	Valproic Acid
CEA	Insulin		Vancomycin
Cortisol	Luteinising Hormone (LH)	T Uptake	Vitamin B ₁₂

Efficiently combining 52 analytes in total, the Immunoassay Premium Control is designed to cover routine immunoassay testing in a single vial. The additional benefit of clinically relevant concentrations will not only ensure accurate performance at key decision levels, but will also eliminate the need for additional low/high controls at extra expense. As an assayed control, instrument specific target values and ranges are provided for up to 48 analytes, including fertility, thyroid & steroid hormones, kidney function tests, therapeutic drugs and vitamins, saving you time assigning these in-house. Manufactured using 100% human serum, this control is designed to directly mimic a patient sample, reducing costly shifts when reagent batch is changed.

- · Lyophilised for enhanced stability
- 100% human serum
- Ferritin and Vitamin B₁₂ levels suitable for Anaemia monitoring
- Ultra low TSH levels in the level 1 control
- Stable to expiry date at 2°C to 8°C
- Reconstituted stability of up to 7 days at 2°C to 8°C, or up to 28 days at -20°C

Description	Size	Cat. No.
Immunoassay Premium Level 1	12 x 5 ml	IA2638
Immunoassay Premium Level 2	12 x 5 ml	IA2639
Immunoassay Premium Level 3	12 x 5 ml	IA2640
Immunoassay Premium Tri-level	3x 4 x 5 ml	IA2633

⁺Values may not be provided for all levels

*No claims are made regarding value or stability

IMMUNOASSAY

Immunoassay Premium Plus Control 👢 🎯 🛊



Analytes Analytes			
17-OH-Progesterone	CEA	Luteinising Hormone (LH)	T3 (Free)
1-25-(OH) ₂ -Vitamin D	Cortisol	Oestradiol	T3 (Total)
25-OH-Vitamin D	DHEA-Sulphate	Paracetamol	T4(Free)
α-Fetoprotein (AFP)	Digoxin	Phenobarbitone	T4 (Total)
ACTH+	Estriol	Phenytoin	Testosterone
Aldosterone	Ethosuximide	Primidone	Testosterone (Free)
Amikacin	Ferritin	Progesterone	Theophylline
Androstenedione	Folate	Prolactin	Thyroglobulin
β-2-Microglobulin	FSH	PSA (Free)	Tobramycin
C-Peptide	Gentamicin	PSA (Total)	TSH
CA 15-3	Growth Hormone (GH)	PTH (Parathyroid Hormone)*	Valproic Acid
CA 19-9	hCG	Salicylate	Vancomycin
CA 125	Immunoglobulin E (IgE)	Sex Hormone Binding Globulin (SHBG)	Vitamin B ₁₂
Carbamazepine	Insulin	T Uptake	-

Impressively covering 55 analytes including tumour markers, therapeutic drugs and routine immunoassay tests, the Acusera Immunoassay Premium Plus control has been uniquely designed to eliminate the need for four or more controls, dramatically reducing costs and time. The added advantage of ultra low levels of Ferritin, Vitamin B₁₂ and TSH will ensure accurate performance at key decision levels and further reduce the number of controls required. Assayed target values are supplied for 51 analytes in this true third party control. Manufactured using 100% human serum, this control is designed to directly mimic a patient sample, reducing costly shifts when reagent batch is changed.

- · Lyophilised for enhanced stability
- 100% human serum
- ullet Ferritin and Vitamin B_{12} levels suitable for Anaemia monitoring
- Ultra low TSH levels in the level 1 control
- Contains routinely run tumour markers: AFP / CA15-3 / CA19-9 / CA-125 / CEA / PSA / Free-PSA
- Stable to expiry date at 2°C to 8°C
- Reconstituted stability of up to 7 days at 2°C to 8°C or 28 days at -20°C

Description	Size	Cat. No.
Immunoassay Premium Plus Level 1	12 x 5 ml	IA3109
Immunoassay Premium Plus Level 2	12 x 5 ml	IA3110
Immunoassay Premium Plus Level 3	12 x 5 ml	IA3111
Immunoassay Premium Plus Tri-level	$3x 4 \times 5 \text{ ml}$	IA3112

*Values may not be provided for all levels

*No claims are made regarding value or stability

IMMUNOASSAY

Immunoassay Speciality I Control 👢 🎯 🛊



1-25-(OH)₂-Vitamin D 25-OH-Vitamin D Anti-Thyroglobulin (Anti-TG) Anti-Thyroperoxidase (Anti-TPO) Insulin Like Growth Factor-1(IGF-1) C-Peptide Insulin

Intact PTH (Parathyroid Hormone) Osteocalcin

Procalcitonin

Covering 10 specialised analytes, the Acusera Immunoassay Speciality I control is designed to complement our standard immunoassay control, meeting the demands of today's modern laboratory. Assayed target values are supplied for all 10 analytes in this true third party

- · Lyophilised for enhanced stability
- 100% human serum
- · Assayed target values and ranges for a wide range of immunoassay systems
- Stable to expiry date at 2°C to 8°C
- Reconstituted stability of up to 5 days at 2°C to 8°C or 28 days at -20°C. C-Peptide and Procalcitonin are stable for 1 day at 2°C to 8°C. IGF-1 is stable for 8 hours at 2°C to 8°C.

Description	Size	Cat. No.
Immunoassay Speciality I Level 1	5 x 2 ml	IAS3113
Immunoassay Speciality I Level 2	5 x 2 ml	IAS3114
Immunoassay Speciality I Level 3	5 x 2 ml	IAS3115



Immunoassay Speciality II Control & 🌘 🛊

	Ar	nalytes	
Calcitonin	Gastrin	Procalcitonin	Renin

Designed for the routine monitoring of more complex, specialised analytes, the Acusera Immunoassay Speciality II control complements our standard immunoassay controls. As a true third party control, assayed target values are supplied and unbiased performance assessment guaranteed.

- · Lyophilised for enhanced stability
- 100% human serum
- · Assayed target values and ranges for a wide range of immunoassay systems
- Stable to expiry date at 2°C to 8°C
- Reconstitutued stability of 5 days at 2°C to 8°C for Renin, 1 day at 2°C to 8°C for Procalcitonin and 8 hours at 2°C to 8°C for Gastrin and Calcitonin. Stable for 28 days at -20°C

Description	Size	Cat. No
Immunoassay Speciality II Level 1	5 x 1 ml	IAS3117
Immunoassay Speciality II Level 2	5 x 1 ml	IAS3118
Immunoassav Speciality II Level 3	5 x 1 ml	IAS3119

IMMUNOASSAY

Tumour Marker Control & 🌘 🛉



α -Fetoprotein (AFP) CA 72-4 CYFRA 21-1 PSA (Free) $\beta\text{-}2\text{-}Microglobulin$ CA 125 Ferritin PSA (Total) CA 15-3 Calcitonin hCG Thyroglobulin CA 19-9 NSE CEA

The multi-analyte Acusera Tumour Marker control has been designed for use in the daily monitoring of 15 routine and specialised tumour markers. This true third party control is provided with assayed target values and ranges for all analytes, ensuring an unbiased assessment of performance for a wide range of immunoassay instruments.

- Lyophilised for enhanced stability
- 100% human serum
- Stable to expiry date at 2°C to 8°C
- Reconstituted stability of up to 14 days at 2°C to 8°C

Description	Size	Cat. No.
Tumour Marker Control Level 2	3 x 2 ml	TU5002
Tumour Marker Control Level 3	3 x 2 ml	TU5003

Maternal Screening Control & 🌑 🛉



Analytes			
α-Fetoprotein (AFP) Free β-hCG	Inhibin A PAPP-A	Total β-hCG	Unconjugated Oestriol

Delivering an assayed, multi-analyte QC solution for laboratories carrying out maternal screening, the Acusera Maternal Screening control covers a unique combination of analytes, ensuring suitability for both First and Second Trimester screening of Down's syndrome & Spina Bifida. By employing our Maternal Screening Control you could replace up to three competitor controls, ultimately improving efficiency, while reducing costs and preparation time.

- · Lyophilised for enhanced stability
- 100% human serum
- Stable to expiry date at 2°C to 8°C
- Reconstituted stability of 7 days at 2°C to 8°C

Description	Size	Cat. No.
Maternal Screening Control Level 1	3 x 1 ml	MSS5024
Maternal Screening Control Level 2	3 x 1 ml	MSS5025
Maternal Screening Control Level 3	3 x 1 ml	MSS5026

IMMUNOLOGY/ PROTEIN CONTROLS

The Acusera range of Immunology/Protein Controls has been designed to be both cost effective and convenient. Requiring no preparation or thawing, the liquid ready-to-use format will increase productivity and efficiency in even the most demanding laboratories. Furthermore, an open vial stability of thirty days for all analytes, with no exceptions, will reduce costs and keep waste to a minimum.*

^{*} Our Acusera CSF Control comes in a lyophilised format and requires reconstitution. It has a 14 day reconstituted stability.

IMMUNOLOGY/PROTEIN

lmmunology/	Protein Product Range		
Product Description	Size	Cat. No.	Page No.
Specific Protein Control Level 1	3 x 1 ml	PS2682	43
Specific Protein Control Level 2	3 x 1 ml	PS2683	43
Specific Protein Control Level 3	3 x 1 ml	PS2684	43
Specific Protein Control Level 1	6 x 3 ml	PS10221	43
Specific Protein Control Level 2	6 x 3 ml	PS10222	43
Specific Protein Control Level 3	6 x 3 ml	PS10223	43
Specific Protein Calibrator (Liquid)	5 x 1 ml	IT2691	43
Specific Protein Calibrator (Liquid)	5 x 1 ml	IT2692	44
Liquid CRP Control Level 2	10 x 1 ml	CP2480	44
Liquid CRP Control Level 3	10 x 1 ml	CP2481	44
High Sensitivity CRP Control Level 1	10 x 1 ml	CP2476	44
High Sensitivity CRP Control Level 2	10 x 1 ml	CP2477	44
High Sensitivity CRP Calibrator Series	6 x 2 ml	CP2478	44
CRP Full Range Calibrator	6 x 1 ml	CP2499	44
Canine CRP Control Level 2	3 x 1 ml	CP2803	44
Canine CRP Control Level 3	3 x 1 ml	CP2804	44
CSF Control Level 2	10 x 3 ml	CF1500	45
CSF Control Level 3	10 x 3 ml	CF1501	45
Liquid CSF Control Level 1	10 x 3 ml	CF10138	45
Liquid CSF Control Level 2	10 x 3 ml	CF10139	45
β -2-Microglobulin Calibrator	3 x 1 ml	BM10444	45
β -2-Microglobulin Calibrator	3 x 1 ml	BM1362	45
Cystatin C Control Level 2	3 x 2 ml	CYS10446	46
Cystatin C Control Level 3	3 x 2 ml	CYS10447	46
Cystatin C Calibrator	5 x 2 ml	CYS10445	46
Immunoglobulin Liquid Protein Calibrator	3 x 1 ml	IT3861	46
IgE Calibrator Series	6 x 1 ml	IE2492	46
sTfR Control Level 1 & 2	3 x 2 x 1 ml	TF10162	47
sTfR Calibrator	6 x 1 ml	TF10161	47











IMMUNOLOGY/PROTEIN

Specific Protein Control I 🔘 🖣





 α -1-Acid Glycoprotein α -1-Antitrypsin α -2-Macroglobulin α-Fetoprotein (AFP) Albumin Anti-Streptolysin O (ASO) Anti-Thrombin III (AT III)

 $\beta\text{-}2\text{-}Microglobulin$ Ceruloplasmin Complement C3 Complement C4 CRP Ferritin Haptoglobin

Immunoglobulin A (IgA) Immunoglobulin E (IgE) Immunoglobulin G (IgG) Immunoglobulin M (IgM) Kappa Light Chain Lambda Light Chain Lambda Light Chain (Free)+

Prealbumin Protein (Total) Retinol Binding Protein (RBP) Rheumatoid Factor (RF) Transferrin

Covering a unique combination of 26 serum proteins, including; Total Kappa and Lambda Light Chains, the Acusera Specific Protein Control could replace as many as three separate controls. Supplied in a user-friendly liquid ready-to-use format with a 30 day open vial stability for all analytes, waste and preparation time are kept to a minimum. Manufactured using 100% human serum, this control is designed to directly mimic a patient sample, reducing costly shifts when reagent batch is changed and ensuring accurate patient testing. Assayed target values and ranges are provided for this true third party control.

- · Liquid ready-to-use
- 100% human serum
- Contains both Total Kappa and Lambda Light Chains
- Stable to expiry date at 2°C to 8°C
- Open vial stability of 30 days at 2°C to 8°C

Description	Size	Cat. No.
Specific Protein Control Level 1	3 x 1 ml	PS2682
Specific Protein Control Level 2	3 x 1 ml	PS2683
Specific Protein Control Level 3	3 x 1 ml	PS2684
Specific Protein Control Level 1	6 x 3 ml	PS10221
Specific Protein Control Level 2	6 x 3 ml	PS10222
Specific Protein Control Level 3	6 x 3 ml	PS10223

*Not for use in USA.

Specific Protein Calibrator 6 🌘 🛊





Anti-Streptolysin O (ASO) Ceruloplasmin Complement C3 Complement C4

CRP Ferritin Haptoglobin

Immunoglobulin A (IgA) Immunoglobulin G (IgG) Immunoglobulin M (IgM)

Prealbumin Rheumatoid Factor (RF) Transferrin

Multi-analyte calibrator designed for use in the routine calibration of 13 serum proteins including Ferritin, IgA, IgG and IgM. Supplied in a convenient, liquid ready-to-use format with a working stability of 30 days, waste and time are kept to a minimum.

- · Liquid ready-to-use
- 100% human serum
- Stable to expiry date at 2°C to 8°C
- Open vial stability of 30 days at 2°C to 8°C
- Multi-point calibrator

Size Cat. No.

Specific Protein Calibrator (Liquid) $5 \times 1 \, \text{ml}$ IT2691 FOR USE WITH SAMPLES THAT DO NOT REQUIRE PRE-DILUTION

IMMUNOLOGY/PROT

FOR USE WITH SAMPLES THAT REQUIRE PRE-DILUTION

Specific Protein Calibrator - Requires pre-dilution



Immunoglobulin G (IgG) Immunoglobulin M (IgM) Immunoglobulin A (IgA)

Multi-analyte calibrator designed for use in the routine calibration of 3 serum proteins. Supplied in a convenient, liquid ready-to-use format with a working stability of 30 days, waste and time are kept to a minimum.

- · Liquid ready-to-use
- 100% human serum
- Stable to expiry date at 2°C to 8°C
- Open vial stability of 30 days at 2°C to 8°C
- Multi-point calibrator

Description	Size	Cat. No.
Specific Protein Calibrator (Liquid)	5 x 1 ml	IT2692

CRP Controls and Calibrator





A choice of two dedicated CRP controls is available, covering elevated and highly sensitive levels of CRP. As true third party controls, assayed target values are provided, ensuring unbiased performance assessment with any instrument or method. Conveniently supplied in a liquid ready-to-use format, no preparation is required.

- · Liquid ready-to-use
- 100% human material
- Stable to expiry date at 2°C to 8°C
- Open vial stability of 30 days at 2°C to 8°C
- Multi-point calibrator

Description	Size	Cat. No.
Liquid CRP Control Level 2	10 x 1 ml	CP2480
Liquid CRP Control Level 3	10 x 1 ml	CP2481
High Sensitivity CRP Control Level 1	10 x 1 ml	CP2476
High Sensitivity CRP Control Level 2	10 x 1 ml	CP2477
High Sensitivity CRP Calibrator Series	6 x 2 ml	CP2478
CRP Full Range Calibrator	6 x 1 ml	CP2499

Canine CRP Control 6



Dedicated CRP control uniquely designed for use in the quality control of the Randox Canine CRP assay. Supplied in a convenient, liquid ready-to-use format and stable to expiry date, waste and preparation time is kept to an absolute minimum.

- Liquid ready-to-use
- Human CRP in a stabilised protein matrix
- Stable to expiry date at 2°C to 8°C
- · Once opened stable to expiry date at 2°C to 8°C

Description	Size	Cat. No.
Canine CRP Control Level 2	3 x 1 ml	CP2803
Canine CRP Control Level 3	3 x 1 ml	CP2804

IMMUNOLOGY/PROTEIN

CSF Control &





 α -1-Globulin (Electrophoresis)* α -2-Globulin (Electrophoresis)* Albumin (Electrophoresis)*

β-Globulin (Electrophoresis)* Chloride γ-Globulin (Electrophoresis)*

Glucose Immunoglobulin G (IgG) Lactate

Protein (Total) Sodium

Multi-analyte CSF control designed for use in the routine monitoring of both accuracy and precision. As a true third party control, it is compatible for use with a wide range of clinical analysers. Assayed target values are provided, eliminating the need to assign in-house.

- · Lyophilised for enhanced stability
- · Human based material
- Stable to expiry date at 2°C to 8°C
- Reconstituted stability of 14 days at 2°C to 8°C

Description	Size	Cat. No.
CSF Control Level 2	10 x 3 ml	CF1500
CSF Control Level 3	10 x 3 ml	CF1501

*No claims are made regarding values or stability.

Liquid CSF Control 6



α-1-Globulin (Electrophoresis)* α-2-Globulin (Electrophoresis)* Albumin (Electrophoresis)* β-Globulin (Electrophoresis)*

Chloride γ-Globulin (Electrophoresis)* Glucose High Sensitivity Immunoglobulin A (hslgA)*

High Sensitivity Immunoglobulin G (hslgG) High Sensitivity Immunoglobulin M (hslgM)*

Microalbumin Protein (Total) Sodium

Providing a true third party solution for the measurement of 14 analytes in Cerebrospinal Fluid (CSF), the new Acusera Liquid CSF Control is designed to deliver an unbiased, independent assessment of analytical performance, helping to ensure accurate and reliable patient testing. With an extended open vial stability of 30 days at 2°C to 8°C, this control will reduce waste, while remaining easy and convenient to use. Two distinct levels are available covering clinically significant ranges.

- · Liquid ready-to-use
- · Human based material
- Stable to expiry date at 2°C to 8°C
- Open vial stability of 30 days at 2°C to 8°C

Description	Size	Cat. No.
Liquid CSF Control Level 1	10 x 3 ml	CF10138
Liquid CSF Control Level 2	10 x 3 ml	CF10139

*No claims are made regarding values or stability.

β-2-Microglobulin Calibrator 👢 🎯 🛉







Our dedicated β -2-Microglobulin calibrators are designed for use in the calibration of β -2-Microglobulin assays. With an excellent working stability of 30 days at 2°C to 8°C, waste is kept to a minimum.

- · Lyophilised for enhanced stability
- 100% human serum
- Stable to expiry date at 2°C to 8°C
- Reconstituted stability of 30 days at 2°C to 8°C or 3 months at -20°C
- Single point calibrator

Size Cat. No. BM10444 β-2-Microglobulin Calibrator $3 \times 1 ml$ β-2-Microglobulin Calibrator

www.labcarecolombia.com Contáctenos: 310 688 82 59

IMMUNOLOGY/PRO

Cystatin C Control and Calibrator 🕻 🎯 🛊



Dedicated Cystatin C control designed for use in the routine monitoring of both accuracy and precision. Supplied in a convenient, liquid ready-to-use format, no preparation is required. Assayed target values and ranges are provided for this true third party control.

- · Liquid ready-to-use
- 100% human serum
- Stable to expiry date at 2°C to 8°C
- Open vial stability of 30 days at 2°C to 8°C
- Multi-point calibrator

Description	Size	Cat. No.
Cystatin C Control Level 2	3 x 2 ml	CYS10446
Cystatin C Control Level 3	3 x 2 ml	CYS10447
Cystatin C Calibrator	5 x 2 ml	CYS10445

Immunoglobulin Liquid Protein Calibrator



Analytes	
munoglobulin G (IgG)	Immunoglobulin M (IgM)

Calibrator series designed for use in the calibration of IgA, IgG and IgM immunoturbidimetric assays. Suitable for use with the Randox immunoglobulin assays.

Immunoglobulin G (IgG)

- · Liquid ready-to-use
- 100% human serum
- Stable to expiry date at 2°C to 8°C
- Open vial stability of 30 days at 2°C to 8°C

Immunoglobulin A (IgA)

Single point calibrator

Description	Size	Cat. No.
Immunoglobulin Liquid Protein Calibrator	3 x 1 ml	IT3861

lgE Calibrator 👢 🎯





Comprising 6 levels, our IgE calibrator series is designed for use in the calibration of IgE immunoturbidimetric assays. With an excellent working stability of 28 days at 2°C to 8°C, waste is kept to a minimum.

- · Lyophilised for enhanced stability
- · Human IgE in a stabilised matrix
- Stable to expiry date at 2°C to 8°C
- Reconstituted stability of 28 days at 2°C to 8°C
- Multi-point calibrator

Description	Size	Cat. No.
lgE Calibrator Series	6 v 1 ml	IF2492

IMMUNOLOGY/PROTEIN

Soluble Transferrin Receptor (sTfR) Control and Calibrator Series 👢 🎯 🛊





Providing a true third party solution for the measurement of Soluble Transferrin Receptor (sTfR), the Acusera control will deliver an unbiased, independent assessment of analytical performance. Designed for use with sTfR assays, this single analyte control saves money on wasted material.

- Lyophilised control
- Human based material
- Stable to expiry date at 2°C to 8°C
- Reconstituted stability of 28 days at 2°C to 8°C
- Multi-point calibrator

Description	Size	Cat. No.
sTfR Control Level 1 & 2	$3 \times 2 \times 1 \text{ ml}$	TF10162
sTfR Calibrator	6 x 1 ml	TF10161

INFECTIOUS DISEASE CONTROLS (SEROLOGY)

The Acusera range of serology controls is designed to deliver a cost effective, high quality solution for the analysis of infectious diseases using our multi-marker controls that cover a wide range of testing. These liquid ready-to-use controls come with an unrivalled 60 day open-vial stability whilst helping laboratories save time and money with added consolidation. Negative controls are also available within our Serology Controls portfolio.

INFECTIOUS DISEASE (SEROLOGY)

Infectious Disease (Serology) Product Range			
Product Description	Size	Cat. No.	Page No.
Anti SARS-CoV-2 Controls	2 x 2 x 4 ml	COV10460	50
Anti-SARS-CoV-2 Spike Controls	2 x 2 x 4 ml	COV10533	50
EBV Positive Control	1 x 5 ml	SR10350	50
Lyme Disease Negative Control	1 x 5 ml	SR10345	51
Lyme Disease Positive Control	1 x 5 ml	SR10346	51
HBeAg Positive Control	1 x 5 ml	SR10459	51
HIV-1 P24Ag Positive Control	1 x 5 ml	SR10458	51
Serology Negative Control	6 x 5 ml	SR10351	51
Serology I Positive Control	3 x 5 ml	SR10352	51
Serology II Positive Control	3 x 5 ml	SR10353	51
Serology III Positive Control	3 x 5 ml	SR10354	51
ToRCH Negative Control	6 x 5 ml	SR10347	52
ToRCH IgG Positive Control	3 x 5 ml	SR10348	52
ToRCH IgM Positive Control	3 x 5 ml	SR10349	52











INFECTIOUS DISEASE (SEROLOGY)

Anti-SARS-CoV-2 Controls



Comprising both reactive and non-reactive controls for SARS-CoV-2 total antibodies, the Acusera range is designed to assess the precision of serological assays for COVID-19. As a true third party control, independent performance assessment is guaranteed.

- Liquid ready-to-use
- 100% human plasma
- Reactive and non-reactive controls available
- Stable to expiry date at 2°C to 8°C
- Open vial stability of 30 days at 2°C to 8°C

Description	Size	Cat. No.	If running the SARS-CoV-2 for spike protein, please be aware that positive control will need
Anti-SARS-CoV-2 Controls	2 x 4ml (Positive) 2 x 4ml (Negative)	COV10460	to be diluted for spike protein antibodies.

Anti-SARS-CoV-2 Spike Control 1



SARS-CoV-2 Spike negative/non-reactive and positive/reactive controls are intended for use with in vitro assays for the determination of spike antibodies to SARS-CoV-2. These controls are unassayed and are suitable for use on various analysers, therefore making them useful in determining the precision of testing systems and allows performance monitoring of multiple test systems.

- Liquid ready-to-use
- 100% human plasma
- · Reactive and non-reactive controls available
- Stable to expiry date at 2°C to 8°C
- Open vial stability of 30 days at 2°C to 8°C

Description	Size	Cat. No.
A .: CAPC O .V. 20	2 x 4 ml (Positive)	COV10533
Anti-SARS-CoV-2 Spike Controls	2 x 4 ml (Negative)	COV10555

Epstein Barr Virus (EBV) Control



Analytes

Epstein Barr Virus (EBV) EBNA IgG Epstein Barr Virus (EBV) VCA IgG Epstein Barr Virus (EBV) IgM

The Acusera EBV control is conveniently supplied as liquid ready-to-use and is suitable for use with most immunoassay analysers.

- Liquid ready-to-use
- Human based serum
- Stable to expiry date at 2°C to 8°C
- Open vial stability of 60 days at 2°C to 8°C
- · Suitable for use with most immunoassay analysers

Description	Size	Cat. No.
EBV Positive Control	1 x 5 ml	SR10350

INFECTIOUS DISEASE (SEROLOGY)

Lyme Disease (Borrelia burgdorferi) Control



Analytes

Borrelia burgdorferi IgG

Borrelia burgdorferi IgM

Our control delivers a true third-party solution for the detection of Lyme Disease on most immunoassay analysers. All samples are conveniently supplied in a user-friendly, liquid ready-to-use format.

- · Liquid ready-to-use
- 100% human plasma
- Stable to expiry date at 2°C to 8°C
- Open vial stability of 60 days at 2°C to 8°C
- Suitable for use with most immunoassay analysers

Description	Size	Cat. No.
Lyme Disease Negative Control	1 x 5 ml	SR10345
Lyme Disease Positive Control	1 x 5 ml	SR10346

Serology Controls 1



Analytes			
HBeAg Positive (RUO)	Anti-HCV	Serology I Positive	Serology II Positive
HBeAg	Anti-HIV 1 / 2	Anti-HBc	Anti-HAV
	Anti-HTLV 1 / 2	Anti-HCV	Anti-HBc
HIV-1 P24 Ag Positive (RUO)	HAV IgM	Anti-HIV 1 / 2	Anti-HBe
HIV-1 P24Ag	HBc IgM	Anti-HTLV 1 / 2	Anti-HBs
G	HBeAg	HBsAg	
Serology Negative	HBsAg	Treponema pallidum (Syphilis)	Serology III Positive
Anti-HAV	HIV P24Ag	lgG	HAV IgM
Anti-HBc	Treponema pallidum (Syphilis)		HBc IgM
Anti-HBe	lgG		9
Anti HRs			

The Acusera Serology control range comprises both positive and negative controls for a wide range of pathogens including HIV & Hepatitis, are supplied as liquid ready-to-use and are suitable for use on most immunoassay analysers.

- Liquid ready-to-use
- 100% human plasma
- Stable to expiry date at 2°C to 8°C
- Open vial stability of 60 days at 2°C to 8°C
- Suitable for use with most immunoassay analysers

Description	Size	Cat. No.
HBeAg Positive Control	1 x 5 ml	SR10459
HIV-1 P24Ag Positive Control	1 x 5 ml	SR10458
Serology Negative Control	6 x 5 ml	SR10351
Serology I Positive Control	3 x 5 ml	SR10352
Serology II Positive Control	3 x 5 ml	SR10353
Serology III Positive Control	3 x 5 ml	SR10354

INFECTIOUS DISEASE (SEROLOGY)

ToRCH Controls



Analytes

ToRCH Negative Cytomegalovirus (CMV) IgG

Cytomegalovirus (CMV) IgM Epstein Barr Virus (EBV) EBNA IgG Epstein Barr Virus (EBV) VCA IgG Epstein Barr Virus (EBV) IgM Helicobacter pylori IgG Herpes Simplex Virus 1 (HSV-1) IgG Herpes Simplex Virus 1 (HSV-1) IgM Herpes Simplex Virus 2 (HSV-2) IgG Herpes Simplex Virus 2 (HSV-2) IgM Measles IgG Mumps IgG

Rubella IgG Rubella IgM Toxoplasma gondii IgG Toxoplasma gondii IgM Treponema pallidum (Syphilis) IgG Varicella Zoster Virus (VZV) IgG

ToRCH IgG Positive

Cytomegalovirus (CMV) IgG Helicobacter pylori IgG Herpes Simplex Virus 1 (HSV-1) IgG Herpes Simplex Virus 2 (HSV-2) IgG Measles IgG

Mumps IgG Rubella IgG Toxoplasma gondii IgG Treponema pallidum (Syphilis) IgG Varicella Zoster Virus (VZV) IgG

ToRCH IgM Positive

Cytomegalovirus (CMV) IgM Herpes Simplex Virus 1 (HSV-1) IgM Herpes Simplex Virus 2 (HSV-2) IgM Rubella IgM Toxoplasma gondii IgM

Our ToRCH portfolio includes positive controls for both IgG and IgM antibodies in addition to a negative control. Each control is manufactured using human plasma and is suitable for use with most immunoassay analysers. The availability of liquid ready-to-use samples helps to reduce preparation time and the potential for human error.

- Liquid ready-to-use
- Human based serum
- Stable to expiry date at 2°C to 8°C
- Open vial stability of 60 days at 2°C to 8°C
- · Suitable for use with most immunoassay analysers

Description	Size	Cat. No.
ToRCH Negative Control	6 x 5 ml	SR10347
ToRCH IgG Positive Control	3 x 5 ml	SR10348
ToRCH IgM Positive Control	3 x 5 ml	SR10349

Labcare de Colombia

LIPID CONTROLS

Our Acusera Lipid quality controls have been manufactured from 100% human serum to ensure they are commutable, performing in the same manner as a patient sample with minimal lot to lot value shifts. All of our Lipid Controls contain no stabilisers or preservatives, which may affect the overall performance of the controls. The multi-analyte controls enable test menu consolidation which, along with a four year shelf life from the date of manufacture, ensures minimal waste and helps to reduce costs.



Lipid Product Range			
Product Description	Size	Cat. No.	Page No.
Lipid Control Level 1	5 x 1 ml	LE2668	55
Lipid Control Level 2	5 x 1 ml	LE2669	55
Lipid Control Level 3	5 x 1 ml	LE2670	55
Lipid Control Level 1	5 x 3 ml	LE2661	55
Lipid Control Level 2	5 x 3 ml	LE2662	55
Lipid Control Level 3	5 x 3 ml	LE2663	55
Direct HDL/LDL Cholesterol Calibrator (Clearance)	3 x 1 ml	CH2673	55
Apolipoprotein Control Level 1	3 x 1 ml	LE5016	56
Apolipoprotein Control Level 2	3 x 1 ml	LE5017	56
Apolipoprotein Control Level 3	3 x 1 ml	LE5018	56
Apolipoprotein Calibrator	3 x 1 ml	LP3023	56
Apolipoprotein Calibrator 2	3 x 1 ml	LP5047	56
Lipoprotein (a) Control Level 3	3 x 1 ml	LP3406	56
Lipoprotein (a) Calibrator Series	5 x 1 ml	LP3404	56
sLDL Control Level 1	3 x 1 ml	LE5013	56
sLDL Control Level 2	3 x 1 ml	LE5014	56
sLDL Control Level 3	3 x 1 ml	LE5015	56
sLDL Calibrator	3 x 1 ml	CH5050	56











LIPIDS

Lipid Control 👢 🎯 🛉

Analytes Apolipoprotein A-1 Cholesterol (HDL) Cholesterol (Total) Triglycerides Apolipoprotein B Cholesterol (LDL) Lipoprotein (a)

The Randox Acusera Lipid control is supplied with assayed method specific target values and ranges for 7 analytes, covering the complete lipid profile. Unlike with many manufacturers, the material used in the production of the Randox lipid control does not contain preservatives such as Sodium Azide. This ensures a matrix that is compatible with the patient sample and prevents interference with clearance methods of HDL and LDL. Two flexible and convenient pack sizes are available, providing a true third party solution for laboratories of all sizes.

- · Lyophilised for enhanced stability
- 100% human serum
- Sodium Azide is not present no interference occurs with clearance methods
- Stable to expiry date at 2°C to 8°C
- Reconstituted stability of up to 7 days at 2°C to 8°C or 28 days at -20°C

Description	Size	Cat. No.
Lipid Control Level 1	5 x 1 ml	LE2668
Lipid Control Level 2	5 x 1 ml	LE2669
Lipid Control Level 3	5 x 1 ml	LE2670
Lipid Control Level 1	5 x 3 ml	LE2661
Lipid Control Level 2	5 x 3 ml	LE2662
Lipid Control Level 3	5 x 3 ml	LE2663





Analytes Analytes		
Cholesterol (HDL)	Cholesterol (LDL)	

The Acusera Direct LDL/HDL Cholesterol Calibrator has been designed for use in the calibration of HDL and LDL Clearance assays on clinical chemistry analysers.

- · Lyophilised for enhanced stability
- 100% human serum
- Stable to expiry date at 2°C to 8°C
- Reconstituted stability of 5 days at 2°C to 8°C and 1 month at -20°C
- Single point calibrator

Description	Size	Cat. No.
Direct LDL/HDL Cholesterol Calibrator (Clearance)	3 x 1 ml	CH2673

Apolipoprotein Control and Calibrators 👢 🎯 🛊



Analytes

Apolipoprotein Control

Apolipoprotein A-II Apolipoprotein C-II Apolipoprotein C-III Apolipoprotein E

Apolipoprotein Calibrator

Apolipoprotein A-I Apolipoprotein B

Apolipoprotein Calibrator 2

Apolipoprotein A-II Apolipoprotein C-II Apolipoprotein C-III Apolipoprotein E

The Acusera Apolipoprotein control has been designed for the routine monitoring of 4 esoteric Apolipoprotein analytes. Complementing our Acusera Apolipoprotein control is the Acusera Apolipoprotein Calibrator, which has been designed for use in the calibration of 6 Apolipoprotein assays on a wide range of clinical chemistry analysers.


- · Lyophilised for enhanced stability
- 100% human serum
- Stable to expiry date at 2°C to 8°C
- · Control reconstituted stability of 7 days at 2°C to 8°C for Apolipoprotein A-II, Apolipoprotein C-II and Apolipoprotein C-III, Apolipoprotein E is stable for 8 hours at 2°C to 8°C. All analytes are stable for 4 weeks at -20°C
- Calibrator reconstituted stability of 7 days at 2°C to 8°C for Apolipoprotein A-II and Apolipoprotein C-II, Apolipoprotein E is stable for 8 hours at 2°C to 8°C. All analytes are stable for 4 weeks at -20°C
- Multi-point calibrator

Description	Size	Cat. No.
Apolipoprotein Control Level 1	3 x 1 ml	LE5016
Apolipoprotein Control Level 2	3 x 1 ml	LE5017
Apolipoprotein Control Level 3	3 x 1 ml	LE5018
Apolipoprotein Calibrator	3 x 1 ml	LP3023
Apolipoprotein Calibrator 2	3 x 1 ml	LP5047

Lipoprotein (a) Control and Calibrator &







- · Lyophilised for enhanced stability
- 100% human serum
- Stable to expiry date at 2°C to 8°C
- Reconstituted stability of 14 days at 2°C to 8°C
- Multi-point calibrator

Description	Size	Cat. No.
Lipoprotein (a) Control Level 3	3 x 1 ml	LP3406
Lipoprotein (a) Calibrator Series	5 x 1 ml	LP3404

sLDL Control and Calibrator 👢 🎯 🛉





The Acusera sLDL Control and Calibrator have been designed for the use in the routine monitoring of both accuracy and precision.

- · Lyophilised for enhanced stability
- 100% human serum
- Stable to expiry date at 2°C to 8°C
- Reconstituted stability of 5 days at 2°C to 8°C
- Single point calibrator

Description	Size	Cat. No.
sLDL Control Level 1	3 x 1 ml	LE5013
sLDL Control Level 2	3 x 1 ml	LE5014
sLDL Control Level 3	3 x 1 ml	LE5015
sLDL Calibrator	3 x 1 ml	CH5050

SPECIALITY AND RESEARCH CONTROLS

Our Speciality and Research Quality Controls cover a wide range of assays employed by universities, pharmaceutical companies, forensic laboratories and so on. Available in various formats and pack sizes, our multi-analyte Speciality and Research controls cover a range of specialised assays.

SPECIALITY AND RESEARCH

Speciality and Research Product Range			
Product Description	Size	Cat. No.	Page No.
Antimicrobial Control II	3 x 1 ml	AMC5035	59
Antimicrobial Control III	3 x 1 ml	AMC5036	59
Growth Promoter Control	3 x 1 ml	GP5003	59
Adhesion Molecules Tri-Level Control	3 x 3 x 1 ml	EV3569	60
Adhesion Molecules Calibrator Series	9 x 1 ml	EV3568	60
Cerebral Array II Tri-Level Control	3 x 3 x 0.5 ml	CBB5009	60
Cytokine Array I Tri-Level Control	3 x 3 x 1 ml	CY5006	61
High Sensitivity Cytokine Array Tri-Level Control	3 x 3 x 2 ml	CY5005	61
Cytokine Array Calibrator Series	9 x 1 ml	EV3561	61
Cytokine Array III Tri-Level Control	3 x 3 x 1 ml	CY5012	61
Cytokine Array IV Tri-Level Control	3 x 3 x 1 ml	CY5011	62
Evidence Immunoassay Control	4 x 3 x 5 ml	EV3570	62
Synthetic Steroids Control	3 x 1 ml	EV3709	63
Synthetic Steroids Calibrator	9 x 1 ml	EV3708	63
Metabolic Syndrome Array I Control	3 x 3 x 1 ml	EV3757	63
Metabolic Syndrome Array I Calibrator	9 x 1 ml	EV3756	63
Metabolic Syndrome Array II Control	3 x 3 x 1 ml	EV3761	64
Metabolic Syndrome Array II Calibrator	9 x 1 ml	EV3760	64
Thyroid Total Calibrator Series	9 x 1 ml	EV3555	64
Thyroid Free Calibrator Series	9 x 1 ml	EV3563	64











SPECIALITY AND RESEARCH

Antimicrobial Control II 👢 🍥



Analytes Ceftiofur Streptomycin Thiamphenicol Tylosin Quinolones (Generic) Tetracyclines (Generic)

A multi-analyte control supplied with values for 6 different antimicrobial agents used extensively in veterinary medicine.

- · Lyophilised for enhanced stability
- · Assayed values available for Randox Biochip systems
- Stable to expiry date at 2°C to 8°C
- Reconstituted stability of 24 hours at 2°C to 8°C or 14 days at -20°C

Cat. No. Description Size Antimicrobial Control II 3 x 1 ml AMC5035

Antimicrobial Control III &





Multi-analyte control containing values for 5 different antimicrobial agents.

- · Lyophilised for enhanced stability
- Assayed values available for Randox Biochip systems
- Stable to expiry date at 2°C to 8°C
- Reconstituted stability of 28 days at 2°C to 8°C or 28 days at -20°C

Description Size Cat. No. Antimicrobial Control III 3 x 1 ml AMC5036

Growth Promoter Control &



Analytes β-Agonists (Clenbuterol) Nandrolone Stanozolol Trenbolone Boldenone Stilbenes Ractopamine Zeranol Corticosteroids

A multi-analyte control provided with accurately assigned target values and ranges for 9 different growth promoters.

- Lyophilised for enhanced stability
- · Assayed values available for Randox Biochip systems
- Stable to expiry date at 2°C to 8°C
- Reconstituted stability of 14 days at 2°C to 8°C

Description Size Cat. No. 3 x 1 ml GP5003 Growth Promoter Control

SPECIALITY AND RESEARCH

Adhesion Molecules Control and Calibrator 👢 🎯 🛉



Analytes

E-Selectin (E-SEL) Intercellular Adhesion Molecule-1 (ICAM-1) L-Selectin (L-SEL)

P-Selectin (P-SEL) Vascular Cell Adhesion Molecule-1 (VCAM-1)

A multi-analyte control with target values and ranges supplied for 5 different adhesion molecules.

- Lyophilised for enhanced stability
- · Assayed values available for Randox Biochip systems
- 100% human recombinant material
- Stable to expiry date at 2°C to 8°C
- Reconstituted stability of 24 hours at 2°C to 8°C or 7 days at -20°C

Description	Size	Cat. No.
Adhesion Molecules Tri-Level Control	$3 \times 3 \times 1 \text{ ml}$	EV3569
Adhesion Molecules Calibrator Series	9 x 1 ml	EV3568

Cerebral Array II Control 👢 🎯 🛉



Analytes

CRP D-dimer Neuron Specific Enolase (NSE)

Neutrophil Gelatinase-associated Lipocalin (NGAL) Soluble Tumour Necrosis Factor Receptor I (sTNFRI) Thrombomodulin (TM)

A multi-analyte control with target values and ranges provided for 6 analytes.

- · Lyophilised for enhanced stability
- · Assayed values available for Randox Biochip systems
- 100% human material
- Stable to expiry date at 2°C to 8°C
- Reconstituted stability of 8 hours at 2°C to 8°C or 14 days at -80°C

Description Cat. No. Size Cerebral Array II Tri-Level Control $3 \times 3 \times 0.5 \text{ ml}$ CBB5009

SPECIALITY AND RESEARCH

Cytokine Array I and High Sensitivity Cytokine Array I Controls and Calibrator





Analytes

Epidermal Growth Factor (EGF) Interferon g (IFNg) Interleukin-1 α (IL-1 α) Interleukin-1β (IL-1β) Interleukin-2 (IL-2) Interleukin-4 (IL-4)

Interleukin-6 (IL-6) Interleukin-8 (IL-8) Interleukin-10 (IL-10) Monocyte Chemoattractant Protein-1 (MCP-1) Tumour Necrosis Factor α (TNF α) Vascular Endothelial Growth Factor (VEGF)

Multi-analyte controls with target values and ranges provided for 12 different cytokines.

- Lyophilised for enhanced stability
- · Assayed values available for Randox Biochip systems
- 100% human recombinant material
- Stable to expiry date at 2°C to 8°C
- Reconstituted stability of 10-12 hours at 2°C to 8°C or 14 days at -20°C
- High sensitivity Reconstituted stability of 4 hours at 2°C to 8°C or 7 days at -20°C

Description	Size	Cat. No.
Cytokine Array I Tri-Level Control	$3 \times 3 \times 1 \text{ ml}$	CY5006
High Sensitivity Cytokine Array I Tri-Level Control	3 x 3 x 2 ml	CY5005
Cytokine Array Calibrator Series	9 x 1 ml	EV3561

Cytokine Array III Control 👢 🎯 🛊





GM-CSF Interleukin-5 (IL-5)

Interleukin-15 (IL-15) Macrophage Inflammatory Protein-1 α (MIP-1 α)

A multi-analyte control with target values and ranges provided for 4 analytes.

- · Lyophilised for enhanced stability
- · Assayed values available for Randox Biochip systems
- 100% human material
- Stable to expiry date at 2°C to 8°C
- Reconstituted stability of 24 hours at 2°C to 8°C or 28 days at -20°C

Description Size Cat. No. Cytokine Array III Tri-Level Control $3 \times 3 \times 1 \text{ ml}$ CY5012

SPECIALITY AND RESEARCH

Cytokine Array IV Control & 🌘 🛉



Analytes

Matrix Metalloproteinase-9 (MMP-9) Soluble Interleukin-2-Receptor α (sIL-2R α) Soluble Interleukin-6-Receptor (sIL-6R)

Soluble Tumour Necrosis Factor Receptor I (sTNFRI) Soluble Tumour Necrosis Factor Receptor II (sTNFRII)

A multi-analyte control with target values and ranges provided for 5 analytes.

- Lyophilised for enhanced stability
- · Assayed values available for Randox Biochip systems
- 100% human material
- Stable to expiry date at 2°C to 8°C
- Reconstituted stability of 7 days at 2°C to 8°C or 28 days at -20°C

Description	Size	Cat. No
Cytokine Array IV Tri-Level Control	$3 \times 3 \times 1 \text{ ml}$	CY5011

Evidence Immunoassay Control & © †



	Analy	ytes	
CEA FSH Luteinising Hormone (LH) Oestradiol	Progesterone Prolactin PSA (Free) PSA (Total)	T3 (Free) T3 (Total) T4 (Free) T4 (Total)	Testosterone TSH

Multi-analyte immunoassay control designed for use in the routine monitoring of the Randox Fertility, Thyroid and Tumour Marker

- · Lyophilised for enhanced stability
- · Assayed values available for Randox Biochip systems
- 100% human serum
- Stable to expiry date at 2°C to 8°C
- Reconstituted stability of 7 days at 2°C to 8°C or 28 days at -20°C

Description Cat. No. $4 \times 3 \times 5 \text{ ml}$ EV3570 Evidence Immunoassay Control

SPECIALITY AND RESEARCH

Synthetic Steroids Control and Calibrator 👢 🍥



Analytes			
17β-Clostebol Ethinylestradiol	Gestagens (Generic)	Methandriol	Methyltestosterone

Human based control designed for use in the routine monitoring of both accuracy and precision. Assayed target values and ranges are provided for 5 different synthetic steroids.

- · Lyophilised for enhanced stability
- · Assayed values available for Randox Biochip systems
- Stable to expiry date at 2°C to 8°C
- Reconstituted stability of 3 days at 2°C to 8°C or 14 days at -20°C

Description	Size	Cat. No.
Synthetic Steroids Control	3 x 1 ml	EV3709
Synthetic Steroids Calibrator	9 x 1 ml	EV3708

Metabolic Syndrome Array I Control and Calibrator 👢 🎯 🛊





Analytes			
C-Peptide Ferritin Insulin	Interleukin-1α (1L-1α) Interleukin-6 (1L-6) Leptin	Plasminogen Activator Inhibitor-1 Resistin	Tumour Necrosis Factor α (TNF α)

A multi-analyte control with target values and ranges provided for 9 analytes associated with metabolic syndrome.

- Assayed values available for Randox Biochip systems
- 100% human material
- Stable to expiry date at 2°C to 8°C
- Reconstituted stability of 72 hours at 2°C to 8°C and 7 days at -20°C

Description	Size	Cat. No.
Metabolic Syndrome Array I Control	$3 \times 3 \times 1 \text{ ml}$	EV3757
Metabolic Syndrome Array I Calibrator	9 x 1 ml	EV3756

SPECIALITY AND RESEARCH

Metabolic Syndrome Array II Control and Calibrator 👢 🎯 🛊



Analytes			
Adiponectin	CRP	Cystatin C	

A multi-analyte control with target values and ranges provided for 3 analytes associated with metabolic syndrome.

- · Lyophilised for enhanced stability
- · Assayed values available for Randox Biochip systems
- 100% human material
- Stable to expiry date at 2°C to 8°C
- Reconstituted stability of 8 hours at 2°C to 8°C and 28 days at -20°C

Description	Size	Cat. No
Metabolic Syndrome Array II Control	$3 \times 3 \times 1 \text{ ml}$	EV3761
Metabolic Syndrome Array II Calibrator	9 x 1 ml	EV3760

Thyroid Total Calibrator 👢 🎯 🛉



	Analytes	
T3 (Total)	T4 (Total)	TSH

A comprehensive multi analyte calibrator designed for use in the calibration of the Randox Thyroid Total Array on Randox Biochip systems.

- · Lyophilised for enhanced stability
- · Assayed values available for Randox Biochip systems
- 100% human material
- Stable to expiry date at 2°C to 8°C
- Reconstituted stability of 7 days at 2°C to 8°C and 28 days at -20°C

Description	Size	Cat. No.
Thyroid Total Calibrator Series	9 x 1 ml	EV3555

Thyroid Free Calibrator 👢 🎯 🛉



Analytes			
T3 (Free)	T4(Free)	TSH	

A comprehensive multi analyte calibrator designed for use in the calibration of the Randox Thyroid Free Array on Randox Biochip systems.

- Lyophilised for enhanced stability
- · Assayed values available for Randox Biochip systems
- 100% human material
- Stable to expiry date at 2°C to 8°C
- Reconstituted stability of 7 days at 2°C to 8°C and 28 days at -20°C

Size Cat. No. Description Thyroid Free Calibrator Series EV3563

Labcare de Colombia

THERAPEUTIC DRUG CONTROLS

Patients absorb and metabolise medication at different rates. As a result, it is simply not acceptable to administer a standard volume to each one. Due to the problems that over and under prescribing medication can cause, it is vital that levels are closely monitored and medical personnel can trust that the test results they receive are accurate and reliable. Our Therapeutic Drug Controls are manufactured from 100% human serum and have a reconstituted stability of 4 weeks, ensuring minimal waste, thus saving your laboratory money.

THERAPEUTIC DRUG

Therapeutic Drug Product Range				
Product Description	Size	Cat. No.	Page No.	
Therapeutic Drug Control Level 1	20 x 5 ml	HD1667	67	
Therapeutic Drug Control Level 2	20 x 5 ml	HD1668	67	
Therapeutic Drug Control Level 3	20 x 5 ml	HD1669	67	
Therapeutic Drug Calibrator	6 x 3 ml	TD3417	67	











THERAPEUTIC DRUG

Therapeutic Drug Control 👢 🎯 🛉



Analytes Amikacin Ethosuximide Phenobarbitone Tobramycin Caffeine Gentamicin Phenytoin Valproic Acid Carbamazepine Lithium Primidone Vancomycin Cyclosporine Methotrexate Salicylate Theophylline Digoxin Paracetamol

Multi-analyte therapeutic drug control covering 18 analytes at three clinically relevant levels. Method specific target values and ranges are supplied for this true third party control. With an extended reconstituted stability of 28 days, waste is kept to a minimum.

- · Lyophilised for enhanced stability
- 100% human serum
- Stable to expiry date at 2°C to 8°C
- Reconstituted stability of 28 days at 2°C to 8°C

Description	Size	Cat. No.
Therapeutic Drug Control Level 1	20 x 5 ml	HD1667
Therapeutic Drug Control Level 2	20 x 5 ml	HD1668
Therapeutic Drug Control Level 3	20 x 5 ml	HD1669

Therapeutic Drug Calibrator & 🌡 🎯 🛉



Analytes			
Carbamazepine Digoxin	Phenobarbitone	Phenytoin	Valproic Acid

The Acusera Therapeutic Drug calibrator has been designed for use in the calibration of 5 therapeutic drug assays on clinical chemistry analysers. An extended stability of 28 days will help to reduce waste and costs.

- · Lyophilised for enhanced stability
- 100% human serum
- Stable to expiry date at 2°C to 8°C
- Reconstituted stability of 28 days at 2°C to 8°C or 8 weeks at -20°C
- Multi-point calibrator

Description Size Cat. No. TD3417 Therapeutic Drug Calibrator 6 x 3 ml

TOXICOLOGY CONTROLS

The detection and treatment of toxic substances can mean life or death for a patient. As a result, it is essential to ensure that the results you are releasing are accurate and reliable. Our controls are available in both liquid and lyophilised formats and in a variety of matrices, providing you with the flexibility to choose a control to suit your needs.

TOXICOLOGY

Toxicology Product Range				
Product Description	Size	Cat. No.	Page No.	
Ethanol Calibrator/Control Set	4 x 10 ml	DA2703	70	
Drugs of Abuse Array 1 Plus (Urine) Controls	4 x 2 x 1 ml	EV3745	70	
Drugs of Abuse Array 1 Plus (Urine) Calibrators	9 x 1 ml	EV3744	70	
Drugs of Abuse Array 1 Plus (Whole Blood) Controls	4 x 2 x 1 ml	EV3750	70	
Drugs of Abuse Array 1 Plus (Whole Blood) Calibrators	9 x 1 ml	EV3749	70	
Drugs of Abuse Array II (Urine) Controls	4 x 2 x 1 ml	EV3657	70	
Drugs of Abuse Array II (Whole Blood) Controls	4 x 2 x 1 ml	EV3682	70	
Drugs of Abuse Array II (Urine) Calibrator Series	9 x 1 ml	EV3656	70	
Drugs of Abuse Array II (Whole Blood) Calibrator Series	9 x 1 ml	EV3687	70	
Drugs of Abuse Array III (Urine) Control	4 x 2 x 1 ml	EV3830	71	
Drugs of Abuse Array III (Urine) Calibrator Series	9 x 1 ml	EV3829	71	
Drugs of Abuse Array III (Whole Blood) Control	4 x 2 x 1 ml	EV3794	71	
Drugs of Abuse Array III (Whole Blood) Calibrator Series	9 x 1 ml	EV3797	71	
Drugs of Abuse Array IV (Urine) Control	4 x 2 x 1 ml	EV3835	71	
Drugs of Abuse Array IV (Urine) Calibrator Series	9 x 1 ml	EV3834	71	
Drugs of Abuse Array IV (Whole Blood) Control	4 x 2 x 1 ml	EV3809	71	
Drugs of Abuse Array IV (Whole Blood) Calibrator Series	9 x 1 ml	EV3808	71	
Drugs of Abuse Array V (Urine) Control	4 x 2 x 1 ml	EV3814	72	
Drugs of Abuse Array V (Urine) Calibrator Series	9 x 1 ml	EV3815	72	
Drugs of Abuse Array V (Whole Blood) Control	4 x 2 x 1 ml	EV3848	72	
Drugs of Abuse Array V (Whole Blood) Calibrator Series	9 x 1 ml	EV3847	72	











TOXICOLOGY

Ethanol Calibrator/Control Set 1 ©



Dedicated calibrator and control set designed for the calibration and quality control of the Randox Ethanol assay.

- Liquid ready-to-use
- Human urine
- Stable to expiry date when capped and stored at 2°C to 8°C
- Open vial stability of 28 days at 2°C to 8°C

Description	Size	Cat. No.
Ethanol Calibrator/Control Set	4 x 10 ml	DA2703

Drugs of Abuse Array 1 Plus Controls and Calibrators 👢 🎯





	Analy	tes	
Amphetamine Barbiturates Benzodiazepine 1 Benzodiazepine 2	Benzoylecgonine (Cocaine) Buprenorphine Cannabinoids Creatinine	MDMA Methadone Methamphetamine	Opiates Phencyclidine Tricyclic Antidepressants

Assayed control for use in monitoring the accuracy and precision on Randox Biochip systems. Two levels of control are provided, covering the cut-off range.

- Lyophilised for enhanced stability
- Stable to expiry date at 2°C to 8°C
- Urine Reconstituted stability of 14 days at 2°C to 8°C
- Whole Blood Reconstituted stability of 7 days at 2°C to 8°C or 14 days at -20°C

Description	Size	Cat. No.
Drugs of Abuse Array 1 Plus (Urine) Controls	$4 \times 2 \times 1 \text{ ml}$	EV3745
Drugs of Abuse Array 1 Plus (Urine) Calibrators	9 x 1 ml	EV3744
Drugs of Abuse Array 1 Plus (Whole Blood) Controls	$4 \times 2 \times 1 \text{ ml}$	EV3750
Drugs of Abuse Array 1 Plus (Whole Blood) Calibrators	9 x 1 ml	EV3749

Drugs of Abuse Array II Controls and Calibrators 👢 🍥



Analytes			
Buprenorphine Creatinine Fentanyl	Ketamine LSD Methaqualone	MDMA Opiates Oxycodone I	Oxycodone II Propoxyphene

A comprehensive control designed for use in the routine monitoring of accuracy and precision on Randox Biochip systems. Assayed values are provided for 11 analytes.

- Lyophilised for enhanced stability
- Stable to expiry date at 2°C to 8°C
- Urine Reconstituted stability of 7 days at 2°C to 8°C or 28 days at -20°C
- Whole Blood Reconstituted stability of 7 days at 2°C to 8°C or 28 days at -20°C

Description	Size	Cat. No.
Drugs of Abuse Array II (Urine) Controls	4 x 2 x 1 ml	EV3657
Drugs of Abuse Array II (Whole Blood) Controls	4 x 2 x 1 ml	EV3682
Drugs of Abuse Array II (Urine) Calibrator Series	9 x 1 ml	EV3656

TOXICOLOGY

Drugs of Abuse Array III Controls and Calibrators 👢 🍥





	Analy	ytes	
7-amino Flunitrazepam Chloral Hydrate Metabolite Creatinine	Ethyl Glucuronide Fentanyl Ketamine	Meperidine Meprobamate Zaleplon	Zolpidem Zopiclone

Assayed control for use in monitoring the accuracy and precision of the analytes above on Randox Biochip systems. Two levels of control are provided covering the cut-off range.

- Lyophilised for enhanced stability
- Stable to expiry date at 2°C to 8°C
- Reconstituted stability of 7 days at 2°C to 8°C

Description	Size	Cat. No.
Drugs of Abuse Array III (Urine) Control	$4 \times 2 \times 1 \text{ ml}$	EV3830
Drugs of Abuse Array III (Urine) Calibrator Series	9 x 1 ml	EV3829
Drugs of Abuse Array III (Whole Blood) Control	$4 \times 2 \times 1 \text{ ml}$	EV3794
Drugs of Abuse Array III (Whole Blood) Calibrator Series	9 x 1 ml	EV3797

Drugs of Abuse Array IV Controls and Calibrators 👢 🍥





Analytes			
Creatinine Dextromethorphan Escitalopram Fluoxetine	Haloperidol Ibuprofen Methylphenidate Paracetamol	Salicylate Salicyluric Acid Sertraline Tramadol	Trazodone Tricyclic Antidepressants

Assayed control for use in monitoring the accuracy and precision of the analytes above on Randox Biochip systems. Two levels of control are provided covering the cut-off range.

- Lyophilised for enhanced stability
- Stable to expiry date at 2°C to 8°C
- Reconstituted stability of 7 days at 2°C to 8°C

Description	Size	Cat. No.
Drugs of Abuse Array IV (Urine) Control	$4 \times 2 \times 1 \text{ ml}$	EV3835
Drugs of Abuse Array IV (Urine) Calibrator Series	9 x 1 ml	EV3834
Drugs of Abuse Array IV (Whole Blood) Control	$4 \times 2 \times 1 \text{ ml}$	EV3809
Drugs of Abuse Array IV (Whole Blood) Calibrator Series	9 x 1 ml	EV3808

TOXICOLOGY

Drugs of Abuse Array V Controls and Calibrators &



Analytes

Bath Salts 1 Bath Salts 2 Benzylpiperazines

Mescaline Phenylpiperazines Salvinorin

Synthetic Cannabinoids 1 Synthetic Cannabinoids 2 Synthetic Cannabinoids 3 Synthetic Cannabinoids 4

Assayed control for use in monitoring the accuracy and precision of the analytes above on Randox Biochip systems. Two levels of control are provided covering the cut-off range.

- Lyophilised for enhanced stability
- Stable to expiry date at 2°C to 8°C
- Reconstituted stability of 7 days at 2°C to 8°C

Description	Size	Cat. No.
Drugs of Abuse Array V (Urine) Control	4 x 2 x 1 ml	EV3814
Drugs of Abuse Array V (Urine) Calibrator Series	9 x 1 ml	EV3815
Drugs of Abuse Array V (Whole Blood) Control	4 x 2 x 1 ml	EV3848
Drugs of Abuse Array V (Whole Blood) Calibrator Series	9 x 1 ml	EV3847

URINE CONTROLS

Our Acusera Urine Chemistry Controls are available in a choice of lyophilised and liquid ready-to-use formats, covering the full range of clinical testing. With flexible options available, we have a urine control to suit all laboratory sizes and budgets.

URINE

Urine Product Range			
Product Description	Size	Cat. No.	Page No.
Assayed Urine Control Level 2	12 x 10 ml	AU2352	75
Assayed Urine Control Level 3	12 x 10 ml	AU2353	75
Liquid Urine Control Level 2	10 x 10 ml	UC5074	75
Liquid Urine Control Level 3	10 x 10 ml	UC5075	75
Urinalysis Control Level 1	12 x 12 ml	UC5033	76
Urinalysis Control Level 2	12 x 12 ml	UC5034	76
Microalbumin Calibrator Series	6 x 2 ml	MA1567	76











URINE

Assayed Urine Control 👢 🎯 🛊





5-HIAA* Creatinine Microalbumin Potassium Amylase Dopamine* Norepinephrine* Protein (Total) Calcium Epinephrine* Normetanephrine Sodium Chloride Glucose Osmolality Urea Uric Acid (Urate) Copper* Magnesium Oxalate* Metanephrine Phosphate (Inorganic) Vanillylmandelic Acid (VMA)* Cortisol

Comprising 24 urine chemistry analytes in a single multi-analyte control, the Acusera Assayed Urine Control is designed to cover your complete test menu, reducing costs and preparation time. Our unique 100% human urine matrix will mirror the performance of patient samples and ensure target values don't shift after changing reagent batch. Assayed target values and ranges are provided for this true third party control.

- · Lyophilised for enhanced stability
- 100% human urine
- Stable to expiry date at 2°C to 8°C
- Reconstituted stability of 5 days at 2°C to 8°C or 14 days at -20°C

Description	Size	Cat. No.	
Assayed Urine Control Level 2	12 x 10 ml	AU2352	
Assayed Urine Control Level 3	12 x 10 ml	AU2353	

*No claims are made regarding stability.





Glucose Amylase Calcium hCG Chloride Magnesium Cortisol Microalbumin Creatinine Osmolality

рН Phosphate (Inorganic) Potassium Protein (Total) Sodium

Specific Gravity Uric Acid (Urate)

Our Acusera Liquid Urine Control has been designed to consolidate up to 18 commonly used urine chemistry analytes in a single vial, reducing the number of controls required to cover your complete test menu. Supplied in a user-friendly liquid ready-to-use format with an open vial stability of 30 days, waste and time is kept to a minimum. Assayed target values and ranges are provided for this true third party control.

- · Liquid ready-to-use
- 100% human urine
- Stable to expiry date at 2°C to 8°C
- Open vial stability 30 days at 2°C to 8°C
- Multi-point calibrator

Description	Size	Cat. No.
Liquid Urine Control Level 2	10 x 10 ml	UC5074
Liquid Urine Control Level 3	10 x 10 ml	UC5075

Urinalysis Control I 🌘 🛉



Albumin Glucose Nitrite Urobilinogen Bilirubin hCG рΗ Blood Ketones Protein (Total) Creatinine Specific Gravity Leukocytes

The Acusera Urinalysis Control has been specifically designed for use in the quality control of urine test strips. Our user-friendly liquid ready-to-use format will dramatically reduce preparation time while a stability of 30 days will keep waste to a minimum. Assayed values are provided for 13 analytes covering a range of test strip manufacturers.

- · Liquid ready-to-use
- 100% human urine
- Suitable for use in POCT
- Stable to expiry date at 2°C to 8°C
- Open vial stability of 30 days or 20 immersions at 2°C to 25°C

Description	Size	Cat. No.
Urinalysis Control Level 1	12 x 12 ml	UC5033
Urinalysis Control Level 2	12 x 12 ml	UC5034

Microalbumin Calibrator &



Our Acusera Microalbumin Calibrator have been developed for use in the calibration and monitoring of microalbumin immunoturbidimetric assays. Our unique 100% human urine matrix ensures it behaves like a patient sample and reduces costly shifts when reagent batch is changed. As a true third party calibrator, it is compatible for use on a wide range of clinical analysers.

- · Liquid ready-to-use
- 100% human urine
- Stable to expiry date at 2°C to 8°C
- Once opened stable to expiry date at 2°C to 8°C

Description	Size	Cat. No.
Microalbumin Calibrator Series	6 x 2 ml	MA1567

CUSTOMISED QUALITY CONTROL SERA

Don't see what you are looking for? No problem! Randox Quality Control can work with you to develop a customised quality control for your laboratory. With our custom sera, you can select the analytes, levels, format and vial size required by your laboratory, ensuring the final product meets all your needs and guarantees you can continue to produce accurate and reliable patient results.

CUSTOMISED QUALITY CONTROL SERA

For over 40 years, laboratories, EQA scheme organisers and other diagnostic companies have looked to Randox to provide their QC needs. Randox Laboratories manufactures a full portfolio of quality controls, calibrators and standards for over 400 analytes. In addition to 'off the shelf' quality control products, Randox is the world's leading provider of customised control materials. Customising control materials can involve adding/removing analytes, specifying concentrations or choosing alternative vial sizes.

Our principal control products are:

- Antioxidants
- Cardiac Markers
- Clinical Chemistry
- Coagulation and Haematology
- Diabetes and Whole Blood
- Immunoassay
- Immunology/Proteins
- Infectious Disease (Serology)
- Lipids
- Tumour Markers
- Therapeutic Drugs and Toxicology
- Urine Chemistry
- Specialist and Research controls such as Cytokines, Growth Promoters, Antimicrobials, Cerebral Markers and a variety of single-analyte control products

Randox also produces custom sera for EQA schemes and specialised controls for research projects.

Quality is our focus during the manufacturing process, as all control products are produced to the same high specifications using procedures complying with ISO 13485 for medical devices. State of the art clinical chemistry and immunoassay analysers are used during the manufacturing and quality control processes.

To enable us to identify and fulfil your needs, please discuss your requirements with your Randox representative. We are happy to consider any requirements you may have.

Consolidation

Randox will **significantly consolidate your existing controls**. An average laboratory may rationalise from 7 individual controls to a single control product

Tailor Made

Specify the analytes and levels you require. We can provide the levels tailored to your cut off values

Stability

Randox lyophilised controls are **stable for up to 4 years, reducing costly lot changes** and enabling use of the same lot over an extended period

Options

Customised controls are available in different matrices e.g. serum, urine, aqueous

Flexibility

Batch sizes manufactured between 50 – 250,000 vials. Randox can provide a wide range of vial sizes from 1 ml to 10 ml

Quality

All controls are **produced to high quality specification**, fully compliant with ISO 13485

Choice

3 different formats – lyophilised/liquid/liquid frozen

ANALYTE

Approximately 70% of clinical decisions are based on laboratory test results. Poor laboratory quality can result in unreliable test results, ultimately leading to misdiagnosis, inappropriate treatment and may even be potentially life threatening to your patient. Availability of comprehensive controls covering the full spectrum of laboratory tests is critical in order to assure quality of testing.

_	Page																																			
Ant	tioxidant Controls		80	80	88	=	4 4	<u> </u>	15	18	19	20		22	23	73	24	24	25	22	25	29	29	32	32	33 8	38	36	37	37	88	39	36	04 04	43	43
Blo	od Gas Controls	Glutathione Peroxidase (Ransel) Control and Calibrato								<u> </u>		-	Liquid Assayed Chemistry Premium Plus Control																							
Car	rdiac Controls	and C	ibrator	ontrol						Precision Chemistry Premium Plus Control	Liquid Chemistry Premium Plus Control	Assayed Chemistry Premium Plus Control	Plus (٤									es		for	ontrol	trol			-0					
	nical Chemistry Controls	Contro	Glutathione Reductase Control and Calibrator	Superoxide Dismutase (Ransod) Control	trol				or	n Plus	lus Co	Plus	emiun	Control	r Serum	100					orator			HbA1c Control and Calibrator Series		Calibrator	Anti-Müllerian Hormone (AMH) Control	Liquid Immunoassay Premium Control		rol	Immunoassay Premium Plus Control	ntrol	ontrol			
Coa Coa	agulation & Haematology ntrols	unsel) (ntrol a	(Rans	s Control		-	5	alibrat	emiur	ium P	minm	try Pr	yed C	ibrato	trol		2		brator	Calik			librato		and C	e (A	emiur		Cont	Plus	S S	ŏ= .	lo lo	_	ator
Dia	betes & Whole Blood	ase (Ra	ase Co	utase	Statu	-0	500		nd Ca	try Pr	Prem	ry Pre	hemis	/ Assa	y Cali	Con	ontro	Seru		Cali	ol and	trol	ntrol	nd Ca	ntrol	ntro	rmon	say Pr		minm	mium	ecialit	scialit	Contro	Contro	Calibr
_	ntrols nunoassay Controls	Peroxid	Reduct	Dism	cidant	Contr	ntrol	Contr	ntrol a	hemis	mistry	emist	yed C	mistry	emist	thano	D nidi	evated	ontrol	ol and	Contr	Con	gy Co	trol a	lc Co	ne Co	ian Ho	unoas	_	ay Pre	ay Pre	ay Spe	ay Spe	rker	otein (otein (
	nunology/Protein Controls	hione F	hione F	oxide	Total Antioxidant Status	Blood Gas Control	Cardiac Control	Troponin T Control	CK-MB Control and Calibrator	ion C	Cher	ed Ch	Assa	Bovine Chemistry Assayed	Clinical Chemistry Calibrator	Ammonia Ethanol Control	Liauid Bilirubin Control	Bilirubin Elevated Serum	Glycerol Control	Multi Control and Calibrator	Glutamine Control and Calibrator	Coagulation Control	Haematology Control	Con	Liquid HbA1c Control	Fructosamine Control and	Müller	l m	PTH Control	Immunoassay Premium Control	noass	Immunoassay Speciality I Control	Immunoassay Speciality II Control	Iumour Marker Control	Specific Protein Control	Specific Protein Calibrator
	nunology/Frotein Controls	Glutat	Glutat	Supe	Total	Blood	Card	Trop	C K Z	Preci	Liquid	Assay	Liquid	Bovin	Clinic	Amm	Liauic	Biliru	Glyce	Multi	Gluta	Coag	Haem	HbA1	Liquic	Fruct	Anti-I	Liquic	PTH	Imm	lm mr	Immu	lm m	Omn M	Speci	Speci
#	5-HIAA				_	4	+	+	-								+			\perp				\Box	+	-	-	_								
	7-amino flunitrazepam 17-OH-progesterone			\dashv	\dashv	+	+	+	\vdash						+		+			\dashv	+	\vdash		\dashv	+	+	\vdash	x		х	х	-	+	+	+	
	17β Clostebol																											ļ^		^	^					
	1-25-(OH ₂)-Vitamin D																													х	х	х				
	25-OH-Vitamin D						+	-	-								-				_				\perp		L			х	х	х				-
Α	α-1-Acid Glycoprotein							-		x	x		х				-										-								x	
	α-1-Antitrypsin α-1-Globulin (Electrophoresis)									х	x	х	x																						X	
	α-2-Globulin (Electrophoresis)										x	х	х																							
	α-2-Macroglobulin																																		x	
	α-Fetoprotein (AFP)						+	+	_	х	х		х				+										L	х		х	х			х	х	-
	ACE (Angiotensin Converting Enzyme)						+	+		х	x	х	x	х	х		+					\vdash					\vdash									
	Acetaminophen	Н					+	+			X		х				+										H									
	Acid Phosphatase (Non-Prostatic)						$^{+}$					х		х	х		†								\top		T									
	Acid Phosphatase (Prostatic)									х	х			х	х																					
	Acid Phosphatase (Total)						\perp	+	-	х	х	х	х	х	х		\perp									-	-						_			-
	ACTH Activated Partical Thromboplastin Time (APTT)						+		-								+					×			+		\vdash			х	х					
	AHD			\dashv	\dashv		+	+	\vdash						+		+			\dashv		×		\dashv	+	+	\vdash	\vdash					+			
	Albumin									х	х	х	х	х	х																				х	
	Albumin (Electrophoresis)										х	х	х																							
	Aldolase					_	+	+	+							х	+				-	-			+	-	\vdash	_						_	-	-
	Alkaline Phosphatase (ALP)			\dashv	\dashv		+	+		х	х	х	х	х	x		+			\dashv		\vdash		\dashv	+	+	\vdash	x		х	х		+			
	ALT (GPT)	Н					$^{+}$		H	×	x	x	x	x	x		$^{+}$					H					H						1		t	
	AMH																										х									
	Amikacin						1	1			х		х				1										L	х		х	х		4			
	Ammonia						+									х	+			х					_		-									
	AMOZ Amphetamine	Н			\dashv		+	+	\vdash						+		+			\dashv		\vdash		\dashv	+		\vdash									
	Amylase						+			x	х	х	x	х	х										+											
	Amylase (Pancreatic)									х	х	х	х		х																					
	Androstenedione																													х	х					
	Anti-HAV Anti-HBc							+																												
	Anti-HBe																																			
	Anti-HBs																																			
	Anti-HCV																																			
	Anti-HIV 1 / 2							-																												
	Anti-HTLV 1 / 2 Anti-SARS-CoV-2																+																			
	Anti-SARS-CoV-2 Spike																																			
	Anti-Streptolysin (ASO)																																		х	х
	Anti-Thyroglobulin (Anti-TG)							-									-															х				
	Anti-Thyroperoxidase (Anti-TPO)						+	-									-					-			1							х				
	Anti-Thrombin III (AT III) AOZ																					х													х	
	Apolipoprotein A-I									х	х	х	х																							
	Apolipoprotein A-II																																			
	Apolipoprotein B							1		х	х	х	х																							
	Apolipoprotein C-II							-																			H								H	
	Apolipoprotein C-III Apolipoprotein E							+									-																			
	AST (GOT)						+			x	x	х	х	х	х		H																			

																																								Page
44	44	45	45	45	46	46	46	47	50	50	50	51	51	52	55	55	56	56	56	59	59	90	90	61-62	62	63	63-64	64	67	70	70	70	71	71	72	75	75	76	76	
																																		$\overline{}$						Infectious Disease Controls
Specific Protein Calibrator (Requires Pre-dilution)						ator						Lyme Disease (Borrelia burgdorferi) Control				r	LS.					Adhesion Molecules Control and Calibrator		or Series		ator	Metabolic Sydrome Controls and Calibrators		_		Drugs of Abuse Array 1 Plus Controls and Calibrators	Drugs of Abuse Array II Controls and Calibrators	Drugs of Abuse Array III Controls and Calibrators	Drugs of Abuse Array IV Controls and Calibrators	Drugs of Abuse Array V Controls and Calibrators					(Serology) Lipid Controls
res Pre-					or	Calibra		es				eri) C				ibrato	brato	brator				Call		librate		Calibra	d Calil		ibrato		s and C	and C	and C	and C	and C					
(Requi	JO.			or	librat	tein (r Seri		ntrols	ontro	gdorf				ol Cal	d Cali	d Cali	or			ol and		nd Ca	ntrol	and (ols an		& Cal	Set	ontro	ntrols	ntrols	ntrols	ntrols					Speciality & Research Controls
orator	librat			librat	nd Ca	id Pro		ibrato	ntrols	ke Co	BV) C	ia bur				lester	rol an	rol and	librat	sls	ontrol	Contr	ntrol	rols a	ay Co	ontrol	Contro		ntrol	ontrol	Plus C	II Cor	□ Co	°C	°C >	lo	_		ator	Therapeutic Drug Controls
Calii	ug ug		lon	lin Ca	trol a	n Liqu		ld Cal	-2 Co	-2 Spi	rus (E	Borrel	slo	S		L Cho	Cont	Cont	nd Ca	Sontro	ter Co	cules	S	Cont	noass	ids C	ome (tors	ng Co	tor/Co	\rray1	Array	Array	Array	Array	Cont	ontro	101	Salibra	Toxicology Controls
roteir	trols a	trol	F Cor	ndolgo	C Cor	lobuli	ator.	trol ar	S-CoV	S-CoV	arr Vi	ease (Contr	ontro	itrol	L/HD	rotein	in (a)	ıtrol a	obial C	romo	Mole	Array	Array	lmmu	Stero	Sydr	Salibra	tic Dr	alibra	/ esnq	Abuse	Abuse	Abuse	Abuse	Urine	ine C	Cont) uimr	Urine Controls
scific F	CRP Controls and Calibrator	CSF Control	Liquid CSF Control	β -2-Microglobulin Calibrator	Cystatin C Control and Calibrator	Immunoglobulin Liquid Protein Calibrator	IgE Calibrator	sTfR Control and Calibrator Series	Anti SARS-CoV-2 Controls	Anti SARS-CoV-2 Spike Controls	Epstein Barr Virus (EBV) Control	ne Dis	Serology Controls	ToRCH Controls	Lipid Control	Direct LDL/HDL Cholesterol Calibrator	Apolipoprotein Control and Calibrators	Lipoprotein (a) Control and Calibrator	sLDL Control and Calibrator	Antimicrobial Controls	Growth Promoter Control	nesion	Cerebral Array II Control	Cytokine Array Controls and Calibrator	Evidence Immunoassay Control	Synthetic Steroids Control and Calibrator	taboli	Thyroid Calibrators	Therapeutic Drug Control & Calibrator	Ethanol Calibrator/Control Set	gs of /	gs of	gs of	gs of	gs of	Assayed Urine Control	Liquid Urine Control	Urinalysis Control	Microalbumin Calibrator	
Spe	S	CSI	Liq	β-2	Cys	<u> </u>	腸	sTfl	Ant	Ant	Eps	ᅷ	Ser	ToR	Lipi	Dir	Apo	Lip	SLD	Ant	å	Ad	Ce	Ç	Evic	Syn	Me	Thy	The	Eth	Dru	Dru	Dru	Dru	Dru	Ass		Į.	Ξ	
-	+	_	\dashv								\vdash																		\dashv	\vdash				х			х			5-HIAA # 7-amino flunitrazepam
-	†																																	^						17-OH-progesterone
																											х													17β Clostebol
	4																																							1-25-(OH ₂)-Vitamin D
-	+	_	\dashv								H																		\dashv	Н										25-OH-Vitamin D α-1-Acid Glycoprotein A
-	+										\vdash																		\dashv	Н										α-1-Antitrypsin
ı	1	х		х																																				α-1-Globulin (Electrophoresis)
	1	х		х																																				α-2-Globulin (Electrophoresis)
-	+		_								┡																		\dashv											α-2-Macroglobulin
-	+		\dashv								\vdash																		\dashv											α-Fetoprotein (AFP) α-HBDH
h	1																																							ACE (Angiotensin Converting Enzyme)
																																			x					Acetaminophen
	4																																							Acid Phosphatase (Non-Prostatic)
-	+										┝																		\dashv	Н				_						Acid Phosphatase (Prostatic)
-	+																													Н										Acid Phosphatase (Total) ACTH
																																								Activated Partical Thromboplastin Time (APTT)
																					х																			AHD
-	+	_																																					х	Albumin
-	+	х		х																										Н										Albumin (Electrophoresis) Aldolase
	+																																							Aldosterone
																																								Alkaline Phosphatase (ALP)
-	4										-																													ALT (GPT)
-	+										\vdash																		\dashv											AMH Amikacin
	$^{+}$																													х										Ammonia
																					х																			AMOZ
	4																															х								Amphetamine
-	+		\dashv								┝																		\dashv	\blacksquare							х	х		Amylase
-	+										\vdash																		\dashv	Н										Amylase (Pancreatic) Androstenedione
														х																										Anti-HAV
	4													х																										Anti-HBc
-	+										┡			х															\dashv											Anti-HBe
-	+													x																Н										Anti-HBs Anti-HCV
r	†													х																Н										Anti-HIV1/2
														х																										Anti-HTLV1/2
-	4									×	L																													Anti-SARS-CoV-2
-	+										х										H		H																	Anti-SARS-CoV-2 Spike Anti-Streptolysin (ASO)
+	+																																							Anti-Streptolysin (ASO) Anti-Thyroglobulin (Anti-TG)
																																								Anti-Thyroperoxidase (Anti-TPO)
	1																																							Anti-Thrombin III (AT III)
-	-																				х																			AOZ
-																х	x																							Apolipoprotein A-II
																х	x																							Apolipoprotein B
																	х																							Apolipoprotein C-II
-	1																х																							Apolipoprotein C-III
-	+																х																							Apolipoprotein E AST (GOT)

Blood Gas Controls		Page																																				
Disclosing (Secrephoreres)	Ant	ioxidant Controls	80	80	80	80	F	4	4	5 5	18	19		$\overline{}$	22	23	23	24	24	25	25	25	26	67	32	32	32	33	36	36	37	37	88	39	40	40	43	43
Disclosing (Secrephoreres)	Bloc	od Gas Controls	brato											ontro																								
Disclosing (Secrephoreres)	Car	diac Controls	nd Cali	ator	trol						ontro	trol	ntrol	lus C															trol	-								
Disclosing (Secrephoreres)	Clin	nical Chemistry Controls	utrol a	Calibr	Con	_					o snl	Con	us Co	ium	trol	erum		_				tor			ario d			brato	Con	Sontr			ntrol	<u>,</u> -	2			
Disclosing (Secrephoreres)			el) Cor	ol and	nsod	ontro				rator	ium F	n Plus	um P	Prem	Co	ator S		brato			tor	alibra			ator 6			Cali	AMH	inm		ontro	us Co	Contr	Cont	-		_
Disclosing (Secrephoreres)	Cor	ntrols	(Rans	Contr	se (Ra	ıtus C			ntrol	Calib	Prem	emiur	remi	nistry	sayed	alibra	ontro	Cali	L L		alibra	nd C	0	١,	i lei	_		ol and	one (Prem		Ŏ Ę	E I	lity :	tro	Contr	trol	brato
Disclosing (Secrephoreres)			idase	ctase	muta	nt Sta	trol	_	ac Co	and	nistry	ry Pr	stry	Chen	try As	stry 0	0 0	ol and	ed Se	-	nd C	trola	Contr	ontro	and	ontro	101	Contr	Horm	assay		remir	remir	pecia	pecia	ning	Con	Cali
Disclosing (Secrephoreres)	lmn	nunoassay Controls	e Pero	e Redu	le Dis	oxida	Con	Contro	Cardi	T Cor	Chen	emist	Shemi	ayed	emis	hemi	Ethai	Contr	levat	Contr	itrol a	Con	lices	on C	ntrol	A1c C	Cont	nine (erian	muno	-01	ssay P	ssay P	ssay S	ssay S	Scree	roteir	roteir
Disclosing (Secrephoreres)	lmn	nunology/Protein Controls	lutathion	lutathion	uperoxid	otal Anti	ood Ga	ardiac C	i-Level (W-MB C	ecision	quid Ch	ssayed C	quid Ass	ovine Ch	linical C	mmonia	dolase (lirubin E	lycerol (ulti Cor	lutamin	erum Inc	oagulati	hA1c Co	quid Hb	-6-PDH	uctosan	nti-Mülle	quid Im	TH Conf	munoa	munoa	munoa	munoa	aternal	Specific Protein Control	Specific Protein Calibrator
Department Combinered Department of the property of the pr	В	β-Globulin (Electrophoresis)	G	G	Š	ř	<u>m</u>	0	F	FO	Ъ				ă	0	⋖	∢ =	i ia	G	Σ	G	Š	2 3	I		G	Œ.	<	5	<u>-</u>	드	드	트 .	드	Σ	S	S
Biblisherium (ASGO) BASO Y Reposition (ASGO) Buspalay N. F.R. BASO) Buspalay N. F.R. BASON														\rightarrow										T		\top				x		х	х		х		х	
BASCO Y Brought (BASCO) Brough		β-Agonists (Clenbuterol)																																				
BASCY Respublic (BASC) Respu																								1		╄												
Berochler, CASC) BACO) BACON B																		-					-	_		+												
Experience County			\vdash	\vdash		\vdash	\dashv	+	+					-		+	+	+	+				+	_		\vdash		\dashv	+	\dashv	+	+	+	+				
Bath Sales 1 Bath Sales 2 Bernodatspines 1 - 2 Bernodatspines 2 - 2 Bernodatspines 2 - 3 Bernodatspines 3 - 4 Bernodatspines 4 - 2 Bernodatspines 4 - 2 Bernodatspines 5 - 4 Bernodatspines 5 - 4 Bernodatspines 5 - 4 Bernodatspines 5 - 4 Bernodatspines 6 - 2 Bernodatspines 6 - 4 Bern			\vdash			Н	\dashv	+	+							\dashv	+		+			\vdash	+	+					\dashv	\dashv	+	+	+	+				
Bentoplegrous 1 2 2 3 3 4 5 5 5 5 5 5 5 5 5																														1								
Bassopheroperine (Consistency) Remyloperometrics Restrictionate Re		Bath Salts 2																																				
Benny Aprignanaines		Benzodiazepines 1 + 2																												1								
Bischonate																								1														
Birchie Direct)			H	H		Н	-	+	+					-	-	+	_	_	-			\vdash	+	+	H	+		\dashv	+		\dashv	+	+	+	-			
Bilinulain (Direct) Bilinulain (Total) Bilin						\vdash	х	+	+					_	\rightarrow	\rightarrow	+	-	+				+	+		+			+	\dashv	+	+	+	+				
Blood				\vdash		Н	+	+	+					\rightarrow	_	\rightarrow		×	×				+	+					+	_	+	+						
Bodelence Borello burgdorferi IgG Remello bu														\rightarrow	-	_		_	_					$^{+}$														
Borleis burgderferi IgG Borleis burgderferi IgG Borleis burgderferi IgG Borleis burgderferi IgG Borleis burgderferi IgM Burgerenryhine C C P-psytde C A 53 C A 53 C A 53 C A 53 C A 54 C A 55 C		Blood																					T	Ť							T	T						
Borrelio burgedorfer igNd Borrelio burgedorfer igNd Burencophine C C-Puptide CA 15-3 CA 19-9 CA 72-4 CA 73-9 CA 73-9 CA 16-10 Califorine Calcitum Calcitum		BNP																																				
Borrelia burgeforfer light Buyenerophine C - C-Peptide CA 15-3 CA 19-9 CA 72-4 CA 72-4 CA 16-6 Calcitoria		Boldenone																_						1							4							
Buprenorphine C C Peptide D C A 153 D C A 153 D C A 159 D C A 255 D C A 255 D C A 1566 D C A 1																		_					4	1		-												
C C-Peptide CA15-3 CA19-9 CA72-4 CA125 CA16-ine				-			_	_											-					+	+				_		_		-					
CA15-3 CA19-9 A			\vdash	┝		Н	\dashv	\dashv	+	+				\dashv	\dashv	\dashv	\dashv	+	+	Н		\dashv	+	+	+	+	Н	\dashv	\dashv	\dashv	+	_	_	_	+		Н	
CA 19-9 CA 72-4 CA 72-5 CA 25 CA 25 CA 26 fine CA 27 fine CA 28 fine CA 27 fine C				\vdash		Н	+	+	+														+	+					+	_	+		_	×	×			
CA125 Caffeine Calcitomi Calcitomi Calcitomi Calcitomi Cannabinoids Carbamazepine Carbababate Chloride Carbamazepine Carbababate Chloride Carbamazepine Carbamaz			H	\vdash		Н	\dashv	+	+							+	+						+	$^{+}$					\dashv	\dashv	\dashv	_	_					
Calcitorin Calcitum Calcitum Calcitum Canabinoids Carbamazegine Carbidur Canabinoids Carbamazegine Carbidur Canabinoids Carbamazegine Carbidur		CA 72-4																					Ť	Ť								T			х			
Calcitorin Calcitum Candaninoids Carbamazepine CEA Carbamazepine CEA Cetiofur Coruloplasmin Chloral Hydrate Metabolite Chloral Hydrate Metabolite Chloral Hydrate Metabolite Chloral Choral Choral Choral Choral Choral		CA 125																															х		х			
Calcium Cannabinoids Carbamazepine CEA CEA Celfiofur Ceruloplasmin Chloral Hydrate Metabolite Chloral Hydr												х		х				_						1							4							
Canabinoids Carbamazepine CEA CETOSTR CENTIFICATION CHOINT STATE METABORITE CHOINT STATE				L			_	4	4							4	4		-				_	+					4	_	4	4	4		х			
Carbamazepine CEA Ceticular Ceruloplasmin Chloral Hydrate Metabolite Chloramphenicol Cholesterol (HDL) Cholesterol (HDL) Cholesterol (LDL) Cholesterol (Total) CKMB CK (Total) CKMB CK (Total) CCMplement C3 Complement C4 Complement C4 Corpora CAPA CYCLOROPINE			H	H		Н	х	+	+		х	х	х	х	х	х	_	-	-			\dashv	+	+	+	+		-	+	_	+	+	+	+	-			
CEA Image: Cefficition of the control of				H		\vdash	\dashv	+	+							+	+	+	+			\dashv	+	+		+		\dashv	\dashv	_	+			+				
Ceftiofur				\vdash		Н	+	+	+					\rightarrow									+	+					\rightarrow	_	\rightarrow	_	_		×			
Chloral Hydrate Metabolite Chloramphenicol Chloride																																			1			
Chloramphenicol		Ceruloplasmin									х	х		х																							х	x
Chloride		Chloral Hydrate Metabolite																																				
Cholesterol (HDL)																																						
Cholesterol (LDL)							х	1	1					\rightarrow	х	х													-				1		-			
Cholesterol (Total)								-	-		х		х	_						H				+					-				+					
Cholinesterase								+	+		Y		×	_	Y	Y													+	+	+	+	+					
CK-MB x <td></td> <td>\rightarrow</td> <td>*</td> <td>\rightarrow</td> <td></td> <td>1</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>														\rightarrow	*	\rightarrow														1								
Complement C3									х	х																							1					
Complement C4		CK (Total)							х		х	х	х	х	х	х																						
Copper		Complement C3									х	х		х																							х	x
Corticosteroids											х	х		х																							х	х
Cortisol											х	х	х	х	х	х													4	4			4		-			
CRP x x x x x x x x x x x x x x x x x x x								-																							-		+					
Creatinine Cyclosporine Cytomegalovirus (CMV) IgG								+					х	\rightarrow	х									+					+	х	+	х	Х				,	×
Cyclosporine Cytomegalovirus (CMV) IgG													х	_	x	х																					х	X
Cytomegalovirus (CMV) IgG											^	~	^																									
Cytomegalovirus (CMV) IgM																																						
		Cytomegalovirus (CMV) IgM																						T														

			1	Т												T	T	T						2			40													
44	45	45	45 A	2 4	04 ;	46	46	47	50	20		20 1	2	2	52	ស្គ ដ	Ω ù	S L	8 1	3 6	000	9	909	61-62	62	63	63-64	64	29	70	2	۶ i	7 7	, 5	75	75	92	9/		Immunology/Protein Contro
																		Т	Т		П	Т	П	es			(0				ors	ors.	ors	210	5					Infectious Disease Contro (Serolog
						or.							ntro									ator.		Seri		or	ators				librate	brato	ibrat	ibuat	BIG					
						brat						9	Ŝ				ator	ators				rdile	2	rator		ibrat	alibr		ator		nd Ca	Cali	d Cal		5					Lipid Contro
					ator	Immunoglobulin Liquid Protein Calibrator		sTfR Control and Calibrator Series		sic	-	٠ و ا	Lyme Disease (Borrelia burgdorferi) Control				Direct LDL/HDL Cholesterol Calibrator	Apolipoprotein Control and Calibrators	alibra			Adhesion Molecules Control and Calibrator		Cytokine Array Controls and Calibrator Series	_	Synthetic Steroids Control and Calibrator	Metabolic Sydrome Controls and Calibrators		Therapeutic Drug Control & Calibrator		Drugs of Abuse Array 1 Plus Controls and Calibrators	Drugs of Abuse Array II Controls and Calibrators	Drugs of Abuse Array III Controls and Calibrators	During of Abrico Arroy V Codes load Oliberton	200				5	Speciality & Research Contro
tor			ŗ	D-z-Ivilcroglobulii Calibi atol	alibr	oteir		or Se	S	Anti SARS-CoV-2 Spike Controls		Epstein Barr Virus (EBV) Control	ırgdo			-	o -	ָל בּ		5	_		5	and (Evidence Immunoassay Control	ol and	rols a		8	Ethanol Calibrator/Control Set	Contr	ontro	ontro							
libra			il pro	B C) a	P P		ibrat	ntrol	ke) (RV)	ia br				leste	rol a	11 2	l lo	, tr		ofrol	rols	ay C	ontro	Conti		ntro	ontro	Plus (0 1	Ŭ Ω ≡ ≥	2 2	- e	_		ator		Therapeutic Drug Contro
D C		-	5 5	3 -	ro :	Ligu		Cal	2 Col	Spi		ıs (E	orrel	<u>s</u>		1	S .	Cont		onfro	5	9	0	Cont	oass	ds Cc	me C	ors	S Co	or/Co	ray 1	vrray	vray	u I ay	Contr	ntro	-	alibra		Toxicology Contro
ols an	_			in i	cont	ulin	or	l anc	SoV-5	\\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\		۲. \ ا	se (B	ontro	trols	0 2	┨.	ein	(a)		100		rav	ray (mun	teroi	ydro	ibrat	Dru	brate	ise Ar	nse /	use /) osn	ine	ပိ	ontre	i.		Urine Contro
CRP Controls and Calibrator	CSF Control	Liquid CSE Control	B.2-Microglobulin Calibrator	20 0	۔ ا	oglo	IgE Calibrator	ontro	Anti SARS-CoV-2 Controls	ARS-0		Barı	Disea	Serology Controls	ToRCH Controls	Lipid Control		bbroi	Lipoprotein (a) Control and C	Antimicrobial Controls	Growth Promoter Control	2 2	Cerebral Array II Control	ne Ar	ce In	tic St	olic S	Thyroid Calibrators	eutic	I Cali	f Abu	of Ab	A Ab	2 4	Assayed Urine Control	Liquid Urine Control	Urinalysis Control	Microalbumin Calibrator		Office Contro
RP C	SF C	5 5	M.	7-I	ystat	muu	E Cal	fR C	ıti S/	ıti S/		steir	me	rolo	E E	bid	rect	diloc		timi;	440	hoci	are br	rtoki	iden	nthe	etab	yroi	erap	hano	o sgn.	ngs o	ngs o	ngs n	saye	ping	(leui-	icroa		
Ö					5 .	≐	<u>p0</u>	Ls	Ā	Ā	-	<u>ا</u> ٿا	1	Se	은 :	5 2	<u> </u>	₹ :	<u> </u>	A A	٥	3 4	Č	Ú	Ú	S	Σ	È	È	Et	۵	١ ۵	مُ الْمُ	5 6	Ä	ڐ	Ď	Σ	0	
	х	+	×		+	+	\dashv				+	+	+	+	-	+					+	+	+	+	-				\dashv			-	+	+	+					Globulin (Electrophoresis)
		+	+	,	(+				H	+	+	+	+	-	+		+			+		+	+	-				\dashv			-	+	+	+				_	2-Microglobulin
		+	+	+	+	+	-				+	+	+	+	_						+	х	+	+	+				\dashv	Н		+	+	+	+				_	Agonists (Clenbuterol)
	H	+	+	+	+	+	\dashv				+	+	+	+	_						+		+	+	-				\dashv	Н		х	+	+	+					arbiturates
	H	-	+	+	+	+					+	+	+	+	_						+		+	+	-					Н		-	+	+	+					ASO-X
	H	+	+	+	+	+					+	+	+			+		+			+	+	+	+										+						ASO-Y
			-	+	+	-												1															1							asophils (BASO)
		-	+	1	1	-												1					H										1							asophils % (% BASO)
		+	-	+	+	1					I																								х					ath Salts 1
		-	+	1	1	1																													х					ath Salts 2
	L	_	\perp	_	_	4					1	4	4	4							-		-	+	-							х	4	+	1	_				enzodiazepines 1 + 2
		_	\perp	_	_	4					1	4	4	4		+		+			+		+	+					\dashv			х	+	+	-				Be	enzoylecgonine (Cocaine)
			\perp	1	1	4					L	4	4			1		1					_	1									_	1	х				Be	enzylpiperazines
	L		\perp			4					L	4	4	4										\perp									_	1					Bio	carbonate
			\perp	1	1	4					L	4	4	4				1					L	\perp	_								_	1					Bil	le Acids
																																						х	Bil	lirubin (Direct)
																																						х	Bil	lirubin (Total)
																																						х	Blo	ood
											П																												BN	NP
											П											х																	Во	oldenone
											П	Т		x																				Т					Во	orrelia burgdorferi IgG
											T	T		х							T													T					Во	orrelia burgdorferi IgM
											T																					x	х						Bu	uprenorphine
		T	\top	T	T	7					T	T									T		T					х						T					C-	-Peptide
			†			T					t	T	T											\top									\top	T						A 15-3
			†			T					t	T	T	\top										\top									\top	T					CA	A 19-9
			†	T	Ť	T					t	Ť	Ť			t		T			T													t						A 72-4
			\top	T	T	\top					t	Ť	T								T													T					C/	A 125
			$^{+}$			+					t	Ť	†	\top										+	\vdash					x			\top	†						affeine
	H	$^{+}$		$^{+}$	$^{+}$	†				H	t	$^{+}$	$^{+}$			t		+			t		+											$^{+}$						alcitonin
		+	+	†	†	†					t	$^{+}$	$^{+}$			t					٢								\exists					$^{+}$		x	×			alcium
			+	+	+	+	\dashv				$^{+}$	+	+	+				+					+	+					\dashv	Н		x	+	+		Ĥ	<u> </u>		_	annabinoids
	\vdash	+	+	+	+	+	\dashv			H	$^{+}$	+	+										+	+					\dashv	х		^	+	+						arbamazepine
		+	+	+	+	+	\dashv			H	+	+	+	-	-	+		+		+	+	+	+	+	\vdash	х			\dashv	^		+	+	+	+					ЕА
			+	+	+	+	\dashv				+	+	+	+				+			x		+	+	\vdash	^			\dashv			+	+	+	+					eftiofur
			+	+	+	+	\dashv				+	+	+	+				+			^		+	+	\vdash				\dashv			+	+	+						eruloplasmin
		+	+	+	+	+	-				+	+	+								+		+	+					\dashv	Н			-	+						
			-	+	+	-					H)							hloral Hydrate Metabolite
					+	-					H										х												H							hloramphenicol
	х	+	х	-	+	+							-																							х	х			hloride
	\vdash	+	+	+	+	+	\dashv			H	+	+	+	+)	-	+			+		+	+	\vdash				\dashv			+	+	+	+	\vdash				holesterol (HDL)
	H	+	+	+	+	+	-				+	+	+)		+			+		+	+	-								-	+						holesterol (LDL)
		+	+	+	+	+				H	+	+	+	+	-)	(+			+		+	+	-				\dashv			-	+	+	+					holesterol (Total)
	H	+	+	+	+	1			H		H																													holinesterase
		+	+	+	-	+					+	+	+	+	_						+		+	+	-				\dashv	Н		_	+	+	+					K-MB
		-	-	1	1	-																																		K (Total)
		-	1	+	1	1																																		omplement C3
				1	1	1																																		omplement C4
				1	1													1																		х				opper
				1	1																	х																	Co	orticosteroids
																																				х	х		Co	ortisol
																								х				х											CF	RP
																																x :	x >	×		х	х	х	Cr	reatinine
																														х									Cy	yclosporine
	1	1													,	c																							0	
									L							`																							()	ytomegalovirus (CMV) IgG

		Page																																						
		oxidant Controls	08		80	80	=	4	4	15	15	92	19	\neg		22	23	23	24	24	24	25	25	26	29	29	32	32	33	36	36	37	37	38	36	36	40	40	43	43
		od Gas Controls	Glutathione Peroxidase (Ransel) Control and Calibrato	L	_							trol		<u>0</u>	Liquid Assayed Chemistry Premium Plus Control																									
		diac Controls	ol and (Glutathione Reductase Control and Calibrator	Control							Precision Chemistry Premium Plus Control	Liquid Chemistry Premium Plus Control	Control	m Plus	_	En.										ries		ator	Anti-Müllerian Hormone (AMH) Control	ntrol			rol						
		ical Chemistry Controls	Contro	and Ca	od) C	Control					tor	m Plu	Plus C	n Plus	emini-	Contro	or Ser		ator				brato				or Ser		Calibrator	MH) C	u Co		trol	Cont	ontrol	ontro				
	Con	gulation & Haematology trols	ansel)	ontrol	(Rans	Is Co			- Luc		alibra	remin	nium	mima	stry Pr	ayed (librato	ıtrol	Calibr	_	٤		d Cali				librat		and (ne (Al	remin		Con	n Plus) C	5	0	ontro	0	ator
		oetes & Whole Blood	ase (R	ase Co	utase	Statu	-		Cont	0	Öpu	try Pr	Pren	ry Pre	hemis	/ Assa	7 Cal	Con	and 0	ontro	Seru	-	ol and	ontrol	trol	ntrol	nd Ca		ntrol	ormor	say Pr		mium	mium	scialit	scialit	Contra	ng .	Contr	Calibr
_		nunoassay Controls	eroxid	leduct	Dism	idant	Contr	ntro	rdiac	Contr	ıtrola	hemis	nistry	emist	/ed C	mistry	emistr	thano	ntrol	o uid	vated	ontro	Contr	ses Co	Con	CO A	trol ar	ontro	ь Со	an Ho	noas	_	ay Pre	ay Pre	ay Spe	ay Spe	rker (reeni	tein	tein (
			ione F	ione F	oxide	Antiox	Gas (ပို	် ၂၈	ie ⊢	Cor	ion C	Cher	d Ch	Assa	Che	S C	nia E	se Co	Biling.	in Ele	O O	nine (Indic	latior	atolog	Con	OH C	samir	lülleri	lmm	ontro	noass	noass	noass	noass	ır Ma	nal Sc	o Pro	ic Pro
- 11	nm	nunology/Protein Controls	Glutat	Glutat	Superoxide Dismutase (Ransod)	Total Antioxidant Status	Blood Gas Control	Cardiac Control	Tri-Level Cardiac Control	Troponin T Control	CK-MB Control and Calibrator	Precis	Liquid	Assayed Chemistry Premium Plus	Liquid	Bovine Chemistry Assayed Control	Clinical Chemistry Calibrator Serum	Ammonia Ethanol Control	Aldolase Control and Calibrator	Liquid Bilirubin Control	Bilirubin Elevated Serum	Glycerol Control	Multi Control and Calibrator Glutamine Control and Calibrator	Serum Indices Control	Coagulation Control	Haematology Control	HbA1c Control and Calibrator Series	G-6-PDH Control	Fructosamine Control and	Anti-N	Liquid Immunoassay Premium Control	PTH Control	Immunoassay Premium Control	Immunoassay Premium Plus Control	Immunoassay Speciality I Control	Immunoassay Speciality II Control	Tumour Marker Control	Maternal Screening Control	Specific Protein Control	Specific Protein Calibrator
	С	CYFRA 21																																			х			
_		Cystatin C					4	4		4	4	4					4		4	_	4	4					4	\perp									4	4	4	
	D	D-3-Hydroxybutyrate	L				\dashv	+	+	+	+	х	х	х	х	х	х	-	+	+	+	+	+				+	+							_	+	+	+		
		D-dimer Dextromethorphan					+	+	+	+	\dashv	+	\dashv		+	+	\dashv		+	+	+	+					+	+							+	+				
	ł	DHEA-Sulphate						$^{+}$	†	\dagger	1		х		х						\dagger										x		х	х						
		DIFF-X																								х														
		DIFF-Y						1			1										1					х												1		
		Digoxin						1	1	1	1	х	х	х	х						1	1	-								х		х	х			4	1		
	E	Dopamine E-Selectin (E-SEL)						+	+	1	+	+	+	-			1	-			+	+														+	+	+	+	
		E-Selectin (E-SEL) Eosinophils (EOS)						1	1	1	1			1							+	+				x													+	
		% Eosinophils (% EOS)						\top	1	\top	T										\dagger					х												1		
		Epidermal Growth Factor (EGF)						1		1											1	1																		
		Epinephrine					4	+		4		4							4		+	+					+	+									4	4		
		Epstein Barr Virus (EBV) EBNA IgG Epstein Barr Virus (EBV) IgM					\dashv	+	+	+		+							+		+	+					+	+									+	+		_
	1	Epstein Barr Virus (EBV) VCA IgG					+	+	+	+	+	+	+			+	+	+	+		+	+					+	+								+		Ŧ	H	
		Escitalopram						\top		\top		1	T						1		\dagger	\top																		
		Estriol																													х		х	х						
	1	Ethanol					4	4		4		4	х		х			х	4		4	4	_				4	+								4	_	4	4	
		Ethinylestradiol				-	\dashv	+	+	+	\dashv	+	\dashv		_	4	4	-	+	+	+	+	+				+	+		-					_	4	+	+		
		Ethosuximide Ethyl Glucuronide					\dashv	+	+	+	+	+	+		+	+	+		+		+	+					+	+			х		х	х		+		+	+	
_	F	Factor II					1	†	1	\top		\top	T			T	1		\top		†	†			х		\top	$^{+}$								1		+		_
		Factor V																							х															
		Factor VII					4	4	4	4		4							4		4	4			х		4	+										4		
		Factor VIII				_	\dashv	+	+	+	4	+	4	4	_	4	4	_	+	-	+	+	+		х		+	+								_	\perp	+		_
		Factor IX				-	+	+	+	+	\dashv	+	+	+			+	+	+		+	+			x		+	+										+	+	_
		Factor XI					1	$^{+}$	+	†	\dashv	$^{+}$	\dashv			1	\dashv		\dashv		+	$^{+}$			x		+	+							1				\dagger	
		Factor XII						I																	x															
		Fentanyl						1	1												1																		4	
	ł	Ferritin						+	+	-	4	х	х		х						1		+				1				х		х	х			х	2	x	х
		Fibrinogen Fluoxetine						1	1	1	1	-									1	+			х			H										+	+	
		Folate						+	+	+	+	х	х	х	х						+										х		х	х		+				
	1	Fructosamine																											×											
		FSC-X						1	1		1			1	1						1					х									\Box			4	4	
		FSH	H					1	1	1	1	1	х		х		1				1	1									х		х	х		-	4	1	4	
	G	G-6-PDH γ-Globulin (Electrophoresis)						+	+	+	+	+	х	х	x						+	+						х										+	+	
		γ-Globulin (Electrophoresis)						+	+		+	\rightarrow	_	\rightarrow	х	х	х				+																			
		Gastrin																																		х				
		Gentamicin						1	1	_	\prod	х	х	х	х								Ĺ								х		х	х	Ţ				\bot	
		Gestagens (Generic)						1	1		1										1	-	+				1										-	1		
		GLDH					,	+	+	1	1	\rightarrow	x	\rightarrow	x	\rightarrow	x		-		1	+					-										+	-	-	
		Glucose Glutamate					х	+	+	1	+	х	х	х	х	х	х				+)	_																+	
		Glutamine						Ť	1	1	1										T	T	х																	
		Glutathione Peroxidase (Ransel)	х																																					
		Glutathione Reductase		х				1	1		4										1																			
		Glycerol						1	1	1	1	1	1						1		1	х	-														+	1		
		GM-CSF Growth Hormone (GH)						+	+	+	+	+	х								+	+									х		х	х			+	+	+	
		and the control of th											^																		^			А						

																																							Page
44 2	# 4	45 75	45	46	46	46	47	20	50	50	51	51	52	55	22	26	26	26	29	59	09	09	61-62	62	63	63-64	64	29	20	20	20	7	7	72	75	75	92	92	Immunology/Protein Controls
																																							Infectious Disease Controls
Specific Protein Calibrator (Requires Pre-dilution)					tor						Lyme Disease (Borrelia burgdorferi) Control					S					rator		Cytokine Array Controls and Calibrator Series		tor	Metabolic Sydrome Controls and Calibrators				Drugs of Abuse Array 1 Plus Controls and Calibrators	Drugs of Abuse Array II Controls and Calibrators	Drugs of Abuse Array III Controls and Calibrators	Drugs of Abuse Array IV Controls and Calibrators	Drugs of Abuse Array V Controls and Calibrators					(Serology)
s Pre-d					alibra		S				ri) Co				orato	rator	rator				Calib		brato		alibra	Calib		rator		and C	nd Ca	nd Ca	nd C	nd C					Lipid Controls
Sequire			١.	brato	in C		Serie		trols	ntrol	dorfe				Cali	Calib	Calib				and		Call	rol	nd C	and		Calik	et	ntrols	rols ar	rols a	trols a	trolsa					Speciality & Research Controls
Specific Protein Calibrator (R	2 420		Liquid CSF Control B.2-Microglobulin Calibrator	Costatin C Control and Calibrator	Immunoglobulin Liquid Protein Calibrator		sTfR Control and Calibrator Series	rols	Anti SARS-CoV-2 Spike Controls	Epstein Barr Virus (EBV) Control	burg				Direct LDL/HDL Cholesterol Calibrator	Apolipoprotein Control and Calibrators	Lipoprotein (a) Control and Calibrator	sLDL Control and Calibrator		trol	Adhesion Molecules Control and Calibrator	- 0	ols and	Evidence Immunoassay Control	Synthetic Steroids Control and Calibrator	outro		Therapeutic Drug Control & Calibrator	Ethanol Calibrator/Control Set	us Co	Cont	Con	Con	Con	_			or	Therapeutic Drug Controls
alibra	3	-	ا <u>ا ا</u>	oland	binpi.		Calib	Cont	Spike	(EB	rrelia	(0			Shole	ontro	ontro	Cal	rtrols	Con	les C	Cont	ontro	assay	Con	o Co	rs	Con	-/Con	ay 1 Pl	ray II	ray III	ray IV	ray \	ontro	trol		ibrat	Toxicology Controls
tein 0	2 9 110	- 400	Sontr	Contra	ulin L	r	and	:oV-2	:oV-2	Virus	e (Bo	ntrol	trols	_	다 다	oin	(a)	and	Ö	noter	plecu	ray II	ray C	muno	eroid	/dron	brato	Drug	orator	se Arr	use Ar	use Ar	use Ar	use Ar	ne C	Con	ontro	n Ca	Urine Controls
Prot	out of	ontro	- Look	COL	dolgo	ibrate	ontro	RS-C	IRS-C	Barr	Jiseas	gy Co	Cont	ontro	LDL	prot	otein	ontro	robis	Pro!	on M	al Ar	ne Ar	e lm	tic St	olic Sy	Cali	eutic	Cali	f Abu	f Abu	f Abu	f Abu	f Abu	U.	Urine	sis C	lbumi	Orine Controls
pecifi	5 6	CSF Control	guid 2 Mi	vstat	umuu	IgE Calibrator	TfR C	Anti SARS-CoV-2 Controls	nti S/	psteir	/me [Serology Controls	ToRCH Controls	Lipid Control	irect	polip	popr	4	Antimicrobial Controls	Growth Promoter Control	dhesi	Cerebral Array II Control	ytoki	viden	ynthe	letabo	Thyroid Calibrators	herap	thano	rugs o	rugs	rugs	rugs	rugs	Assayed Urine Control	Liquid Urine Control	Urinalysis Control	Microalbumin Calibrator	
S) () _	B L	2 0) =	_00	'ν	4	<	ш	7.	S	F	-		∢	_	S	⋖	0	∢	0	0	ш́	Ś	2	<u>- </u>	-	ш						⋖		\supset	2	CYFRA 21 C
		†			х																			\top	1	1	х	1				T	1						Cystatin C
																																							D-3-Hydroxybutyrate D
	-	\perp		-		-										4			4	_			х	4	4	_	_	_	\dashv		4	4	4	4					D-dimer D-dimer
-	+	+	+	+	+	-										+	-	+	+	\dashv		+	+	+	+	\dashv	\dashv	\dashv	\dashv		+	+	+	х	-				Dextromethorphan DUSA S. Liberto
		+																	+					+	+	+	+	+	\dashv		+	+	+	+					DHEA-Sulphate DIFF-X
	†	†		$^{+}$		T																	1	\top	\top	7	7				\dashv	T	1	\dashv					DIFF-Y
																													х										Digoxin
	1	+	_	_		_								4		4	4	4	_				4	4	4		4	4			4		4	4		х			Dopamine
	+	+	+	+	+	\vdash				H	\vdash			-	_	+	+	+	+	\dashv	+	х	+	+	+	\dashv	\dashv	\dashv	\dashv		+	+	+	+	-				E-Selectin (E-SEL)
	+	+	+	+		\vdash								-		+	+	+	+	\dashv	\dashv	+	+	+	+	\dashv	\dashv	\dashv	\dashv		\dashv	+	+	\dashv					Eosinophils (EOS) % Eosinophils (% EOS)
																			+					х									\forall						Epidermal Growth Factor (EGF)
																																				x			Epinephrine
	1	1		_							х			x		1						4		4	4	_	_	_			4	4	4	4					Epstein Barr Virus (EBV) EBNA IgG
	+	+	+	-		-					х			х		+		4	+	\dashv		_	4	+	\dashv	4	4	\dashv	\dashv		\dashv	4	+	\dashv	4				Epstein Barr Virus (EBV) IgM
	+	+		+		-					х			х				+	+	\dashv			+	+	+	+	+	\dashv	\dashv		+	+	+	х					Epstein Barr Virus (EBV) VCA IgG Escitalopram
																			+				+	+	1	+	+	1					+	^					Estriol
																														х									Ethanol
																										х							4						Ethinylestradiol
-		+		-		-								4					4				_	4	4	_	4	4	х		_	_	4						Ethosuximide
	+	+	+	+	+	\vdash										+	+	+	+	\dashv		+	+	+	+	+	\dashv	\dashv	\dashv		+	+	Х	+					Ethyl Glucuronide Factor II F
		+																						+	+	+	+	1	\dashv		+		+	\dashv					Factor V
																																							Factor VII
	_	1		_							L			4		1						4	4	4	4	4	4	4			4	4	4	4					Factor VIII
	+	+	+	+	+	-								_		4	_	_	4	\dashv	_	_	+	+	4	_	_	4	\dashv		\dashv	4	4	\dashv	_				Factor IX
		+		+															+					+	+	-	+	-	\dashv		+	-	+	+					Factor XI
		$^{+}$																						\dashv	\forall	1	+				\dashv			\dashv					Factor XII
																																х	х						Fentanyl
	1	1		_												1						4		4	4	_	х	_			4	4	4	4					Ferritin
	+	+	+	+	+					H	H			-		+	_	+	+	_	_	+	+	+	+	-	+	\dashv	\dashv		+	+	+	\dashv	-				Fibrinogen
	+	+	+	+	+	\vdash					\vdash			+		+	+	+	+	\dashv	\dashv	+	+	+	+	\dashv	\dashv	\dashv	\dashv		\dashv	+	+	х					Fluoxetine Folate
		+																	1					\top	1							T	+						Fructosamine
																																							FSC-X
		1								L	L					4	4							4	х	_			_		_	4	4	_					FSH
	+	+	-	+	-	-										_		+	+	_		_	+	+	4	4	4	4	\dashv		4	4	+	4	-				G-6-PDH G
	х	(х	+	+	\vdash				\vdash	\vdash			+		+	+		+	_	+	+	+	+	+	+	+	\dashv	\dashv		+	+	+	+					γ-Globulin (Electrophoresis)
		$^{+}$																						\dashv	\dashv	1	+				\dashv		1	\dashv					Gastrin
																													х										Gentamicin
																							1			х													Gestagens (Generic)
		-	+	-	-																		1																GLDH
	Х	(х																				1	1	-											х	х	х	Glucose
													H										1	1								H	H						Glutamate
																j	j																						Glutathione Peroxidase (Ransel)
																																							Glutathione Reductase
		1																																					Glycerol
		+	+	+	+																		1	х															GM-CSF
																																							Growth Hormone (GH)

	Page [1													
Anti	oxidant Controls	80	80	80	88	11	4	4 t	5 5	18	19	20	$\overline{}$	22	23	23	24	24	25	25	25	29	29	32	32	33 8	36	36	37	37	88	36	8 9	40	43	43
Bloc	od Gas Controls	librato								_			ontro																							
Car	diac Controls	ınd Ca	rator	ntrol						Contro	ıtrol	ontro	Plus C		_									S		<u> </u>	ntrol	2								
Clin	ical Chemistry Controls	ontrol	d Calib	d) Cor	-0.					Plus (ıs Cor	olus C	minm	ntrol	Serun		or				ator			Serie		librato	Co (Cont		_	ontro	- Lol	itro			
Coa	gulation & Haematology	sel) Co	trol an	lanso	Contr			_	brato	mium	ım Plı	mnic	y Pre	O pa	rator	-	librat			ator	Calibr			orator		od Ca	(AM	mium		Contro	Jus C	0 0	בֿן =	trol		or
	itrols petes & Whole Blood	e (Ran	Cont	ase (R	tatus			ontro	Cali	y Pre	remir	Pren	mistr	Assaye	Calib	Contr	ا م ا م	erum		Calibr	and (lro	0	Calik	- 0	rol ar	none	y Pre		ium	ium	ality	ntrol	Con	ntrol	ibrat
	itrols	oxidas	luctase	smut	ant Si	ntrol	-0	liac C	ol and	mistr	stry P	nistry	d Che	stry /	istry	anol 0	rol ar	ted S	trol	and (ntrol	Con	Contr	land	Cont	Cont	Horr	oassa		Prem	Prem	Speci	speci er Co	ening	° 2	in Ca
lmm	nunoassay Controls	ne Per	ne Rec	ide Di	tioxid	as Co	Cont	Card	Contr	n Che	hemi	Cher	ssaye	Chemi	Chem	a Eth	Cont	Eleva	Cont	ontrol	ne Co	tion C	ology	Sontro	bA1c	mine	lleriar	umuu	ntrol	assay	assay	assay	assay Mark	Scre	Prote	Prote
lmm	nunology/Protein Controls	Glutathione Peroxidase (Ransel) Control and Calibrato	Glutathione Reductase Control and Calibrator	Superoxide Dismutase (Ransod) Control	Total Antioxidant Status Control	Blood Gas Control	Cardiac Control	Tri-Level Cardiac Control	CK-MB Control and Calibrator	Precision Chemistry Premium Plus Control	Liquid Chemistry Premium Plus Control	Assayed Chemistry Premium Plus Control	Liquid Assayed Chemistry Premium Plus Control	Bovine Chemistry Assayed Control	Clinical Chemistry Calibrator Serum	Ammonia Ethanol Control	Aldolase Control and Calibrator	Bilirubin Elevated Serum	Glycerol Control	Multi Control and Calibrator	Glutamine Control and Calibrator	Serum Indices Control	Haematology Control	HbA1c Control and Calibrator Series	Liquid HbA1c Control	Fructosamine Control and Calibrator	Anti-Müllerian Hormone (AMH) Control	Liquid Immunoassay Premium Control	PTH Control	Immunoassay Premium Control	Immunoassay Premium Plus Control	Immunoassay Speciality I Control	Immunoassay Speciality Tumour Marker Control	Maternal Screening Control	Specific Protein Control	Specific Protein Calibrator
Н	Haematocrit (HCT)																						х													
	Haemoglobin (HGB)				_		4	+	-					4	_	_		-					х		+	+			_	4	4	4			4	
	Haemoglobin A2 (HbA2) Haemoglobin F (HbF)					\dashv		+													+	+													-	-
	Haemoglobin S (HbS)					+	+	+						+							+				+	+			\exists	+	+	+				-
	Haemoglobin (Total)																							х												
	Haemolysis (H)																					к														
	Haemopioetic Progenitor Cell (HPC)						4	+	-					4	_	_							х		4	+				4	4	4				
	Haloperidol						-	+																	-					+						
	Haptoglobin HAV IgM							+		х	х		х												-										х	`
	HbA1c																							х	х											
	HBc IgM																																			
	HBeAg																																			
	HBsAg						4	+													4	+			+	-									4	_
	hCG					\dashv	+	+		х	х		х								-				+	+		х		х	х		×			-
	Free β-hCG Total β-hCG						+	+													-				+									x		-
	HDL-3						\top	†						T											†	†				7	1	T				
	Helicobacter pylori IgG																																			
	Herpes Simplex Virus 1 (HSV-1) IgG						4	+						4							4				4	1						4			4	
	Herpes Simplex Virus 1 (HSV-1) IgM						+	+													+				+							+	-		+	_
	Herpes Simplex Virus 2 (HSV-2) IgG Herpes Simplex Virus 2 (HSV-2) IgM			Н		\dashv	+	+																	+											-
	HIV-1 P24Ag						\dashv	+													+				+					1						
	Homocysteine							х																												
-1	Ibuprofen																																			
	Icterus (I)						4	+													-	К			+	+									4	_
	IMIDC				\dashv	\dashv	+	+	+	\vdash				\dashv	+	+		+			+		х		+	+			\dashv	\dashv	+	+			+	-
	IMIRF Immature Granulocytes (IG)						+	+													-		x													
	% Immature Granulocytes (% IG)																				\top		х													
	Immature Myeloid Information (IMI)																						х													
	Immature Platelet Fraction (IPF)						4	4						4				_					х		4	_				_		4			4	
	Immunoglobulin A (IgA)						-	+		х	х	х	х												1					4					х	K
	High Sensitivity Immunoglobulin A (hslgA) Immunoglobulin E (IgE)						-	+		x	x		х												+			х		х	х				x	
	Immunoglobulin G (IgG)									x	x	х	x															^		^	^				x x	x
	High Sensitivity Immunoglobulin G (hslgG)																																			
	Immunoglobulin M (IgM)									х	х	х	х																						х	к
	High Sensitivity Immunoglobulin M (hslgM)							1																	1											
	Inhibin A							+																	-					_				х		
	Insulin Insulin Like Growth Factor-1 (IGF-I)						+																					х		х	_	x				
	Intercellular Adhesion Molecule-I (ICAM-I)																																			
	Interferon-γ (IFN-γ)																								1											
	Interleukin-lα (IL-lα)																								1											
	Interleukin-1β (IL-1β)							+																	1											
	Interleukin-2 (IL-2) Interleukin-4 (IL-4)						+	+	-												+				+	-				+	+				+	-
	Interleukin-4 (IL-4)																																			
	Interleukin-6 (IL-6)																																			
	Interleukin-8 (IL-8)																																			
	Interleukin-10 (IL-10)																								1											
	Interleukin-15 (IL-15)																																			

																																							Page
44	# #	ט ו	45	2 4	46	46	47	00	50	50	51	23	52	55	55	56	56	56	59	59	99	90	61-62	62	63	63-64	64	29	70	70	70	71	71	72	2	75	92	76	Immunology/Protein Controls
4 4	1	4 4	4 4	1 4	1 4	4	4	LD.	(J	п	L LO	LLO	, ro	LD.	ш	ш	ш	LD.	цŋ	LD.	9	9			9	9	9	9								_	_	7	Infectious Disease Controls
ution)											ltrol										ator		Cytokine Array Controls and Calibrator Series		or	Metabolic Sydrome Controls and Calibrators				Drugs of Abuse Array 1 Plus Controls and Calibrators	Drugs of Abuse Array II Controls and Calibrators	Drugs of Abuse Array III Controls and Calibrators	Drugs of Abuse Array IV Controls and Calibrators	Drugs of Abuse Array V Controls and Calibrators					(Serology)
Specific Protein Calibrator (Requires Pre-dilution)					Cystatin C Control and Calibrator	2					Lyme Disease (Borrelia burgdorferi) Control				rator	Apolipoprotein Control and Calibrators	ator				Adhesion Molecules Control and Calibrator		rator		Synthetic Steroids Control and Calibrator	Calibr		rator		nd Ca	d Cali	ld Cal	la Cal	od Ca					Lipid Controls
aduires				D-z-Inicroglobulin Calibrator	rator n Ca	5	sTfR Control and Calibrator Series		201	trol	orfen				Direct LDL/HDL Cholesterol Calibrator	Calibr	Lipoprotein (a) Control and Calibrator				and C		Calib	lo.	d Ca	and (Therapeutic Drug Control & Calibrator		trols a	ols an	ols an	ols ar	olsar					Speciality & Research Controls
tor (R	98			ator	Callo	3	ator S	slo	Cont	Con	ourgd				terol	and 0	and O	ator		0	ntrol	_	s and	Conti	rolar	ıtrols		0 8 O	rol Se	Con	Contro	Contr	Contr	Contr					Therapeutic Drug Controls
librat	S S	١.	_ =	call pr	and	2	alibra	Contro	pike	(EBV)	elia k				holest	ntrol	ntrol ;	Calibr	rols	Contr	S Cor	ontro	ntrols	ssay (Cont	Con	٠,	Contr	Cont	/1Plus	ау II С	ay III (ay IV	ay V	utroi	- 0		orator	
i Ca	a		ontro	ullin	lin Li	í.	and C	V-2 C	V-2 S	/irus	(Born	trols	slo		DL C	n Co	Co	and (Conf	oter (ecule) = V	y Co	unoa	roids	home	rator	rug ('ator/	Ama	e Arr	e Arr	e Arr	e Arr	3	Cont	ntrol	Calii	Toxicology Controls
Prote		itrol	SF C	oglor	ا ر	rator	ntrol	S-Co	S-Co	3arr \	sease	Co	Contr	ntrol	J.	rotei	ein (a	ntrol	obial	Prom	Mo	Arra	Arra	lmr	Ste	c Syc	Calib	utic [Calibr	Abuse	Abus	Abus	Abus	Abus		rine	s Cor	umin	Urine Controls
Specific Protein Calibrator (R		CSF Control	Liquid CSF Control	-IVIICE	statin	løE Calibrator	R Cor	Anti SARS-CoV-2 Controls	Anti SARS-CoV-2 Spike Controls	Epstein Barr Virus (EBV) Control	ne Di	Serology Controls	ToRCH Controls	Lipid Control	ect LI	olipop	oprot	sLDL Control and Calibrator	Antimicrobial Controls	Growth Promoter Control	hesion	Cerebral Array II Control	tokine	Evidence Immunoassay Control	ıtheti	taboli	Thyroid Calibrators	erape	Ethanol Calibrator/Control Set	igs of	lgs of	lgs of	lgs of	lgs of	Assayed Urine Control	Liquid Urine Control	Urinalysis Control	Microalbumin Calibrator	
Spe	5 0	3 :	Liq	7-0	2 6	<u> </u>	sTf.	Ant	Ant	Eps	L L	Ser	101	Lip	Ξ	Apo	Lip	SLD SLD	Ant	ؿٙ	Ad	ů	Ç	Evi	Syr	Σe	Ę.	The	뜶	Dru	Dr	P _r	집	D .	Ass	Lig.	Į.	Ξ	
-	-	_	+	+	+	+	+	\vdash		+												-				_		-	4	-	+	+		+	+	+	_		Haematocrit (HCT)
	+	+	+	+	+	+	+	\vdash	+	+	+	+	╬								\vdash	\vdash				-		\dashv	\dashv	\dashv	+	+	+	+	+	+	+	\dashv	Haemoglobin (HGB) Haemoglobin A2 (HbA2)
	+	+	+	+	+	+	+	\vdash		+	+	+	╫													_		\dashv	\dashv	\dashv	+	+	+	+	+	+	\dashv	\dashv	Haemoglobin F (HbF)
		+	+	+	+	+		\vdash		+	H	+														=		1	+	\dashv	+	+	+	+		+	+	+	Haemoglobin S (HbS)
			$^{+}$			†																							T						t		\forall		Haemoglobin (Total)
	T		\top	T	T	T	T	T		T		T									T								T		T	T	T	Ť		T			Haemolysis (H)
																																							Haemopioetic Progenitor Cell (HPC)
										L																								х					Haloperidol
			\perp		1	L		L		L																					4	4		1					Haptoglobin
			\perp		1	1		L		-			х															4	4	_	4	4		1	1	1			HAV IgM
	+	+	+	+	+	+	+	╀	-	╀	+	+	-								-	-				_		4	4	4	+	+	+	+	+	+	4	_	HbA1c
	+	+	+	+	+	+	+	╁		+			х															\dashv	-	\dashv	+	+		+	+	+	+		HBc IgM
			+		+	+		+		+		+	x													-		\dashv	-	\dashv	+	+	+	+	+	+	\dashv		HBeAg HBsAg
	+	+	+	+	+	+		H		+	+	+	^													_		\dashv	+	\dashv	+	+	+	+	+	+	х	х	hCG
	$^{+}$	+	+	$^{+}$	$^{+}$	$^{+}$	+	$^{+}$		$^{+}$		\vdash																7	7	\dashv	+	\dashv	$^{+}$	$^{+}$		$^{+}$	-	-	Free β-hCG
	T	\dagger	\top	T	Ť	T	T	T	T	T	T	T									T	T						7	T		T	T	T	Ť		T			Total β-hCG
					T	T				Т									х										T						Ī				HDL-3
														х																									Helicobacter pylori IgG
			_		1	L		L		L	L	L		х																	4	4	4	1		4			Herpes Simplex Virus 1 (HSV-1) IgG
	1		_	_	+	1		L		L	L	L		х														4	4	4	4	4	4	4	1	4			Herpes Simplex Virus 1 (HSV-1) IgM
	+	_	_	+	+	+		L		╀	-	-		х														4	4	4	4	4	4	+	+	4	4		Herpes Simplex Virus 2 (HSV-2) IgG
	+	+	+	+	+	+	+	\vdash	+	+	+	+		Х												_		\dashv	\dashv	\dashv	+	+	+	+	+	+	+	\dashv	Herpes Simplex Virus 2 (HSV-2) IgM
	+	+	+	+	+	+	+	\vdash		+	+	+	Х													-		\dashv	\dashv	\dashv	+	+	+	+	+	+	\dashv	-	HIV-1 P24Ag Homocysteine
	+	+	+	+	+	+	+	+	H	+	+	+	H								\vdash	\vdash				_		\dashv	+	\dashv	+	+	+	x		+	\dashv	\dashv	Ibuprofen I
	T		\top	T	Ť	T		T		T		T									T	T						1	T	\exists	\top	\top	T	†		T			Icterus (I)
				T	T	T				T		T																	T		T	T	T	T					IMIDC
																																							IMIRF
					1	L		L		L	L	L																			4	4	4	1		4			Immature Granulocytes (IG)
			_		1	1		L		L	L	L																4	4	4	4	4	4	4	1	4			% Immature Granulocytes (% IG)
	-		1	-	-	-																														1	4		Immature Myeloid Information (IMI)
		-	+	+	+	+	-	-																												-	4		Immature Platelet Fraction (IPF)
	+	+	+	+	+	×																																	Immunoglobulin A (IgA) High Sensitivity Immunoglobulin A (hsIgA)
)				×																												-				Immunoglobulin E (IgE)
	,	ĸ				×	+																														1		Immunoglobulin G (IgG)
)	c																																			High Sensitivity Immunoglobulin G (hslgG)
						×																																	Immunoglobulin M (IgM)
		T)		T	Γ																												I					High Sensitivity Immunoglobulin M (hslgM)
						1		L		L		L																			4	4		1					Inhibin A
		+	1	1																							х												Insulin
	+	+	+	+	-	-	-																																Insulin Like Growth Factor-1 (IGF-I)
	+		+	+	-	-																х															-		Intercellular Adhesion Molecule-I (ICAM-I)
			+			+																		x			x	-	-							1	1		Interferon-γ (IFN-γ) Interleukin-Iα (IL-Iα)
																					H			x					-								1		Interleukin-1α (IL-1α) Interleukin-1β (IL-1β)
																								x															Interleukin-2 (IL-2)
																								х															Interleukin-4 (IL-4)
																								х															Interleukin-5 (IL-5)
			I																					х			х							I					Interleukin-6 (IL-6)
																								х															Interleukin-8 (IL-8)
		1		1																				х															Interleukin-10 (IL-10)
																								x															Interleukin-15 (IL-15)

	Page																																				
Ant	ioxidant Controls	80	80	80	80	=	4 5	1 5	15	18	19	20		22	23	23	54	24 24	25	25	25	20	29	32	32	32	33	36	36	37	37	88	39	39	0 4	43	43
Bloo	od Gas Controls	Glutathione Peroxidase (Ransel) Control and Calibrato								_			Liquid Assayed Chemistry Premium Plus Control																								
Car	diac Controls	and Cal	rator	ntrol						Precision Chemistry Premium Plus Control	ıtrol	Assayed Chemistry Premium Plus Control	Plus C		_									S			r	ntrol	10								
Clin	ical Chemistry Controls	ontrol a	l Calib	d) Cor	0.				_	Plus (s Con	lus C	min	Control	Serum		or				ator			Serie			Calibrator	+) Cor	Contr		_	ontro	trol	trol			
Coa	gulation & Haematology	sel) Co	trol and	Ransoc	Contr			_	brato	mium	ım Plt	nium	y Prer	od Co	tor	0 :	librat			ator.	Calibr			orator			nd Cal	(AM	minm		Contro	olus C	Con	II Con	1	ILOII	or
	ntrols petes & Whole Blood	e (Ran	e Cont	ase (R	tatus				d Cali	y Pre	remir	Pren	emistr	Assaye	Calib	Contr	nd S	ntrol Serum		Calibr	and 0	itro	2	Calik	-lo		trol ar	mone	y Pre		mnin (ium F	iality	iality	ontrol	Con	librat
	ntrols	roxidas	ductas	ismut	dant S	ontrol	trol	ontro	rol an	emistr	stry F	mistr)	d Che	istry	nistry	lanol	itrol a	ated S	itrol	and	ontro	Contro	Cont	ol anc	Cont	ntrol	Con	n Hor	noassa		Pren	Pren	Spec	Spec	er Co	eening	ie C
lmn	nunoassay Controls	one Pe	one Re	xide D	ntioxic	sas C	Sol	i Cal	Cont	on Ch	Chem	Che	Assaye	Chem	Cher	nia Ett	Col	3ilirub n Elev	ol Cor	ontro	ine C	Indice	tology	Contr	1bA1c	S E	amine	ülleria	mmur	ontrol	oassa)	oassa)	oassa)	oassa)	Mari	al ocr	Prot
lmn	nunology/Protein Controls	Ilutathi	Glutathione Reductase Control and Calibrator	Superoxide Dismutase (Ransod) Control	Total Antioxidant Status Control	Blood Gas Control	Cardiac Control	Troponin T Control	CK-MB Control and Calibrator	recisio	Liquid Chemistry Premium Plus Control	ssayed	iquid /	Bovine Chemistry Assayed	Clinical Chemistry Calibrator	Ammonia Ethanol Control	Aldolase Control and Calibrator	Liquid Bilirubin Control Bilirubin Elevated Serum	Glycerol Control	Multi Control and Calibrator	Glutamine Control and Calibrator	Serum Indices Control	Haematology Control	HbA1c Control and Calibrator Series	Liquid HbA1c Control	G-6-PDH Control	Fructosamine Control and	Anti-Müllerian Hormone (AMH) Control	Liquid Immunoassay Premium Control	PTH Control	Immunoassay Premium Control	Immunoassay Premium Plus Control	Immunoassay Speciality I Control	Immunoassay Speciality II Control	Tumour Marker Control	Specific Protein Control	Specific Protein Calibrator
1	Iron	G	G	S	ř	Δ .	3 F		0	×	×	×	×	x	х	∢ .	∢ .	_ B	0	2	0 (n C) I	I		0	Ē	⋖	_	Δ.	-	-	느	느	F 2	E V	S
	Iron (TIBC)									х	х	х	х	х	х																						
	Iron (UIBC)						+			х	х					4	_		-	Н						4		4	4	_	4	4	4	4	\perp	_	\perp
K	Kappa Light Chain Ketamine Metabolite						+									+	+		\vdash	Н	+		+		Н	+	+	\dashv	\dashv	\dashv	\dashv	\dashv	\dashv	+	+	х	\vdash
	Ketones																		\vdash	Н						+		\dashv		1			1				
L	L-Selectin (L-SEL)																																				
	Lactate					х				х	х	х	х	х	х		1			х						1		4							4		
	Lactate Dehydrogenase (LDH) Lambda Light Chain						+			х	x	х	х	х	х		+									+	-	+	-	-				+	+	x	
	Lambda Light Chain (Free)																+									+	1	+	1							x	
	LAP									х	×																										
	Leptin						+	-	-							_	_		-	Н	_					4		4	4	_	4	4	4	4	\bot	+	
	Lipase				Н		+	+	\vdash	x	x	х	х	х	x	+	+		+	Н	+		+			+	+	\dashv	\dashv	\dashv	\dashv	\dashv	\dashv	+	+	+	+
	Lipemia (L)									^	^	^	^	^	^					Н		K						+									
	Lipoprotein (a)										х		х																								
	Lithium						+	-	-	х	х	х	х	х	х	_	_		-	Н	_		-			4		4	_	_	4	4	4	4	4	_	\perp
	Luteinising Hormone (LH) Lymphocytes (LYMPH)				Н		+	+	+		х		х			+	+		+	Н	+		×	H		+	+	+	х	+	х	х	\dashv	+	+	+	+
	% Lymphocytes (% LYMPH)																			Н			x					+									
	Lysergic Acid Diethylamide (LSD)																																				
М	Magnesium						+	_	-	х	х	х	х	х	х	_	_		-	Н	_		-			4		4	_	_	4	4	4	4	4	-	\perp
	Matrix Metalloproteinase-9 (MMP-9) Measles IgG						+		+							+	+		+	Н	+		+	\vdash		+		+	-	\dashv	+	-	+	+	+	+	+
	Mean Corpuscular Haemoglobin (MCH)						$^{+}$		\vdash										+	Н			x			$^{+}$		\dashv	\dashv	\dashv	1	1	1				
	Mean Corpuscular Haemoglobin Concentration (MCHC)																			П			х														
	Mean Corpuscular Volume (MCV)																						х														
	Mean Platelet Volume (MPV)																						х					_									
	Meprobamate Meperidine					-	+	+	-							+	+		\vdash	Н	+		+			+		\dashv	\dashv	\dashv	\dashv	\dashv	\dashv	+	+	+	\vdash
	Mescaline						+										+		\vdash	Н	+					+		\dashv	\dashv	\dashv	\dashv	\dashv	\dashv				
	Metanephrine																																				
	Methadone																1											1							1		
	Methandriol Methamphetamine																									+	-	-	-		+	+					
	Methaqualone																1									+			1								
	Methotrexate																																				
	Methylphenidate																1											4									
	Methyltestosterone MDMA				H		+	+									1			H						1	1	+	1					+	+	+	
	Microalbumin																									+		+									
	Macrophage Inflammatory Protein-1α (MIP-1α)																																				
	Monocytes (MONO)																						x														
	Monocytes % (% MONO)																1						х														
	Monocyte Chemoattractant Protein-1 (MCP-1)						1										1									1									1		
	Mumps IgG						+			-	,						1									1	-	+	-					+	+		
N	Myoglobin Nandrolone)			х	х		х			+	+			H						+	+	+	+	-	+	+					
	NEFA									х		х		х																							
	Neuron-Specific Enolase (NSE)																1									1	1	1	1						х		
	Neutrophils (NEUT)																-						x			1	-	-	-					-	+		
	Neutrophils % (% NEUT) Neutrophil Gelatinase-associated																1						x			+		+	1								
	Lipocalin (NGAL)																																				

																							2			4												Page		
44	45	45	45	46	46	46	47	20	20	20	2	23	52	22	22	26	26	26	26	26	9	09	61-62	62	63	64-04	7 7	6 2	2 2	2 0	2 5	7	72	75	75	92	9/	Immunology/Protein	Contro	slc
																							es		Τ,	6			Orc	or S	ors	ors	ors					Infectious Disease	ontro	٥ls
CRP Controls and Calibrator					or						Lyme Disease (Borrelia burgdorferi) Control										ator		Calibrator Series		or	Metabolic sydrome Controls and Calibrators Thursist Calibrators			Drine of Abuse Arrav 1 Pire Controls and Calibrators	Drugs of Abuse Array II Controls and Calibrators	Drugs of Abuse Array III Controls and Calibrators	Drugs of Abuse Array IV Controls and Calibrators	Drugs of Abuse Array V Controls and Calibrators						rolog	
					ibrat						°C (rator	ators	ator				alibr		rator		ibrat	alibi	1040	ator	J. P.	Call	d Cal	d Ca	d Ca					Lipid (Contro	slc
				ator	Immunoglobulin Liquid Protein Calibrator		sTfR Control and Calibrator Series		slc	2	orferi				Direct LDL/HDL Cholesterol Calibrator	Apolipoprotein Control and Calibrators	Lipoprotein (a) Control and Calibrator				Adhesion Molecules Control and Calibrator		Calib	_ [Synthetic Steroids Control and Calibrator	, na	Thermoutin Drug Control & Colibrator	allor	ole ar	Sanc	ols an	ols an	olsan					Speciality & Research	Contro	slc
ator			tor	Cystatin C Control and Calibrator	oteir		or S	S	Anti SARS-CoV-2 Spike Controls	Epstein Barr Virus (EBV) Control	ırade				rolo	nd C	nd C	tor		_	trol a		and (Evidence Immunoassay Control	ol and	rols	8	Ethanol Calibrator/Control Set	400	ontro	ontro	ontro	ontro							
CRP Controls and Calibrator			8-2-Microglobulin Calibrator	Opu	id Pr		librat	Anti SARS-CoV-2 Controls	ike O	BV) (lia bu				leste	rol a	rola	sLDL Control and Calibrator	slc	Growth Promoter Control	Con	Cerebral Array II Control	Cytokine Array Controls and	ay C	ontro	Cont	0.400	ontro	Plie	N L	= =	2	>	rol	_		ator	Therapeutic Drug	ontro	JIS
ρ Ö		trol	Ü i.	trola	Liqu		d Cal	2 Co	2 Spi	us (E	orre	slo			Cho	Cont	Cont	D C	Antimicrobial Controls	er Co	nles	ပိ	Cont	ioass	g S	ome c		2 2	rav1	Arrav	Array	Array	Array	Assayed Urine Control	Liquid Urine Control	-0	Microalbumin Calibrator	Toxicology	Contro	slc
ols ar	_	Son	Indo	Cont	pulin	or	ol and	Co/-	CoV-	r Vir	se (B	ontro	ntrols	-0	HDL	tein ((a) (ol an	ial C	mot	lolec	rray	rray	umr.	teroi	yaro lihma	2 2	ibrat	No Police	T OSE	onse /	nse /	nse /	rine (ိ လ	ontr	in C	Urine	Contro	als
ontro	CSF Control	Liquid CSF Control	crog	i.	olgo	IgE Calibrator	ontro	ARS-	ARS-	n Bar	Disea	Serology Controls	ToRCH Controls	Lipid Control	LDL	obro	otein	Sontr	crob	h Pro	No N	ral A	ne A	ce lu	tic S	Metabolic sydrome	o de la composition della comp	Cal	A P	of Ak	of Ak	of Ak	of Ak	Ū p	Uri	Urinalysis Control	Ilbur	00		,,,
RP C	SF C	quid	2-Mi	ystat	mur	E Ca	-fR C	nti S	nti S	osteii	me	erolo	5	pid 0	irect	polip	popr	DL 0	ntimi	rowt	dhes	ereb	ytok	iden .	/uthe	etab	ly lo	hand	CHOS C	rugs	rugs (rugs	rugs	ssaye	quid	rinal	icro			
O	O		9	. 0	트	_00	-cs	A	⋖	Ü	1 5	Š	ıř	=		⋖		ls.	A	U	⋖	0	0	ம்	ώ 2	ΣF	F	- ŭ	1 0				Δ	⋖		⊃	Σ	1		
		+	+		\vdash	\vdash				╁		┢										-	+	+	+	+	+	+	H	+	+							Iron		1
		+	+	+	H	\vdash				+		┢										+	+	+	+	+	+	+	H	+	+							Iron (TIBC) Iron (UIBC)		
		+	+		H				H	╁	+		+									_	+	+	+	+	+	+	H	+	+									
			+		H	-				╁												-	+	+	+	+	+	+	H		x	x						Kappa Light Chain Ketamine Metabolite		
		+	+		\vdash	\vdash				╁	+											-	+	+	+	+	+	+	+	+	×	×					x	Ketones		
		+	+	+	H	\vdash			Н	+	+	H	+									х	+	+	+	+	+	+	H	+	+	\vdash			_		X	L-Selectin (L-SEL)		H
	x	+	+		H	\vdash				╁												X	+	+	+	+	+	+	+	+	+							Lactate		
	X		х		H					╁												-	+	+		+	+	+	H		+									
										H	H	H											-	+	+	H			F	H								Lactate Dehydrogenase (LDH)		
											H												-	+	+	+	+			H								Lambda Light Chain Lambda Light Chain (Free)		
																								-	+													Lambda Light Chain (Free)		
		+	+							\vdash	+		\vdash									-	+	+	+	+	+	+	H	+	+				_					-
										+			+										+	+		X	+		H	+	+							Leptin		
		+	+							╫													+	+	+	+	+	+	+	+	+				_		х	Leukocytes		1
		+	+							+	+	H	\vdash									-	+	+	+	+	+	+	H	+	+				_			Lipase		1
		+	+							\vdash	+		\vdash									-	+	+	+	+	+	+	H	+	+				_			Lipemia (L)		
		+	+	-	\vdash	\vdash				╁	+	┢	+		х		х					\dashv	+	+	+	+	+	+	+	+	+	\vdash			_			Lipoprotein (a)		
			+							╀	+		-									-	+	+	+	+	+	Х		+	+	-			_			Lithium		
		+	+		H	-				╀		H										-	+	- 1	х	+	+	+	+	+	+				_			Luteinising Hormone (LH)		
		+	+							╀	+	H	\vdash									_	+	+	+	+	+	+	H	+	+				_			Lymphocytes (LYMPH)		
										╀													+	+			+	+	+	+	+							% Lymphocytes (% LYMPH)		-
		+	+	-	H	H				╀	+		+									+	+	+	+	+	+	+	+	+	Х	-			_			Lysergic Acid Diethylamide (LSI)	H
			+		-	-				╀												-	+	+	+	+	+	+	+	+	+				х	х		Magnesium		'
		+	+			-				╀	+	H										-	+	х	+	+	+	+	H	+	+				_			Matrix Metalloproteinase-9 (MN	P-9)	
		+	+	-	H	\vdash				╀	+		+	х								+	+	+	+	+	+	+	+	+	+	\vdash						Measles IgG	(14011)	
		+	+							+	+		+									\dashv	+	+	+	+	+	+	H	+	+							Mean Corpuscular Haemoglobii Mean Corpuscular Haemoglobii		-
			\perp							L													4	4	4	\perp	1			\perp	\perp							Concentration (MCHC)		
		_	\perp			L				L	_											_	4	4	_	\perp	\perp	_		\perp	\perp							Mean Corpuscular Volume (MC	/)	
			\perp							L													4	4			1			1	\perp							Mean Platelet Volume (MPV)		
			_							L	1		_									_	4	4	_	+	+	1			\perp	х						Meprobamate		
			-							L	1		_									_	4	4	_	+	+	+			1	х						Meperidine		
			_							L	1		1									_	4	4	4	+	1	+		1	4	_		х				Mescaline		
			-		L	L				L	1		-									_	4	+	+	+	+	+		-	+	_			х			Metanephrine		
			_							L	1		1									_	4	4	4	+	+	+		х	+	_						Methadone		
		-	1								-		-									_	4	4)	(1			+	\perp	_						Methandriol		
		_	\perp	_		L				L	-		-									_	\perp	4	_	+	+	_		x	+	_						Methamphetamine		
		_	+	_		L				L	_	L	-									_	4	4	4	+	+	+	1	+	х	_						Methaqualone		
		_	_	_		L				L		L										_	4	4	_	_	1	x		1	1							Methotrexate		
			\perp																				4	4						1	\perp		х					Methylphenidate		
										L													4	4	>	c	1	1	1	1								Methyltestosterone		
			_							L	1		1									_	4	4	4	+	1	+		х	х	_						MDMA		
		_	х							L		L										_	4	4	_	+	1	1	L	Ļ	1				х	х		x Microalbumin		
																								x														Macrophage Inflammatory Proteir (MIP-1α)	1α	
																																						Monocytes (MONO)		
																																						Monocytes % (% MONO)		1
																								x	T	T												Monocyte Chemoattractant Protein	ı	
														×															f									(MCP-1) Mumps IgG		
											H			X											+					H								Myoglobin		
			+																			1	+	+	+		+													+
		+																			х			-	+		-			H								Nandrolone		-
		+	-								H													+	+	+	+		H	H								NEFA		
		-	-								H												х	+	+	H	-		F	H								Neuron-Specific Enolase (NSE)		
		-	-							H													1	1	+	+	+		F	Ŧ								Neutrophils (NEUT)		-
																																								100
		+			H	H				H													+	+	+		+			H								Neutrophils % (% NEUT) Neutrophil Gelatinase-associated	lino	

Bloo Carc Clini Coa Con Diab	oxidant Controls d Gas Controls diac Controls ical Chemistry Controls gulation & Haematology	and Calibrato 08	80	80	80	=	4 4	15	15	8	19	2 3	2 2	1 6	33	24	24	0 0	5 K	25	26	29	2	32	32	22	7) (8 %	5 6	i c	88	39	39	4		5 5	
Card Clini Coag Con Diab Con	diac Controls ical Chemistry Controls gulation & Haematology	nd Calibra											2													T						.,			40		4
Clini Coaş Con Diab Con	ical Chemistry Controls	nd 6	5	_						trol		- 0	Liquid Assayed Chemistry Premium Plus Control														١.										
Coas Con Diab Con	gulation & Haematology	<u>-</u>	Glutathione Reductase Control and Calibrator	Superoxide Dismutase (Ransod) Control						Precision Chemistry Premium Plus Control	Liquid Chemistry Premium Plus Control	Assayed Chemistry Premium Plus Control	m Plus	. [ies			ator	Anti-Mullerian Hormone (AMH) Control			2						
Con Diab Con	gulation & Haematology	Contro	ind Ca	od) C	ıtrol				.o.	n Plu	lus C	- Plus	emiur	Ser		ator			١.	orator				or Series		=	alibra	(H) (H)	3	l on	Contr	ntrol	ontrol				
Diab Con	trols	nsel)	ntrol a	(Rans	s Cor		- 2		librat	emiu	ium	mium	try Pr	hrato	rol	Salibra		٤	10000	Calib				ibrate		-	and C	e (Al		Con	Plus	, I Co	Č =	_	ntro		ator
	etes & Whole Blood	ase (Ra	se Co	rtase	Statu	_	Cont	0	nd Ca	try Pr	Prem	ry Pre	Acco	S S	Cont	and C	ontro	Seru	5	oland	ntrol	rol	ıtrol	ld Cal	ıtrol	-	ntrol	rmon	oay	mium	mium	ciality	ciality	ontro	og Co	ontro	alibra
	trois unoassay Controls	eroxid	educta	Dism	idant	Contro	ntrol	Contr	trol a	hemis	nistry	emist	ved Cl	mistr	thanol	ntrol	bin C	vated	ontrol	Contr	es Co	Cont	y Cor	rol ar	c Cor	ontro	S :	an Ho	- L	IV Pre	y Pre	y Spe	ıy Spe	rker	reenii	te in	te in C
		ione P	ione R	oxide	Antiox	Gas C	S S	nin T	B Con	ion C	Cher	년 영	Assay	2	nia E	se Co	Biliru	in Ele	2 5	nine (Indic	lation	atolog	Cont	HbA1	5 .	samır	lulleri	1 2	Joassa	noassa	noassa	noassa	Ir Ma	nal Sc	O P C	IC Pro
Imm	unology/Protein Controls	Glutathione Peroxidase (Ransel) Control	Slutath	Super	Total Antioxidant Status Control	Blood Gas Control	Cardiac Control Tri-Level Cardiac Control	Troponin T Control	CK-MB Control and Calibrator	recis	-iquid	Assaye	Liquid Assayed Chemistry Premium	Clinical Chemistry Calibrator Serum	Ammonia Ethanol Control	Aldolase Control and Calibrator	Liquid Bilirubin Control	Bilirubin Elevated Serum	Glycerol Control	Glutamine Control and Calibrator	Serum Indices Control	Coagulation Control	Haematology Control	HbA1c Control and Calibrator	Liquid HbA1c Control	0 -	Fructosamine Control and Calibrator	Anti-Mullerian Hormone (AMH) Contr	PTH Control	Immunoassav Premium Control	Immunoassay Premium Plus Control	Immunoassay Speciality I Control	Immunoassay Speciality II Control	Tumour Marker Control	Maternal Screening Control	pecif	Specific Protein Calibrator
N	Nitrite			0,							_	4 .		,, ,	1	4	_		J 2		0)					1		<u> </u>	1	+-	+-	_			_ 0	//	"
	Norepinephrine																																				
-	Normetanephrine			4		4				4				-			4	_	+					4	_	\perp	+	+	+							\perp	_
-	NT-proBNP Nucleated Red Blood Cells (NRBC)	Н	Н	+		\dashv	х										+	+	+					+		+	+		+							+	-
	Nucleated Red Blood Cells % (%	Н		+		\dashv											+	+	+				х	+		+	+									+	
	NRBC) Nucleated Red Blood Cells X (NRBC-X)	Н	Н	+		+	+			-							+	+	+	+			х	+	+	+	+	+	+	+						+	-
	Nucleated Red Blood Cells Y (NRBC-Y)	Н		+		\dashv				+							+	+	+	+			x	+		+	+	+	+							+	-
	Oestradiol																									T	T	х		×	х						
	Opiates																									Ī			Í								
	Osmolality									х	х	x	х	×			1							4													
-	Osteocalcin			_		4	_										_	_	+						_	+	+	-				х				+	_
1 1	Oxalate		Н	-		\dashv	+												+						+	+	+									+	-
	Oxycodone (I+II) P-Selectin (P-SEL)	Н	Н	+		\dashv	+	\vdash	\dashv	\dashv	+	+	+	+			+	+	+					+	+	+	+	+	+					+		+	-
	Paracetamol	Н	Н	\forall		+				х	х	x	x				$^{+}$	+	$^{+}$					+		$^{+}$		х		x	х					$^{+}$	_
	PAPP-A																									Ť									х		
	pCO ₂					х																															
	рН			_		х	_										4	_	1					4	_	4		_	_							1	
	Phencyclidine			_		\perp								-			_	+	+	-				_	_	+		+	+	-						+	_
1 1	Phenobarbitone Phenylpiperazines	Н	Н	+		\dashv	+		\dashv	х	х		x	+			+	+	+	+				+	+	+	+	х		х	х					+	-
	Phenytoin		Н	+		+				х	х		х													$^{+}$	t	х		х	х						
1	Phosphate (Inorganic)									х	х	_	х х	×					T							Ť											
	Plasminogen																		I			х				I											
1	Plasminogen Activator Inhibitor			_		4	_											_	+						_	+	+									+	_
1	Platelet Distribution Width (PDW)			+	-	+	+	\vdash		+	_						+	+	+	+			х	+	+	+	+	+	+					_		+	_
	Platelet Large Cell Ratio (P-LCR) Plateletcrit (PCT)	Н	Н	+		+	+	\vdash		+	+		+				+	+	+	+			х	+	+	+	+	+	+	+				_		+	_
-	Platelet (PLT)		Н	+		\dashv																	x			+								+			
1	Platelet Optical Count (PLT-O)			\dashv		\dashv				1							\dashv	+	$^{+}$				х	\forall	+	$^{+}$		+	+							$^{+}$	
	pO ₂					х																				T											
	Potassium					х				х	х	x	x x	×																							
	Prealbumin									х	x		x						Ţ							I									х	СХ	x
	Primidone																									1		х		х	х						
	Procalcitonin																								1	1	1					х	х				
1 1	Progesterone										х	_	x						+							1	-	х	+	х						+	
	Prolactin									х	х		х	-					-						+	1	-	х		х	х					+	
	Propoxyphene Protein C																		+			x		-	+	+	+										
1 1	Protein S			+													+		+			x		+		+											
1	Protein (Total)									х	х	x	х	×												T	T								х	(
	Prothrombin Time (PT)																					×				T											
	PSA (Free)																									I		х		x	х			х			
	PSA (Total)									х		x >	х					T								I		х		x	х			х			
	PTH (Parathyroid Hormone)																									1				x	х						
	PTH (Intact)												1				1		1							1		+	х			х					
	Quinolones (Generic)													-					1						1	1	1	+	-	-						+	
1 1	Ractopamine													+											-	1	1		F							-	
	Red Blood Cell Y (RBC-Y) Red Blood Cell Distribution Width CV			-		+				+							+	+	+	+			х	+		+	+	+	-							+	
	(RDW-CV)																						х		-	1	1	-	-							-	
	Red Blood Cell Distribution Width SD (RDW-SD)																						x														

																									21			4													Page	
4 4	;	45	45	45	46	46	46	47	20	50		20	21	21	52	22	22	26	29	26	29	29	09	90	61-62	62	63	63-64	64	29	20	20	20	F		72	72	75	76	2/9	Immunology/Protein Control	ls
	T										ı														es							ors	SLIS	ors	ors	ors					Infectious Disease Control	ls
ilution						tor							ontro					S					rator		r Seri		tor	rator				alibrat	librate	librat	alibrat	librat					(Serology	
s Pre-d						libra		s					;) C				rator	rator	ator				Calib		orato		alibra	Calib		rator		und C	d Cal	od !	ğ	nd C					Lipid Control	ls
tequire					orato	in C		Serie		rols		itrol	dorfe				Calik	Calib	Calib				and		Cali	-01	nd C	and		Calib	et	ntrols	ols ar	rols a	rols a	rolsa					Speciality & Research Control	ls
Specific Protein Calibrator (Requires Pre-dilution) CRP Controls and Calibrator	ato			β -2-Microglobulin Calibrator	Cystatin C Control and Calibrator	Immunoglobulin Liquid Protein Calibrator		sTfR Control and Calibrator Series	rols	Anti SARS-CoV-2 Spike Controls		ַבֿי ב	Lyme Disease (Borrelia burgdorferi) Control				Direct LDL/HDL Cholesterol Calibrator	Apolipoprotein Control and Calibrators	Lipoprotein (a) Control and Calibrator	sLDL Control and Calibrator		-i-	Adhesion Molecules Control and Calibrator	-0	Cytokine Array Controls and Calibrator Series	Evidence Immunoassay Control	Synthetic Steroids Control and Calibrator	Metabolic Sydrome Controls and Calibrators		Therapeutic Drug Control & Calibrator	Ethanol Calibrator/Control Set	Drugs of Abuse Array 1 Plus Controls and Calibrators	Drugs of Abuse Array II Controls and Calibrators	Drugs of Abuse Array III Controls and Calibrators	Drugs of Abuse Array IV Controls and Calibrators	Drugs of Abuse Array V Controls and Calibrators				'n	Therapeutic Drug Control	ls
alibra	3		-	Calik	ol and	iquid		Calib	Anti SARS-CoV-2 Controls	Spike	/ED/	E BV	relia				hole	ontro	ntrol	Calib	Antimicrobial Controls	Growth Promoter Control	es Co	Cerebral Array II Control	ontro	assay	Con	e Co	S	Cont	/Con	ay 1 Plu	ray II	ray III	ray IV	ray V	Assayed Urine Control	trol		Microalbumin Calibrator	Toxicology Control	ls
ein C	2 4 10		Contri	bulin	ontro	ulin L	-	and	oV-2	oV-2		Virus	e (Bo	ntrols	rols	_	PL 0	in C	(a) Cc	and	Cor	noter	lecul	ay II	ay C	nuno	eroids	drom	brato	Drug	rator	se Ama	ise Ar	ise Ar	ise Ar	ise Ar	ne C	Con	ontro	n Cal		
: Prot		CSF Control	Liquid CSF Control	roglo	CO	dolgo	IgE Calibrator	ntro	RS-C	RS-C		Barr	iseas	Serology Controls	ToRCH Controls	Lipid Control	70	prote	tein	ontro	robia	Pror	no Mo	al Arı	e Ar	e lm	ic St	lic S	Thyroid Calibrators	eutic	Calik	Abu	f Abu	f Abu	† Abr	f Abu	5	Liquid Urine Control	Urinalysis Control	bumi	Urine Control	IS
RP C	5 5	SF O	duid	2-Mic	ystati	umu	E Cal	fR C	ıti S⊿	nti SA		stein	me [erolog	RCH	D bid	rect	oolipo	popr	DL C	ntimic	rowth	dhesi	erebr	ytokir	iden	uthe	etabo	yroic	erap	hano	ugs o	rugs o	rugs o	rugs o	rugs o	ssaye	pinb	rinaly	icroa		
S) (O	=	9	O	프	<u>_60</u>	L'S	Ā	Ā	L	<u>.</u>	기	Š	ř	=		∢	-5	- Is	Ā	G	ď	O	O	ú	S	Σ	F	F	Ш	Δ					ά	-5	⊃	Σ	Nitrite	N
	$^{+}$									H	t		+	+													_		_				\dashv	+			+	х		^	Norepinephrine	.,
	Ť									T	t	T																					\top	T	T		Ť	х			Normetanephrine	
																																									NT-proBNP	
																																	4	4		4					Nucleated Red Blood Cells (NRBC)	
																																									Nucleated Red Blood Cells % (% NRBC)	
																																									Nucleated Red Blood Cells X (NRBC-X)	
	1																																								Nucleated Red Blood Cells Y (NRBC-Y)	
	1	1									H	1															х														Oestradiol	0
	+	-			-						H	1																					х	х	1			x			Opiates Osmolality	
	+	+		\dashv	+	\dashv				H	H	+	+	+	+	+									\dashv	\dashv	\dashv		\dashv		\dashv		+	+	+	+	+	х	х		Osteocalcin	
	$^{+}$	\top			\dashv						H	$^{+}$	+	+	\dashv	1									\dashv	\dashv	\dashv		\dashv		\dashv		\dashv	+	$^{+}$	+		х			Oxalate	
	T										İ	T	T	T																			T	х	T	Ť					Oxycodone (I+II)	
																								х																	P-Selectin (P-SEL)	Р
												1																			х		4	1		х					Paracetamol	
	+										ļ	4	4																					1							PAPP-A	
	+	_				_				H	H	+	4	4	\dashv	4									_	_	_		_		\dashv		\dashv	+	4	+	-				pCO ₂	
	+	+	-	\dashv	\dashv	\dashv	-			H	H	+	+	\dashv	+	+									\dashv	\dashv	\dashv	-	\dashv	\dashv	\dashv		_	+	+	+	+	\dashv	х	х	pH Phencyclidine	
	$^{+}$					\dashv				H	t	+	+	+		+									_	+	\dashv		+		х		х	+	+	+	+				Phenobarbitone	
	$^{+}$	\dashv			\dashv						H	$^{+}$	+	+	\dashv	1									\dashv	\dashv	\dashv		\dashv		^		\dashv	+	$^{+}$		х				Phenylpiperazines	
	T										İ	T	T	T																	х		T	Ť	T	Ť					Phenytoin	
																																						х	x		Phosphate (Inorganic)	
	1	4									L	4	4		4											4	4		4				4	4	4	4					Plasminogen	
	+	4			-	_					ł	+	+	4	\dashv	_									\dashv	\dashv	\dashv		х		\dashv		\dashv	+	+	+	+				Plasminogen Activator Inhibitor	
	+	_			-	\dashv					H	+	+	-	+	-									-	\dashv	\dashv		\dashv		\dashv		+	+	+	+	+				Platelet Distribution Width (PDW)	
	+				-	-					H	+	+	+		+									+	\dashv	\dashv		+		\dashv		+	+	+	+	+				Platelet Large Cell Ratio (P-LCR) Plateletcrit (PCT)	
	+	\dashv			\dashv	\dashv					H	+	+	+	\dashv	+									\dashv	\dashv	\dashv		\dashv	\dashv	\dashv		\dashv	+	+	+		\dashv			Platelet (PLT)	
	\dagger	\top									t	t	+	7	\dashv										\exists	\dashv	\exists		\dashv		\exists		\dashv	$^{+}$		+					Platelet Optical Count (PLT-O)	
	Ť									T	Ť	T	T																					T	Ť		T				pO ₂	
	Ť										Ī																											х	x		Potassium	
																																									Prealbumin	
	1																														х		4	1		1					Primidone	
	+										Ļ	4	4	4		4																	4	4	4	4	_				Procalcitonin	
	+			_							ļ	+	4	_	_	_											х				\dashv		4	+	+	4	4				Progesterone	
	+	4		_	_	_					H	+	4	4	4	4									_	4	х		_	_	\dashv		\dashv	+	+	+	_	_			Prolactin	
	+				_						H	+	+	-	_	-									-	-	\dashv		-		\dashv		+	х	+	+	-				Propoxyphene	
	+					\dashv					H	+	+	-		-									-	-	-		-		\dashv		+	+	+	+	+				Protein C Protein S	
	١,	х		х							H	+	+	+	\dashv	+									\dashv	\dashv	\dashv		\dashv		\dashv		\dashv	+	+	+		x	х	х	Protein (Total)	
	T	+									f	1																													Prothrombin Time (PT)	
	T	+																									х														PSA (Free)	
																											х														PSA (Total)	
	I																																								PTH (Parathyroid Hormone)	
	I																																								PTH (Intact)	
																						х																			Quinolones (Generic)	Q
	1																						х																		Ractopamine	R
	1	1																																							Red Blood Cell Y (RBC-Y)	
																																									Red Blood Cell Distribution Width CV (RDW-CV)	
																																									Red Blood Cell Distribution Width SD	

		Page																																			
		oxidant Controls	90 0:	80	88	88	=	4 2	15	15	18	19	20	$\overline{}$	22	23	23	24 2	24	25	25	22	26	29	32	32	32	3 %	38	37	37	38	39	36	40	40	43
		d Gas Controls	Calibrato								rol		-0	Liquid Assayed Chemistry Premium Plus Control																							
		diac Controls	and	Glutathione Reductase Control and Calibrator	Superoxide Dismutase (Ransod) Control						Precision Chemistry Premium Plus Control	Liquid Chemistry Premium Plus Control	Control	n Plus	_	Ę									ies.		1	Anti-Millarian Hormone (AMH) Control	ltrol			0					
		ical Chemistry Controls	Contro	nd Cal	od) C	trol				or	n Plus	lus C	Plus	emiur	ontro	r Seri		ator				orator			or Ser			AH) C	Cor		lo l	Contr	ntrol	ontrol			
		gulation & Haematology trols	nsel) (ntrol a	(Rans	s Con		-		librat	emiur	ium P	minm	try Pr	yed C	brato	trol	Salibra	. E		brator	Calik			ibrate		1	70	emiur		Conf	Plus	, I Co	Š = V		ntrol	ator
	Diak	etes & Whole Blood	ase (Ra	se Co	rtase	Statu	_	20		nd Ca	try Pr	Prem	ry Pre	nemis	Assa	y Cali	Control	and C	Serui		Calil	ol and	ontro	ıtrol	ld Cal	ıtrol	1	0 0	say Pr		mium	mium	ciality	ciality	Sontro	ng Co	Salibra
		trols unoassay Controls	eroxid	educta	Dism	idant	Contro	ntrol	Contr	trol a	hemis	nistry	emist	lo pa	mistry	mistr	thano	hin	vated	ontrol	ol anc	Contr	es Co	Cor	rolar	c Cor	ontro	E E	noas	_	ly Pre	y Pre	ıy Spe	y Spe	rker 0	reeni	tein C
		•	ione P	ione R	oxide	Antiox	Gas C	0 0 0 1 0 0 1 0 1 0 0 1 0 1 0 0 1 0 1 0	nin T	B Con	ion Cl	Chen	d Ch	Assay	Cher	l Che	nia Et	se Co	in Ele	lo Co	Contr	nine (Indic	atolog	Cont	HbA1	OH C	1: Ilori	lm m	ontro	noassa	noassa	noassa	noassa	Ir Mar	nal Sc	ic Pro
	mm	unology/Protein Controls	Glutathione Peroxidase (Ransel) Control	Glutat	Super	Total Antioxidant Status Control	Blood Gas Control	Cardiac Control	Troponin T Control	CK-MB Control and Calibrator	Precis	Liquid	Assayed Chemistry Premium	Liquid	Bovine Chemistry Assayed Control	Clinical Chemistry Calibrator Serum	Ammonia Ethanol	Aldolase Control and Calibrator	Bilirubin Elevated Serum	Glycerol Control	Multi Control and Calibrator	Glutamine Control and Calibrator	Serum Indices Control	Haematology Control	HbA1c Control and Calibrator Series	Liquid HbA1c Control	G-6-PDH Control	Anti-A	Liquid Immunoassay Premium Control	PTH Control	Immunoassay Premium Control	Immunoassay Premium Plus Control	Immunoassay Speciality I Control	Immunoassay Speciality II Control	Tumour Marker Control	Maternal Screening Control	Specific Protein Calibrator
	R	Renin							Ė							Ū																		х			
		Resistin				4										4	4		1			4		1	L		_		1								
		Retinol Binding Protein (RBP)			\perp	_		_	-						_	+	4		+			4	+	+	H	\vdash	+	+	+					\dashv	4	х	_
		Rheumatoid Factor (RF)															+							+				+						\dashv	+	х	x
		Rubella IgM			\dashv	+		+						-			+	-				+		+		\vdash			+					\exists	+		
-	s	Salicylate									х	х	х	х		+	$^{+}$		+		Н	1		$^{+}$		\Box		t	×		x	x		\exists			
		Salicyluric Acid															T																	П			
		Salvinorin																																			
		Semicarbazine (SEM)																																			
		Sertraline															4							_		Ш		_									
		Sex Hormone Binding Globulin (SHBG)															4							1				-	х		х	х			4		
		sLDL			\perp	_										_	4		+			4		+				-	-					4	4		
		Sodium			\perp	4	х	_	-		х	х	х	х	х	х	4		+	-		4	-	+	H	\vdash	+	+	\vdash					\dashv	4		
		Soluble IL-2 Receptor α (sIL-2Rα)			_	+	_	_									+		+			+		+	-	\vdash		+	+					\dashv	\perp		
		Soluble IL-6 Receptor (sIL-6R)				-		+									+							+				+						\dashv	+		
		Soluble Transferrin Receptor (sTfR) Soluble Tumour Necrosis Factor			\dashv	-	\dashv							-		+	+		+			+		+		\vdash		+	+					\dashv	+		
		Receptor 1 (sTNFR I) Soluble Tumour Necrosis Factor			\perp											+	+		+			_		+		\vdash		+	+					\dashv	+		
		Receptor 11 (sTNFR I1)						_									4	_						-		Ш		-						_	4	_	
		Specific Gravity														_	4		+			4		+				-	-					_	4		
		Stanozolol			\dashv	_	\dashv							_	_	+	+		+			+		+			+	+	+					\dashv	4		
		Stilbenes			\dashv	\dashv	\dashv	-						-	-	+	+		+			+		+	H	\vdash	+	+	+					\dashv	+		
		Streptomycin			\dashv	\dashv	\dashv	+	+					\dashv	+	+	+	+	+			+		+	\vdash	\vdash	+	+	+					\dashv	+		+
		Superoxide Dismutase (Ransod) Synthetic Cannabinoids (1 to 4)			х	\dashv								\dashv	+		+		+			+		+		\vdash	+		+					\dashv	+		
ŀ	Т	T Uptake			\dashv	\dashv	\dashv					х		х	1	+	+		+		Н	\dashv		+		\vdash	+	+	x		x	x		\exists	+		
		T3 (Free)			\dashv						x	х		x			+					+		+		\vdash			x		x	x		\exists			
		T4 (Free)									x	х	х	х	х		\dagger									\Box			x		х	х					
		T3 (Total)									х	х	х	х	х		T							T					х		х	х					
		T4 (Total)									х	х	х	х	х														х		х	х					
		Testosterone						_				х		х			4							1		Ш		-	х		х	х			4		
		Testosterone (Free)															1							+				+			х	х					
		Tetracyclines (Generic) Theophylline									x	х	х	х			1												×		х	х					
		Thiamphenicol																											_								
		Thrombin Time (TT)																					х														
		Thrombomodulin (TM)															4					4		L		Ш	1								_		
		Thyroglobulin			\dashv	_			-					_	_	_	4		+	-		4	-	+			+	+	-		х	х		\dashv	х	-	
		Tobramycin Total Antioxidant Status (TAS)				х					х		х				1											+	x		х	х					
		Toxoplasma gondii IgG				^																+															
		Toxoplasma gondii IgM																																			
		Tramadol															1																				
		Transferrin									х	х	х	х																						х	x
		Trazadone															1											-									
		Trenbolone Treponema pallidum (Syphilis) IgG													+		+					+		+													
		Tricyclic Antidepressants																																			
		Triglycerides									х	х	x	х	x	х																					
		Trimethoprim															1	\perp																			
		Troponin I						х			х																	-							4		
L		Troponin T						х	х			Х		х																							

																							22			64													Page
44	45	45	45	46	46	46	47	20	20	50	23	22	25	22	22	29	26	26	26	26	9	09	61-62	62	63	63-64	64	29	2	2	2	F		72	72	75	76	26	
																							ies			ço				ors	SLLS	ors	tors	tors					Infectious Disease Contro
					or						Lyme Disease (Borrelia burgdorferi) Control										Adhesion Molecules Control and Calibrator		Cytokine Array Controls and Calibrator Series		tor	Metabolic Sydrome Controls and Calibrators				Drugs of Abuse Array 1 Plus Controls and Calibrators	Drugs of Abuse Array II Controls and Calibrators	Drugs of Abuse Array III Controls and Calibrators	Drugs of Abuse Array IV Controls and Calibrators	Drugs of Abuse Array V Controls and Calibrators					(Serolog
					Immunoglobulin Liquid Protein Calibrator						i) Co				Direct LDL/HDL Cholesterol Calibrator	Apolipoprotein Control and Calibrators	ator				Salibr		rato		Synthetic Steroids Control and Calibrator	Calib		Therapeutic Drug Control & Calibrator		nd C	d Cal	ld Ca	် ဗ	S Pc					Lipid Contr
				Cystatin C Control and Calibrator	n Ca		sTfR Control and Calibrator Series		slo.	trol	orfer				Calib	alibr	Lipoprotein (a) Control and Calibrator				and C		Calik	0	d Ca	and 0		Calib	+	rolsa	ols an	ols ar	ols ar	olsar					Speciality & Research Contro
ator			ator	Calib	rotei		tor S	<u>s</u>	Anti SARS-CoV-2 Spike Controls	Epstein Barr Virus (EBV) Control	urgd				erol (o pur	o pu	ator		-	trol		and	Evidence Immunoassay Control	ol an	trols		0 8 C	Ethanol Calibrator/Control Set	Cont	ontro	Contro	Contr	Contr					Therapeutic Drug Contr
CRP Controls and Calibrator			β-2-Microglobulin Calibrator	and 0	uid P		libra	Anti SARS-CoV-2 Controls	ike 0	BV)	lia b				olest	trol	trol a	sLDL Control and Calibrator	ols	Growth Promoter Control	Con	Cerebral Array II Control	trols	say C	Sontr	Cont		ontro	ontr	1 Plus) I	E :	2	>	tro	_		rator	Therapeutic Drug Contro
nd C		trol	i.	trol	Ligi		d Ca	-2 C	-2 Sp	us (E	Borre	ols	S		Cho	Con	Cont	nd C	ontr	er C	cules	° C	Con	noas	ids C	ome	tors	ng C	tor/C	'ıray'	Array	Array	Arra	Arra	Con	ontro	- 0	Salibr	Toxicology Contr
ols a	0	S	nqol	Con	bulir	tor	ol an	Co	CoV	l :	ase (I	ontr	ntrol	-0 -	HDI	otein	n (a)	rola	oial C	omo	Molec	ırray	ırray	nmu	stero	Sydr	libra	ic Dr	libra	onse A	pnse	pane	pnse	pange	rine	Je C	Cont	nin	Urine Contro
Conti	CSF Control	Liquid CSF Control	icrog	ti	nogle	IgE Calibrator	Conti	ARS	ARS	in Ba	Dise	Serology Controls	ToRCH Controls	Lipid Control	LDI.	oobro	rotei	Cont	Antimicrobial Controls	th Pr	ion	oral A	ine /	nce I	etic 3	oolic	Thyroid Calibrators	peut	ol Ca	of Ak	of A	of A	o to	of A	Assayed Urine Control	Liquid Urine Control	Urinalysis Control	Microalbumin Calibrator	
CRP (SF	iquic	-2-M	Systa	u mu	SE C	TfR (unti S	unti S	pste	yme	erol	o.RC	pidi	Jirec	poli	ipop.	LDL	utim	arow	dhe	Serel	ytol	vide	ynth	/letal	hyro	hera	than	rugs	rugs	rugs	rugs	rugs	ssay	idnic	Jrina	Aicro	
		-	0		1=	1 -2	S	Q	Q	1	-	S				Q.	_	S	ď		ď			ш	S	_	-	-	Ш				-		Q.	-	_	_	Renin
			t		\vdash	\vdash				H													\dashv	\dashv	\dashv	+	х	7	\dashv				†	$^{+}$					Resistin
				+		\vdash																	+	+	+	+	-	+	\exists		\dashv	+	t	$^{+}$	+				Retinol Binding Protein (RBP)
				$^{+}$																											\dashv	$^{+}$	T		T				Rheumatoid Factor (RF)
			\vdash	\vdash		\vdash								х									\dashv	+	+	+	+	7	\exists		\dashv	$^{+}$	T	$^{+}$					Rubella IgG
				\vdash										х												1					\dashv				1				Rubella IgM
				\vdash						T	T												1		1	1	1	1	x		\dashv	\top	T	x					Salicylate
																																	+	x					Salicyluric Acid
																																		_	x				Salvinorin
																				×																			Semicarbazine (SEM)
																																		×					Sertraline
				+		\vdash																	\dashv	+	+	+	1	7			\dashv	+	T						Sex Hormone Binding Globulin (SHBG)
				+														x					+	1	+	+	1	1	\exists		\dashv	+			+				sLDL
	×		×	+														^					+	+	+	+	+	+	\dashv		\dashv	+	+		+	х	х		Sodium
	^		<u> </u> ^	+	+	\vdash				H	\vdash	\vdash											+	_	+	+	+	\dashv	\dashv		\dashv	+	+	+	+	^	^		
			+	+	-	\vdash				\vdash	╁	\vdash											\dashv	х	+	+	+	\dashv	\dashv		\dashv	+	+	+	+	-			Soluble IL-2 Receptor α (sIL-2Rα)
				+		-				H	┝	H											-	х	4	4	4	4	\dashv		\dashv	+	+	+	-				Soluble IL-6 Receptor (sIL-6R)
		-	-	+	-	-		×		-	-	H											\dashv	_	_	_	4	4	\dashv		-	+	+	+	4	_			Soluble Transferrin Receptor (sTfR)
																							х	х															Soluble Tumour Necrosis Factor Receptor 1 (sTNFR I)
																								х															Soluble Tumour Necrosis Factor Receptor 11 (sTNFR I1)
				\top		T																			T	T	T	1			\exists	T	T				x	х	Specific Gravity
				\vdash																	x										\dashv				T				Stanozolol
				\vdash																	x										\dashv				1				Stilbenes
			\vdash		\vdash	\vdash				H										x			+	+	+	+	+	7	\exists			$^{+}$	t	$^{+}$					Streptomycin
				+		\vdash																	\dashv	+	+	+	+	+	\dashv		\dashv	+	H						Superoxide Dismutase (Ransod)
																							+	+	+	+	+	+	\dashv		\dashv	+	H		x				Synthetic Cannabinoids (1 to 4)
			+	+	\vdash	\vdash			H	\vdash	+	\vdash											\dashv	\dashv	\dashv	\dashv	\dashv	\dashv	\dashv		\dashv	+	+	+	^	\dashv	\dashv		,
			+	+		\vdash				\vdash	\vdash												\dashv	+	+	+	+	\dashv	\dashv		\dashv	+	+	+	+				T Uptake
		+	\vdash	+	\vdash	\vdash				\vdash	╀	\vdash											+	+	х	+	+	х	\dashv		\dashv	+	+	+	+	-			T3 (Free)
			-	+	-	-				\vdash	\vdash	\vdash											\dashv	\dashv	х	\dashv	+	х	\dashv		\dashv	+	+	+	\dashv	\dashv			T4 (Free)
				+							\vdash												\dashv	+	х	+	+	х	\dashv		+	+	+	+	-				T3 (Total)
				+		+					+												\dashv	+	x	+	+	х	\dashv		\dashv	+	+	+	+				T4 (Total)
				+		\vdash				\vdash	\vdash												\dashv	\dashv	х	\dashv	+	+	\dashv		\dashv	+	+	+	+				Testosterone Testosterone (Free)
				+		\vdash														х			\dashv	\dashv	\dashv	\dashv	+	+	\dashv		\dashv	+	H	+		\dashv			Tetracyclines (Generic)
				+																^			+	1	+	+	1	1	х		\dashv	+			+				Theophylline
																				х																			Thiamphenicol
			T	\vdash		T					T												1	1	7	7	1	1				†	Ť	Ť					Thrombin Time (TT)
						T				Т													х									\dagger	T	T	T				Thrombomodulin (TM)
				Т		Т				Т	T	Т																				\top	T	T					Thyroglobulin
																													х										Tobramycin
																																							Total Antioxidant Status (TAS)
														х																									Toxoplasma gondii IgG
														х																									Toxoplasma gondii IgM
																																		х					Tramadol
																																							Transferrin
																																		х					Trazadone
	4																				х																		Trenbolone
													х	х																									Treponema pallidum (Syphilis) IgG
			-											_																				-	-				
																								4	_		_				х	_		х		\rightarrow			Tricyclic Antidepressants
															х																х		+	x					Triglycerides
															x					x											х			x					

	Page																																								
Ant	oxidant Controls	80	80	80	80	Ħ	14	14	15	15	92	19	20	71	22	23	23	24	24	54	22	25	22	26	29	29	32	32	32	33	36	36	37	37	38	39	39	40	40	43	43
Bloo	od Gas Controls	Calibrato									_			Control																											
Car	diac Controls	and Ca	brator	Control							Contro	ntrol	Contro	Plus C		٤											es			or	untrol	trol			_						
	ical Chemistry Controls	Control	and Cali	od) Co	ntrol					tor	m Plus	lus Co	Plus (emium	Contro	r Seru		ator					Calibrator				or Seri			Calibrator	ЛН) Co	m Con		trol	Contro	utrol	ontrol				
Cor	gulation & Haematology trols	Ransel)	control	e (Rans	us Cor			trol		Calibrator	remin	mium F	emiun	istry Pr	ayed 0	librato	ntrol	Calibr	-	E n		librato	nd Cali	_			alibrat			and C	ne (Al	remiu		n Con	n Plus	ty I Co	ty II C	-0	ontro	10	rator
	oetes & Whole Blood strols	xidase (I	ctase C	mutase	nt Stat	ıtrol	lc	ac Con	ntrol	and C	nistry F	bry Pre	istry Pr	Chem	try Ass	stry Ca	nol Co	ol and	Contr	ed Ser	-0.	and Ca	itrol ar	Contro	ontrol	Control	and C	Control	rol	Contro	Hormo	assay F		remiu	remiu	peciali	pecial	r Cont	oning C	n Cont	n Calib
lmn	nunoassay Controls	ne Pero	ne Redu	ide Di	ntioxida	ias Cor	Contr	l Cardi	n T Co	Contro	n Cher	hemis	Chem	ssayed	Chemis	Chemi	ia Etha	Contr	ilirubir	Elevat	Cont	ontrol	ine Cor	ndices	tion C	ology (Contro	lbA1c (1 Cont	amine (llerian	nmunc	ntrol	assay	assay F	assay 5	assay	Marke	I Scree	Protei	Protei
lmn	nunology/Protein Controls	Glutathione Peroxidase (Ransel) Control and	Glutathione Reductase Control and Calibrator	Superoxide Dismutase (Ransod)	Total Antioxidant Status Control	Blood Gas Control	Cardiac Control	Tri-Level Cardiac Control	Troponin T Control	CK-MB Control and	Precision Chemistry Premium Plus Control	Liquid Chemistry Premium Plus Control	Assayed Chemistry Premium Plus Control	Liquid Assayed Chemistry Premium Plus	Bovine Chemistry Assayed Control	Clinical Chemistry Calibrator Serum	Ammonia Ethanol Control	Aldolase Control and Calibrator	Liquid Bilirubin Control	Bilirubin Elevated Serum	Glycerol Control	Multi Control and Calibrator	Glutamine Control and	Serum Indices Control	Coagulation Control	Haematology Control	HbA1c Control and Calibrator Series	Liquid HbA1c Control	G-6-PDH Control	Fructosamine Control and	Anti-Müllerian Hormone (AMH) Control	Liquid Immunoassay Premium Control	PTH Control	Immunoassay Premium Control	Immunoassay Premium Plus Control	Immunoassay Speciality I Control	Immunoassay Speciality II Control	Tumour Marker Control	Maternal Screening Control	Specific Protein Control	Specific Protein Calibrator
Т	TSH										х	х		х																		х		х	х						
	Tumour Necrosis Factor α (TNFα)																																								
	Tylosin																																								
U	Unconjugated Estriol									П																	П						\Box	\Box	П			\Box	х	П	
	Urea										х	х	х	х	х	х																									
	Uric Acid (Urate)										х	х	х	х	х	х																									
	Urobilinogen																																								
٧	Valproic Acid										х	х		х																		х	\Box	х	х						
	Vancomycin										х	х		х																		х		х	х						
	Vanillylmandelic Acid (VMA)																																								
	Varicella Zoster Virus (VZV) IgG																																								
	Vascular Cell Adhesion Molecule-1 (VCAM-1)																																								
	Vascular Endothelial Growth Factor (VEGF)																	_																							
	Vitamin B ₁₂										х	х	х	х	х			4	_	4					4		_					х	\perp	х	х			_	4	4	Ц
W	White Blood Cells (WBC)																	4	_					_	4	х	_						\Box		\Box			_	4	4	Ц
	White Blood Cells Differential (WBC-D)				Ш					_								_	4	4			_	4	4	х	4						\Box	_	\Box		_	_	4	4	Ц
Z	Zaleplon																		4	_				4	4		4								\Box				_	4	
	Zeronal									_								4	_					4	4		_						_	_	_		_	_	4	4	
	Zinc										х	х	х	х	х	х																							4	4	
	Zolpidem																																						4	4	
	Zopiclone																																								

				1																					1				- 1													Page		
44	44	45	45	45	46	46	46	47	20	20	20	22	E	5 2	22	8 L	ດດ	26	26	26	26	29	90	909	61-62	62	63	63.64	5 7	17	6 6	2	2	و ا	- i	-	72	72	75	76	92	Immunology/	Protein Contro	ols
ion)												lol											or		Series			Pore	200				orators	rators	Drugs of Abuse Array III Controls and Calibrators	Drugs of Abuse Array IV Controls and Calibrators	rators					Infectious [Disease Contro (Serolog	
Pre-dilut						brator						Cont					ator	ators	tor				alibrat		Calibrator Series		ibrato	alibra	all Dia	100	ator		nd Calik	Calib	Calib	d Calik	d Calik						Lipid Contro	ols
equires					rator	in Cali		Series		rols	trol	lorferi				=	Callbr	Calibra	Salibra				and C		Calibr	2	nd Cal	Opus	2	1	Callbr	1	trols an	ols and	ols and	rols an	rolsan					Speciality & R	esearch Contro	ols
Specific Protein Calibrator (Requires Pre-dilution)	CRP Controls and Calibrator			brator	Cystatin C Control and Calibrator	Immunoglobulin Liquid Protein Calibrator		sTfR Control and Calibrator Series	rols	Anti SARS-CoV-2 Spike Controls	Epstein Barr Virus (EBV) Control	Lyme Disease (Borrelia buradorferi) Control					Direct LUL/HUL Cholesterol Calibrator	Apolipoprotein Control and Calibrators	Lipoprotein (a) Control and Calibrator	orator		trol	Adhesion Molecules Control and Calibrator	rol	Cytokine Array Controls and	Evidence Immunoassav Control	Synthetic Steroids Control and Calibrator	Metabolic Sydrome Controls and Calibrators	5	The state of the s	Krol &	Ethanol Calibrator/Control Set	Drugs of Abuse Array 1 Plus Controls and Calibrators	Drugs of Abuse Array II Controls and Calibrators	Contr	Cont	Drugs of Abuse Array V Controls and Calibrators	_			or	Therapeut	cic Drug Contro	ols
Calibr	d Cali		rol	8-2-Microglobulin Calibrator	rol and	Liquid		Calib	Anti SARS-CoV-2 Controls	2 Spike	Is (EB)	orrelia	_	2		-	Chole	Contro	contro	sLDL Control and Calibrator	Antimicrobial Controls	Growth Promoter Control	les C	Cerebral Array II Control	Contro	oassav	ds Cor	ou ou		,	Con	ry Con	ray 1 Pl	vray II	vray II	vray I/	vray /	Assayed Urine Control	ntrol	-	Microalbumin Calibrator	Tox	cicology Contro	ols
otein	ols an	0	Liquid CSF Control	iludol	Cont	phulin	tor	ol and	CoV-2	CoV-2	r Vir	ase (Bo	Serology Controls		IORCH Controls		HDL	otein (n (a) C	rol an	ojal Co	omote	Molect	rray II	ırray (umuu	iteroic	Sydro	Thursid Collibrators		C Dru	IIDrato	ouse Ar	buse A	buse A	puse 4	pnse A	rine 0	Liquid Urine Control	Urinalysis Control	nin Ç		Urine Contro	ols
ific Pr	Contr	CSF Control	d CSF	Aicrog	atin C	nnogle	IgE Calibrator	Contr	SARS-	SARS-	ejn Ba	Dises	700	089	3	Lipid Control	ן בר בי	popro	orotei	Cont	nicrok	vth Pr	sion [bral A	kine A	ance h	hetic S	ril od	מו כ		apeur	ol Ca	s of Ak	s of A	s of A	s of A	s of A	yed U	d Uri	alysis (oalbur			ı
Spec	CRP	CSF	Liqui	β-2-⊩	Cyst	la E	lgE C	sTfR	Anti	Anti	Epste	Lyme	Coro	D D D	IORC	D .	Direc	Apol	Lipo	SLDL	Antir	Gro	Adhe	Cere	Cyto	Evide	Synt	M	The second	H	Iner	Etna	Drug	Drug	Drug	Drug	Drug	Assa	Liqui	Urin	Micr			
																											х			х	c											TSH		Т
																										х			х													Tumour Necrosis Fa	ctor α (TNFα)	
																						х																				Tylosin		
																																										Unconjugated Estrio	I	U
													П				Т																						х	х		Urea		
																																							х	х		Uric Acid (Urate)		
																																									х	Urobilinogen		
																															х	c										Valproic Acid		V
																															х	c										Vancomycin		
													Т	T			T																		T	T			х			Vanillylmandelic Aci	d (VMA)	
Ì															,																											Varicella Zoster Viru	ıs (VZV) IgG	
Ì																								х																		Vascular Cell Adhesi (VCAM-1)	on Molecule-1	
																										x																Vascular Endothelial (VEGF)	Growth Factor	
																																										Vitamin B ₁₂		
													П				Т																									White Blood Cells (V	VBC)	W
													П	П			Т																		П							White Blood Cells D	ifferential (WBC-D)	
																																				к						Zaleplon		z
																							х																			Zeronal		
																																										Zinc		
																																				к						Zolpidem		
																																				к						Zopiclone		

RANDOX QC PORTFOLIO

Our expertise in Quality Control have led to us creating market leading products that are tried and trusted by laboratory professionals. Our product portfolio offers high quality diagnostic solutions which offer reliable and rapid diagnosis and we believe that by providing laboratories with these tools, we can improve health worldwide.

ACUSERA 24.7 - Online QC software with real-time peer group statistics



Designed for use with the Acusera range of third party controls, the Acusera 24.7 software will help you monitor and interpret your QC data. Access to an impressive range of features, including interactive charts, the automatic calculation of Measurement Uncertainty & Sigma Metrics and live peer group data generated from our extensive database of laboratory participants, ensures Acusera 24.7 is the most comprehensive package available.

RIQAS - Randox international quality assessment scheme



The largest international EQA scheme, used by more than 55,000 laboratory participants in over 134 countries worldwide. Comprising over 360 routine and esoteric parameters in 39 comprehensive and flexible EQA programmes, RIQAS is designed to cover all areas of clinical testing. Each programme benefits from a wide range of concentrations, frequent reporting and informative yet user-friendly reports.

ACUSERA VERIFY - Keep your instrument in check with calibration verification materials



Designed to challenge a larger section of an instruments reportable range and test if a system's calibration is still valid. Our linearity materials cover a wide range of testing including, CRP, RF, Lipids, Therapeutic Drugs, Esoterics and more. Designed with user convenience in mind, all our linearity sets are supplied in a liquid format and in varying levels. Our unique combination of analytes enables laboratories to reduce the number of individual products required while ultimately reducing costs and time.

MOLECULAR - IQC & EQA solutions for infectious disease testing



Our complete quality control solutions for molecular infectious disease testing comprise hundreds of characterised viral, bacterial and fungal targets. Covering a wide range of transplant associated diseases, respiratory infections, blood borne viruses, sexually transmitted infections and more, our Molecular IQC and EQA range covers the full laboratory portfolio. Both our product offering are manufactured using only the highest quality material and the availability of whole pathogen samples ensures the performance of the patient sample is mimicked throughout.

CONTACT US

Contact us for more information on any of our products and services:

HEADQUARTERS

Randox Laboratories Ltd, 55 Diamond Road, Crumlin, County Antrim, BT29 4QY, United Kingdom

INTERNATIONAL OFFICES



AUSTRALIA

Randox (Australia) Pty Ltd. Tel: +61 (0) 2 9615 4640



CZECH REPUBLIC

Randox Laboratories S.R.O. Tel: +420 2 1115 1661



HONG KONG

Randox Laboratories Hong Kong Limited Tel: +852 3595 0515



POLAND

Randox Laboratories Polska Sp. z o.o. Tel: +48 22 862 1080



REPUBLIC OF IRELAND

Randox Teoranta Tel: +353 7495 22600



SOUTH KOREA

Randox Korea Tel: +82 (0) 31 478 3121



UAE

Randox Medical Equipments Trading LLC Tel: +971 55 474 9075



BRAZIL

Randox Brasil Ltda. Tel: +55 11 5181 2024



FRANCE

Laboratoires Randox Tel: +33 (0) 130 18 96 80



Randox Laboratories Ltd. Tel: +39 06 9896 8954



PORTUGAL

Irlandox Laboratorios Quimica Analitica Ltda Tel: +351 22 589 8320



SLOVAKIA

Randox S.R.O. Tel: +421 2 6381 3324



SPAIN

Laboratorios Randox S.L. Tel: +34 93 475 09 64



USA

Randox Laboratories-US, Ltd. Tel: +1 304 728 2890



Randox Laboratories Ltd Tel: +86 021 6288 6240



GERMANY

Randox Laboratories GmbH Tel: +49 (0) 215 1937 0611



Randox Laboratories India Pvt Ltd. Tel: +91 80 6751 5000



PUFRTO RICO

Clinical Diagnostics of Puerto Rico, LLC Tel: +1 787 701 7000



SOUTH AFRICA

Randox Laboratories SA (Pty) Ltd. Tel: +27 (0) 11 312 3590



SWITZERLAND

Randox Laboratories Ltd. (Switzerland) Tel: +41 41 810 48 89



VIETNAM

Randox Laboratories Ltd. Vietnam Tel: +84 (0) 8 3911 0904

For technical support contact:

technical.services@randox.com









