



# Gamma Emitters, RAD

One 12 mL screw-top vial yields up to 2 liters after dilution.




## VARIANTS

Item no.	Name	Product Type	Study Frequency	Study Type	Accreditations
758	Gamma EmitterS™, RadChem™	CRM		Radiochemistry (RAD)	ISO 17034

Questions? We are happy to help.


Item no.	Name	Product Type	Study Frequency	Study Type	Accreditations
Specifications					
Product Family		Environmental			
Product Category		Radiochemistry			
Product Sub Category		Radchem			
Methods		EPA 901.0, EPA 901.1, HASL 300			
Storage		20 - 25C (Ambient)			
Shelf Life from date of manufacture (months)		36			
Minimum shelf life on ship date (months)		12			
Dangerous Goods		Excepted Quantities (EQ)			
Components per Package		1			
Container Type		12mL Vial			
Volume		12 mL			
Weight		0.05 lbs			
Application		Environmental			
808	Gamma EmitterS™	PT	Quarterly	Radiochemistry (RAD)	ISO 17043



Questions? We are happy to help.



Item no.	Name	Product Type	Study Frequency	Study Type	Accreditations
Specifications					
Product Family		Environmental			
Product Category		Radiochemistry			
Product Sub Category		Radchem			
Methods		EPA 901.0, EPA 901.1, HASL 300			
Storage		20 - 25C (Ambient)			
Shelf Life from date of manufacture (months)		36			
Minimum shelf life on ship date (months)		12			
Dangerous Goods		Excepted Quantities (EQ)			
Components per Package		1			
Container Type		12mL Vial			
Volume		12 mL			
Weight		0.05 lbs			
Application		Environmental			
758QR	Gamma Emitters, RAD QR	QR		Radiochemistry (RAD)	ISO 17043




Questions? We are happy to help.



Item no.	Name	Product Type	Study Frequency	Study Type	Accreditations
Specifications					
	Product Family	Environmental			
	Product Category	Radiochemistry			
	Product Sub Category	Radchem			
	Methods	EPA 901.0, EPA 901.1, HASL 300			
	Storage	20 - 25C (Ambient)			
	Shelf Life from date of manufacture (months)	36			
	Minimum shelf life on ship date (months)	12			
	Dangerous Goods	Excepted Quantities (EQ)			
	Components per Package	1			
	Container Type	12mL Vial			
	Volume	12 mL			
	Weight	0.05 lbs			
	Application	Environmental			

ANALYTES

Analyte	Low Conc	High Conc	Units
Barium-133	10	100	pCi/L
Cesium-134	10	100	pCi/L
Cesium-137	20	240	pCi/L
Cobalt-60	10	120	pCi/L
Zinc-65	30	360	pCi/L



Questions? We are happy to help.

